



HIGH EFFICIENCY 16 SEER AIR CONDITIONER ENVIRONMENTALLY SOUND R-410A REFRIGERANT

1½ THRU 5 TONS SPLIT SYSTEM

208 / 230 Volt, 1-phase, 60 Hz

REFRIGERATION CIRCUIT

- Copeland® compressors on all models
- Filter-Drier supplied with every unit for field installation
- Copper tube / aluminum fin coil
- ^48 and ^60 models for higher SEER, lower capacity
- ^49 and ^61 models for higher capacity, lower SEER

EASY TO INSTALL AND SERVICE

- Easy Access service valves on all models
- External high and low refrigerant service ports
- Only two screws to access control panel
- Factory charged with R-410A refrigerant

BUILT TO LAST

- Baked-on powder coat finish over galvanized steel
- Post-painted (black) coil fins
- Coated, weather-resistant cabinet screws
- Coated inlet grille with 3/8" (10mm) spacing for extra protection

WARRANTY*

- 5 year compressor limited warranty
- 5 year parts limited warranty (including compressor and coil)
 - With timely registration, an additional 5 year parts limited warranty (including compressor and coil)

* Applies to original purchaser/homeowner, some limitations may apply. See Warranty certificate for complete details.



This product has been designed and manufactured to meet ENERGY STAR criteria for energy efficiency when matched with appropriate coil components. However, proper refrigerant charge and proper air flow are critical to achieve rated capacity and efficiency. Installation of this product should follow the manufacturer's refrigerant charging and air flow instructions. Failure to confirm proper charge and airflow may reduce energy efficiency and shorten equipment life.




Use of the AHRI Certified TM Mark indicates a manufacturer's participation in the program. For verification of certification for individual products, go to www.ahridirectory.org.

Model Number	Size (tons)	Nominal BTU/hr	Min. Circuit Ampacity	Max. Fuse or Breaker	Operating Dimensions height x width x depth in. (mm)	Ship / Operating Weight lbs. (kg)
NXA618GKA	1½	18,000	11.8	20	28-11/16 x 25-3/4 x 25-3/4 (729 x 654 x 654)	154 / 125 (70 / 57)
NXA624GKA	2	24,000	17.7	25	28-5/16 x 31-3/16 x 31-3/16 (719 x 792 x 792)	147 / 183 (83 / 67)
NXA630GKA	2½	30,000	16.8	25	32-5/16 x 31-3/16 x 31-3/16 (821 x 792 x 792)	188 / 153 (85 / 69)
NXA636GKA	3	36,000	18.1	30	28-5/16 x 35 x 35 (719 x 889 x 889)	204 / 165 (93 / 75)
NXA642GKA	3½	42,000	23.6	40	39-1/8 x 35 x 35 (994 x 889 x 889)	254 / 213 (115 / 96)
NXA648GKA	4	48,000	26.1	40	39-1/8 x 35 x 35 (994 x 889 x 889)	317 / 264 (144 / 120)
NXA649GKA	4	48,000	28.4	40	39-1/8 x 35 x 35 (994 x 889 x 889)	269 / 231 (122 / 105)
NXA660GKA	5	60,000	28.0	40	45-15/16 x 35 x 35 (1167 x 889 x 889)	310 / 272 (141 / 123)
NXA661GKA	5	60,000	32.5	50	45-15/16 x 35 x 35 (1167 x 889 x 889)	310 / 272 (141 / 123)

Specifications subject to change without notice.


OUTDOOR UNIT MODEL NUMBER IDENTIFICATION GUIDE (single phase)											
Digit Position:	1	2	3	4	5, 6	7	8	9	10	11	12
Example Part Number:	N	X	A	6	18	G	K	A	1	0	0
T = Tempstar Mainline											
N = Tempstar Entry BRANDING											
X = R-410A REFRIGERANT											
A = Air Conditioner											
H = Heat Pump TYPE											
4 = 14 SEER											
6 = 16 SEER NOMINAL EFFICIENCY											
18 = 18,000 BTUH = 1½ tons											
24 = 24,000 BTUH = 2 tons											
30 = 30,000 BTUH = 2½ tons											
36 = 36,000 BTUH = 3 tons											
42 = 42,000 BTUH = 3½ tons											
48 = 48,000 BTUH = 4 tons											
49 = 48,000 BTUH = 4 tons											
60 = 60,000 BTUH = 5 tons											
61 = 60,000 BTUH = 5 tons NOMINAL CAPACITY											
A = Standard Grille											
G = Coil Guard Grille											
C = Coastal FEATURES											
K = 208/230-1-60 VOLTAGE											
Sales Code											
Engineering Revision											
Extra Digit											
Extra Digit											

ACCESSORIES PART NUMBER IDENTIFICATION GUIDE									
Digit Position:	1	2	3	4	5	6, 7	8, 9	10, 11	
Example Part Number:	N	A	S	A	0	01	01	CH	
N = Non-Branded BRANDING									
A = Accessory PRODUCT GROUP									
S = Split System (AC & HP) KIT USAGE									
A = Original									
B = 2nd Generation MAJOR SERIES									
0 = Generic or Not Applicable									
2 = R-22									
4 = R-410A REFRIGERANT									
Product Identifier Number									
Package Quantity									
Type of Kit (Example: CH = Crankcase Heater)									



All Dimensions Inches (English)

Model	All Dimensions Inches (English)										Crated Dimensions H x W x D			
	A	B	C	D	E	F	G	K	L	M		N	P	Minimum Mounting Pad Size
NXA618GKA	25-3/4	28-11/16	3-3/4	3/4	4-7/16	21-1/4	7-13/16	2-13/16	1/2	13-5/8	13-1/2	12-3/4	26 x 26	32-9/16x30-1/16x26-7/8
NXA624GKA	31-3/16	28-5/16	3-3/4	3/4	6-9/16	24-11/16	9-1/8	2-13/16	1/2	16	16	13	31-1/2 x 31-1/2	32-9/16x35-1/2x32-3/8
NXA630GKA	31-3/16	32-5/16	3-3/4	3/4	6-9/16	24-11/16	9-1/8	2-13/16	1/2	15-1/2	16	14-1/4	31-1/2 x 31-1/2	35-15/16x35-1/2x32-3/8
NXA636GKA	35	28-5/16	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	16	16	13	35 x 35	32-9/16x39-5/16x36-1/8
NXA642GKA	35	39-1/8	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	16-1/2	17-1/2	17-1/2	35 x 35	42-3/4x39-5/16x36-1/8
NXA648GKA	35	39-1/8	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	17-1/2	16-1/2	15	35 x 35	42-3/4x39-5/16x36-1/8
NXA649GKA	35	39-1/8	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	17-1/2	16-1/2	15	35 x 35	42-3/4x39-5/16x36-1/8
NXA660GKA	35	45-15/16	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	16-1/2	17	16-1/4	35 x 35	49-9/16x39-5/16x36-1/8
NXA661GKA	35	45-15/16	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	16-1/2	17	16-1/4	35 x 35	49-9/16x39-5/16x36-1/8



Dimensions mm (SI Metric)

Model	Dimensions mm (SI Metric)													Minimum Mounting Pad Size	Grated Dimensions H x W x D
	A	B	C	D	E	F	G	K	L	M	N	P			
NXA618GKA	654	729	95	19	113	540	198	71	13	346	343	324	660 x 660	827 x 764 x 683	
NXA624GKA	792	719	95	19	167	627	232	71	13	406	406	330	800 x 800	827 x 902 x 822	
NXA630GKA	792	821	95	19	167	627	232	71	13	394	406	362	800 x 800	913 x 902 x 822	
NXA636GKA	889	719	98	22	167	722	232	75	16	406	406	330	889 x 889	827 x 999 x 918	
NXA642GKA	889	994	98	22	167	722	232	75	16	419	445	445	889 x 889	1086 x 999 x 918	
NXA648GKA	889	994	98	22	167	722	232	75	16	445	419	381	889 x 889	1086 x 999 x 918	
NXA649GKA	889	994	98	22	167	722	232	75	16	445	419	381	889 x 889	1086 x 999 x 918	
NXA660GKA	889	1167	98	22	167	722	232	75	16	419	431	413	889 x 889	1259 x 999 x 918	
NXA661GKA	889	1167	98	22	167	722	232	75	16	419	431	413	889 x 889	1259 x 999 x 918	

PHYSICAL DATA									
Model Size	18	24	30	36	42	48	49	60	61
Nominal Cooling Capacity (BTU/hr)	18,000	24,000	30,000	36,000	42,000	48,000	48,000	60,000	60,000
Nominal SEER	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0
Sound Rating (dBA)**	76	76	76	76	78	78	78	78	79
PSC Fan Motor HP	1/12	1/10	1/10	1/12	1/5	1/4	1/4	1/4	1/4
Fan RPM (single speed)	1100	1100	1100	830	830	830	830	830	830
Fan CFM	1900	2600	2600	3200	3800	4100	4100	4100	4100
Coil Face Area ft ² (m ²)	11.47 (1.1)	15.07 (1.4)	17.22 (1.6)	17.58 (1.6)	25.12 (2.3)	25.12 (2.3)	25.12 (2.3)	30.15 (2.8)	30.15 (2.8)
Coil Rows – fins per inch	1 – 25	1 – 25	1 – 25	1 – 25	1 – 25	2 – 20	1 – 25	2 – 20	2 – 20
Liquid Line Connection Size in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Vapor Line Connection Size in. (mm)	3/4 (19)	3/4 (19)	3/4 (19)	7/8 (22)	7/8 (22)	7/8 (22)	7/8 (22)	7/8 (22)	7/8 (22)
Recommended Line Set Liquid Tube Diameter in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Recommended Line Set Vapor Tube Diameter in. (mm)	3/4 (19) *	3/4 (19) *	3/4 (19) *	7/8 (22)*	7/8 (22)*	7/8 (22)*	7/8 (22)*	1-1/8 (29)*	1-1/8 (29)*
* Recommended Vapor Tube Line size is for standard installations. These recommendations may not apply to “Long Line” installations. When the total equivalent line length exceeds 80 feet (24.4m) or there is more than 20 feet (6.1m) vertical separation between indoor and outdoor units, consult the Long Line Application Guide line document before purchasing/ installing line sets.									
Factory Charge R-410A lbs. (kg)	4.61 (2.09)	6.00 (2.72)	6.81 (3.09)	7.00 (3.18)	8.62 (3.91)	13.00 (5.90)	9.00 (4.08)	14.50 (6.58)	14.50 (6.58)
Required Subcooling ° F (° C)	10 (6)	10 (6)	10 (6)	10 (6)	9 (5)	8 (4)	8 (4)	9 (5)	9 (5)
Weight, shipping lbs. (kg)	154 (70)	183 (83)	188 (85)	204 (93)	254 (115)	317 (144)	269 (122)	310 (141)	310 (141)
Weight, operating lbs. (kg)	125 (57)	147 (67)	153 (69)	165 (75)	213 (96)	264 (120)	231 (105)	272 (123)	272 (123)

ELECTRICAL DATA (208/230-1-60, voltage range 197V – 253V)									
Model Size	18	24	30	36	42	48	49	60	61
Minimum Circuit Ampacity – MCA (amps)	11.8	17.7	16.8	18.1	23.6	26.1	28.4	28.0	32.5
Maximum OverCurrent Protective device – MOCP (amps)	20	25	25	30	40	40	40	40	50
Compressor RLA (Rated Load Amps) LRA (Locked Rotor Amps)	9.0 48.0	13.5 58.3	12.8 64.0	14.1 77.0	17.9 112.0	19.9 109.0	21.8 117.0	21.4 135.0	25.0 134.0
Fan Motor FLA (Full Load Amps)	.50	.75	.75	.50	1.2	1.2	1.2	1.2	1.2

**Sound Rating tested in accordance with ARI Standard 270-95 (not listed with ARI).

R-410A COOLING CAPACITY LOSS FOR VARIOUS LINE LENGTHS & TUBE DIAMETERS													
Model Size	Liquid Line in.(mm)	Acceptable Vapor Line Sizes in. (mm)	Cooling Capacity Loss (%) at Total Equivalent Line Length, feet (m) Refer to Long Line Application Guideline to calculate equivalent length										
			Standard Application			Long Line Application (Requires Accessories)							
			25' (7.6)	50' (15.2)	80' (24.4)	81' (24.7)	100' (30.5)	125' (38.1)	150' (45.7)	175' (53.3)	200' (61)	225' (68.6)	250' (76.2)
18	3/8 (10)	1/2 (13)	1	2	3	3	4	6	7	8	9	10	12
		5/8 (16)	0	0	1	1	1	1	2	2	3	3	3
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	1
24		5/8 (16)	0	1	1	1	2	3	3	4	4	5	6
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	2
		7/8 (22)	0	0	0	0	0	0	0	0	0	0	1
30		5/8 (16)	1	2	3	3	3	4	5	6	7	8	9
		3/4 (19)	0	0	1	1	1	1	2	2	2	3	3
		7/8 (22)	0	0	0	0	0	1	1	1	1	1	1
36		5/8 (16)	1	2	4	4	5	6	7	9	10	11	13
		3/4 (19)	0	0	1	1	1	2	2	3	3	4	4
		7/8 (22)	0	0	0	0	0	1	1	1	1	2	2
42		3/4 (19)	0	1	2	2	2	3	4	4	5	6	6
		7/8 (22)	0	0	1	1	1	1	2	2	2	3	3
	1-1/8 (29)	0	0	0	0	0	0	0	0	0	0	1	
48/49	3/4 (19)	0	1	2	2	3	4	5	5	6	7	8	
	7/8 (22)	0	0	1	1	1	2	2	2	3	3	4	
	1-1/8 (29)	0	0	0	0	0	0	0	0	1	1	1	
60/61	3/4 (19)	1	2	4	4	5	6	7	9	10	11	12	
	7/8 (22)	0	1	2	2	2	3	4	4	5	5	6	
	1-1/8(29)	0	0	0	0	1	1	1	1	1	1	2	

* Applications are considered “Long Line” if the total equivalent tubing length exceeds 80 feet (24.4m) or there is more than 20 foot (6.1m) vertical separation between indoor and outdoor units. These applications require additional accessories and system modifications for reliable system operation.

Applications in shaded area may have height restrictions that limit allowable total equivalent length when outdoor unit is below indoor unit.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA618GKA	*EN(A,D)4X19*17**		18000	TXV		14.5		12
	FEA4X18**A*		18000	TDR&TXV	15.5			12.5
	FEA4X24**A*		18400	TDR&TXV	16			13
	FEA4X30**A*		18400	TDR&TXV	16			13
	FEA4X36**A*		18400	TDR&TXV	16			13
	FEM4P18**A*		18000	TDR	15.45		15.5	13
	FEM4P24**A*		18400	TDR	15.45		15.5	13
	FEM4P30**A*		18500	TDR	14.5		14.5	12.5
	FEM4X18****		18000	TDR&TXV	16			13
	FEM4X24****		18400	TDR&TXV	16			13
	FS(M,U)4P18**A*		18000	TDR	14.5		14.5	12.5
	FS(M,U)4P24**A*		18400	TDR	14.5		14.5	12.5
	FS(M,U)4X18****		18000	TDR&TXV	14			11.5
	FS(M,U)4X24****		18400	TDR&TXV	14			11.5
	FSA4X18**A*		18000	TDR&TXV	14			11.5
	FSA4X24**A*		18400	TDR&TXV	14			11.5
	FVM4X24****		18400	TDR&TXV	16			13
	FXM4X18**A*		18400	TDR&TXV	16			13
	FXM4X24**A*		18400	TDR&TXV	16			13
	FXM4X30**A*		18400	TDR&TXV	16			13
	EA*4X18*14A*	*8MX*0451408**	18000	TDR&TXV	15.5			12.7
	EA*4X18*14A*	*8MV*0701412**	18000	TDR&TXV	15.5			12.7
	EA*4X18*14A*	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X18*14A*	*9MV*0401410A**	18000	TDR&TXV	15.2			12.5
	EA*4X18*14A*		18000	TXV			14	11.7
	EA*4X24*14A*	*8MX*0451408**	18000	TDR&TXV	16			13
	EA*4X24*14A*	*8MV*0701412**	18000	TDR&TXV	16			13
	EA*4X24*14A*	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X24*14A*	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X24*14A*		18000	TXV			14	11.7
	EA*4X24*17A*	*8MX*0451408**	18000	TDR&TXV	16			13
	EA*4X24*17A*	*8MV*0701412**	18000	TDR&TXV	16			13
	EA*4X24*17A*	*8MV*0901716**	18000	TDR&TXV	16			13
	EA*4X24*17A*	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X24*17A*	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X24*17A*	*9MV*0601714A**	18000	TDR&TXV	16			13
	EA*4X24*17A*	*9MV*0801716A**	18000	TDR&TXV	16.5			13.2
	EA*4X24*17A*	*9MA*0601714A**	18000	TDR&TXV	16			13
	EA*4X24*17A*	*9MA*0801714A**	18000	TDR&TXV	16			13
	EA*4X24*17A*		18000	TXV			14	11.7
	EA*4X30*14A*	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X30*14A*	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X30*14A*		18000	TXV			14	11.7
	EA*4X30*17A*	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X30*17A*	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	EA*4X30*17A*	*9MV*0601714A**	18000	TDR&TXV	16			13
	EA*4X30*17A*	*9MV*0801716A**	18000	TDR&TXV	16.5			13.2
	EA*4X30*17A*	*9MA*0601714A**	18000	TDR&TXV	16			13

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
NXA618GKA	EA*4X30*17A*	*9MA*0801714A**	18000	TDR&TXV	16		13
	EA*4X30*17A*		18000	TXV		14	11.7
	ED*4X18B**	*9MX*0401410A**	18000	TDR&TXV	15.5		12.7
	ED*4X18B**	*9MV*0401410A**	18000	TDR&TXV	15.2		12.5
	ED*4X18B**		18000	TXV		14	11.5
	ED*4X18B**	*8MPV050	18000	TDR&TXV	15.5		12.5
	ED*4X18B**	MV08B15**B*	18000	TDR&TXV	16		13
	ED*4X24B**	*9MX*0401410A**	18000	TDR&TXV	15.5		12.7
	ED*4X24B**	*9MV*0401410A**	18000	TDR&TXV	15.5		12.7
	ED*4X24B**		18400	TXV		14	11.5
	ED*4X24B**	*8MPV050	18400	TDR&TXV	16		13
	ED*4X24B**	MV08B15**B*	18400	TDR&TXV	16		13
	ED*4X24F**	*9MV*0601714A**	18000	TDR&TXV	16		13
	ED*4X24F**	*9MV*0801716A**	18000	TDR&TXV	16.5		13.2
	ED*4X24F**	*9MV*0802120A**	19500	TDR&TXV	16.5		13.2
	ED*4X24F**	*9MV*1002120A**	19600	TDR&TXV	16.5		13.2
	ED*4X24F**	*9MA*0601714A**	18000	TDR&TXV	16		13
	ED*4X24F**	*9MA*0801714A**	18000	TDR&TXV	16		13
	ED*4X24F**	*9MA*0602120A**	18800	TDR&TXV	16		13
	ED*4X24F**	*9MVX040	18400	TDR&TXV	16		13
	ED*4X24F**	*9MVX060	18400	TDR&TXV	16		13
	ED*4X24F**	*9MV*1002116A**	18000	TDR&TXV	16.5		13.2
	ED*4X24F**	OLV098A12A	18400	TDR&TXV	16		13
	ED*4X24F**	OMV098J12A	18400	TDR&TXV	16		13
	ED*4X24F**		18400	TXV		14	11.5
	ED*4X24F**	*9MPV050	18400	TDR&TXV	16		13
	ED*4X24F**	*9MPV075	18400	TDR&TXV	16		13
	ED*4X30B**	*8MX*0451408**	18400	TDR&TXV	16		13
	ED*4X30B**	*8MV*0701412**	18400	TDR&TXV	16		13
	ED*4X30B**	*9MX*0401410A**	18000	TDR&TXV	15.5		12.7
	ED*4X30B**	*9MV*0401410A**	18000	TDR&TXV	15.5		12.7
	ED*4X30B**		18400	TXV		14.5	12
	ED*4X30B**	*8MPV050	18400	TDR&TXV	16		13
	ED*4X30B**	MV08B15**B*	18400	TDR&TXV	16		13
	ED*4X30F**	*8MV*0901716**	18400	TDR&TXV	16		13
	ED*4X30F**	*9MV*0601714A**	18000	TDR&TXV	16		13
	ED*4X30F**	*9MV*0801716A**	18000	TDR&TXV	16.5		13.2
	ED*4X30F**	*9MV*0802120A**	19600	TDR&TXV	16.5		13.5
	ED*4X30F**	*9MV*1002120A**	19600	TDR&TXV	16.5		13.5
	ED*4X30F**	*9MA*0601714A**	18000	TDR&TXV	16		13
	ED*4X30F**	*9MA*0801714A**	18000	TDR&TXV	16		13
	ED*4X30F**	*9MA*0602120A**	18800	TDR&TXV	16		13
ED*4X30F**	NOMV106D12*	18400	TDR&TXV	16		13	
ED*4X30F**	*9MVX040	18400	TDR&TXV	16		13	
ED*4X30F**	*9MVX060	18400	TDR&TXV	16		13	
ED*4X30F**	*9MV*1002116A**	18000	TDR&TXV	16.5		13.2	
ED*4X30F**		18400	TXV		14.5	12	
ED*4X30F**	*8MPV050	18400	TDR&TXV	16		13	
ED*4X30F**	*8MPV075	18400	TDR&TXV	16		13	
ED*4X30F**	*9MPV050	18400	TDR&TXV	16		13	
ED*4X30F**	*9MPV075	18400	TDR&TXV	16		13	
ED*4X30F**	MV08B15**B*	18400	TDR&TXV	16		13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA618GKA	ED*4X30F**	MV12F19**B*	18400	TDR&TXV	16			13
	ED*4X36B**	*8MX*0451408**	18600	TDR&TXV	16			13
	ED*4X36B**	*8MV*0701412**	18600	TDR&TXV	16			13
	ED*4X36B**		18600	TXV		14.5		12
	ED*4X36B**	*8MPV050	18600	TDR&TXV	16			13
	ED*4X36B**	MV08B15**B*	18600	TDR&TXV	16			13
	ED*4X36F**	*8MV*0901716**	18600	TDR&TXV	16			13
	ED*4X36F**	NOMV106D12*	18600	TDR&TXV	16			13
	ED*4X36F**	*9MVX040	18600	TDR&TXV	16			13
	ED*4X36F**	*9MVX060	18600	TDR&TXV	16			13
	ED*4X36F**		18600	TXV		14.5		12
	ED*4X36F**	*8MPV050	18600	TDR&TXV	16			13
	ED*4X36F**	*8MPV075	18600	TDR&TXV	16			13
	ED*4X36F**	*9MPV050	18600	TDR&TXV	16			13
	ED*4X36F**	*9MPV075	18600	TDR&TXV	16			13
	ED*4X36F**	MV08B15**B*	18600	TDR&TXV	16			13
	ED*4X36F**	MV12F19**B*	18600	TDR&TXV	16			13
	ED*4X36J**	*8MV*1102120**	18600	TDR&TXV	16			13
	ED*4X36J**	*9MVX040	18600	TDR&TXV	16			13
	ED*4X36J**	*9MVX060	18600	TDR&TXV	16			13
	ED*4X36J**	*9MVX080	18600	TDR&TXV	16			13
	ED*4X36J**		18600	TXV		14.5		12
	ED*4X36J**	*8MPV075	18600	TDR&TXV	16			13
	ED*4X36J**	*8MPV100	18600	TDR&TXV	16			13
	ED*4X36J**	*8MPV125	18600	TDR&TXV	16			13
	ED*4X36J**	*9MPV050	18600	TDR&TXV	16			13
	ED*4X36J**	*9MPV075	18600	TDR&TXV	16			13
	ED*4X36J**	*9MPV100	18600	TDR&TXV	16			13
	ED*4X36J**	MV12F19**B*	18600	TDR&TXV	16			13
	EHD4X24A**	*8MX*0451408**	18400	TDR&TXV	16			13
	EHD4X24A**	*8MV*0701412**	18400	TDR&TXV	16			13
	EHD4X24A**	*8MV*0901716**	18400	TDR&TXV	16			13
	EHD4X24A**	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EHD4X24A**	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	EHD4X24A**	*9MV*0601714A**	18000	TDR&TXV	16			13
	EHD4X24A**	*9MV*0801716A**	18000	TDR&TXV	16			13
	EHD4X24A**	*9MV*0802120A**	19200	TDR&TXV	16.5			13.2
	EHD4X24A**	*9MV*1002120A**	19300	TDR&TXV	16.5			13.2
	EHD4X24A**	*9MV*1202422A**	18000	TDR&TXV	16			13
	EHD4X24A**	*9MA*0601714A**	18000	TDR&TXV	16			13
EHD4X24A**	*9MA*0801714A**	18000	TDR&TXV	16			13	
EHD4X24A**	*9MA*0602120A**	18800	TDR&TXV	16			13	
EHD4X24A**	NOMV106D12*	18400	TDR&TXV	16			13	
EHD4X24A**	*9MVX040	18400	TDR&TXV	15.95			13	
EHD4X24A**	*9MVX060	18400	TDR&TXV	16			13	
EHD4X24A**	*9MV*1002116A**	18000	TDR&TXV	16			13	
EHD4X24A**	OLV098A12A	18400	TDR&TXV	16			13	
EHD4X24A**	OMV098J12A	18400	TDR&TXV	16			13	
EHD4X24A**		18400	TXV		14		11.5	
EHD4X24A**	*8MPV050	18400	TDR&TXV	16			13	
EHD4X24A**	*9MPV050	18400	TDR&TXV	16			13	
EHD4X24A**	*9MPV075	18400	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA618GKA	EHD4X24A**	MV08B15**B*	18400	TDR&TXV	16		13	
	EHD4X30A**	*9MX*0401410A**	18000	TDR&TXV	16		13	
	EHD4X30A**	*9MV*0401410A**	18000	TDR&TXV	15.5		12.7	
	EHD4X30A**	*9MV*0601714A**	18000	TDR&TXV	16.5		13.2	
	EHD4X30A**	*9MV*0801716A**	18000	TDR&TXV	16.5		13.2	
	EHD4X30A**	*9MV*0802120A**	19600	TDR&TXV	16.5		13.5	
	EHD4X30A**	*9MV*1002120A**	19600	TDR&TXV	16.5		13.5	
	EHD4X30A**	*9MV*1202422A**	18000	TDR&TXV	16.5		13.2	
	EHD4X30A**	*9MA*0601714A**	18000	TDR&TXV	16		13	
	EHD4X30A**	*9MA*0801714A**	18000	TDR&TXV	16		13	
	EHD4X30A**	*9MA*0602120A**	18800	TDR&TXV	16.5		13.2	
	EHD4X30A**	*9MV*1002116A**	18000	TDR&TXV	16.5		13.2	
	EMA4X24D**			18400	TXV		14	11.5
	EN(A,D)4X18*14**	*8MX*0451408**		18000	TDR&TXV	16		13
	EN(A,D)4X18*14**	*8MV*0701412**		18000	TDR&TXV	16		13
	EN(A,D)4X18*14**	*9MX*0401410A**		18000	TDR&TXV	15.5		12.7
	EN(A,D)4X18*14**	*9MV*0401410A**		18000	TDR&TXV	15.5		12.7
	EN(A,D)4X18*14**			18000	TXV		14.5	12
	EN(A,D)4X19*17**	*8MX*0451408**		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	*8MV*0701412**		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	*8MV*0901716**		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	*9MX*0401410A**		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	*9MV*0401410A**		18000	TDR&TXV	15.5		12.7
	EN(A,D)4X19*17**	*9MV*0601714A**		18000	TDR&TXV	16.5		13.2
	EN(A,D)4X19*17**	*9MV*0801716A**		18000	TDR&TXV	16.5		13.2
	EN(A,D)4X19*17**	*9MA*0601714A**		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	*9MA*0801714A**		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	NOMV106D12*		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	*9MVX040		18400	TDR&TXV	16		13
	EN(A,D)4X19*17**	OLV098A12A		18400	TDR&TXV	16		13
	EN(A,D)4X19*17**	OMV098J12A		18400	TDR&TXV	16		13
	EN(A,D)4X19*17**	*8MPV050		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	MV08B15**B*		18000	TDR&TXV	16		13
	EN(A,D)4X19*17**	*9MPV050		18400	TDR&TXV	16		13
	EN(A,D)4X24*14**	*8MX*0451408**		18400	TDR&TXV	16		13
	EN(A,D)4X24*14**	*8MV*0701412**		18400	TDR&TXV	16		13
	EN(A,D)4X24*14**	*9MX*0401410A**		18000	TDR&TXV	15.5		12.7
	EN(A,D)4X24*14**	*9MV*0401410A**		18000	TDR&TXV	15.5		12.7
	EN(A,D)4X24*14**			18400	TXV		14.5	12
	EN(A,D)4X24*17**	*8MX*0451408**		18400	TDR&TXV	16		13
	EN(A,D)4X24*17**	*8MV*0701412**		18400	TDR&TXV	16		13
	EN(A,D)4X24*17**	*8MV*0901716**		18400	TDR&TXV	16		13
	EN(A,D)4X24*17**	*9MX*0401410A**		18000	TDR&TXV	15.5		12.7
	EN(A,D)4X24*17**	*9MV*0401410A**		18000	TDR&TXV	15.5		12.7
	EN(A,D)4X24*17**	*9MV*0601714A**		18000	TDR&TXV	16		13
EN(A,D)4X24*17**	*9MV*0801716A**		18000	TDR&TXV	16		13	
EN(A,D)4X24*17**	*9MA*0601714A**		18000	TDR&TXV	16		13	
EN(A,D)4X24*17**	*9MA*0801714A**		18000	TDR&TXV	16		13	
EN(A,D)4X24*17**	NOMV106D12*		18400	TDR&TXV	16		13	
EN(A,D)4X24*17**	*9MVX040		18400	TDR&TXV	15.5		13	
EN(A,D)4X24*17**	OLV098A12A		18400	TDR&TXV	16		13	
EN(A,D)4X24*17**	OMV098J12A		18400	TDR&TXV	16		13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA618GKA	EN(A,D)4X24*17**		18400	TXV		14.5		12
	EN(A,D)4X24*17**	*8MPV050	18400	TDR&TXV	16			13
	EN(A,D)4X24*17**	MV08B15**B*	18400	TDR&TXV	16			13
	EN(A,D)4X24*17**	*9MPV050	18400	TDR&TXV	15.5			13
	EN(A,D)4X30*14**	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EN(A,D)4X30*14**	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	*9MV*0601714A**	18000	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MV*0801716A**	18000	TDR&TXV	16.5			13.2
	EN(A,D)4X30*17**	*9MA*0601714A**	18000	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MA*0801714A**	18000	TDR&TXV	16			13
	ENH4X24*17**	*8MX*0451408**	18400	TDR&TXV	16			13
	ENH4X24*17**	*8MV*0701412**	18400	TDR&TXV	16			13
	ENH4X24*17**	*8MV*0901716**	18400	TDR&TXV	16			13
	ENH4X24*17**	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	ENH4X24*17**	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	ENH4X24*17**	*9MV*0601714A**	18000	TDR&TXV	16			13
	ENH4X24*17**	*9MV*0801716A**	18000	TDR&TXV	16			13
	ENH4X24*17**	*9MV*1202422A**	18000	TDR&TXV	16			13
	ENH4X24*17**	*9MA*0601714A**	18000	TDR&TXV	16			13
	ENH4X24*17**	*9MA*0801714A**	18000	TDR&TXV	16			13
	ENH4X24*17**	NOMV106D12*	18400	TDR&TXV	16			13
	ENH4X24*17**	*9MVX040	18400	TDR&TXV	15.5			12.5
	ENH4X24*17**	*9MVX040	18400	TDR&TXV	15.5			12.5
	ENH4X24*17**	*9MVX060	18400	TDR&TXV	16			13
	ENH4X24*17**	*9MVX060	18400	TDR&TXV	15.85			13
	ENH4X24*17**	*9MV*1002116A**	18000	TDR&TXV	16			13
	ENH4X24*17**	OLV098A12A	18400	TDR&TXV	16			13
	ENH4X24*17**	OMV098J12A	18400	TDR&TXV	16			13
	ENH4X24*17**		18400	TXV		14.5		12
	ENH4X24*17**	*8MPV050	18400	TDR&TXV	16			13
	ENH4X24*17**	*9MPV050	18400	TDR&TXV	15.5			13
	ENH4X24*17**	*9MPV075	18400	TDR&TXV	15.5			13
	ENH4X24*17**	MV08B15**B*	18400	TDR&TXV	16			13
	ENH4X24*17**	*9MPV050	18400	TDR&TXV	15.5			13
	ENH4X24*17**	*9MPV075	18400	TDR&TXV	15.5			13
	ENH4X30*17**	*9MX*0401410A**	18000	TDR&TXV	15.5			12.7
	ENH4X30*17**	*9MV*0401410A**	18000	TDR&TXV	15.5			12.7
	ENH4X30*17**	*9MV*0601714A**	18000	TDR&TXV	16			13
ENH4X30*17**	*9MV*0801716A**	18000	TDR&TXV	16.5			13.2	
ENH4X30*17**	*9MV*1202422A**	18000	TDR&TXV	16.5			13.2	
ENH4X30*17**	*9MA*0601714A**	18000	TDR&TXV	16			13	
ENH4X30*17**	*9MA*0801714A**	18000	TDR&TXV	16			13	
ENH4X30*17**	*9MV*1002116A**	18000	TDR&TXV	16.5			13.2	

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models								
For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org . New ratings may be listed online before Specification Sheets are updated.								
Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA624GKA	*EN(A,D)4X31*17**		23600	TXV		14.5		12
	FEA4X24**A*		23400	TDR&TXV	15.5			12.5
	FEA4X30**A*		23600	TDR&TXV	15.5			12.5
	FEA4X36**A*		23800	TDR&TXV	15.5			12.5
	FEM4P24**A*		23400	TDR	14.5		14.5	12.5
	FEM4P30**A*		23600	TDR	15.5		15.5	13
	FEM4P36**A*		23800	TDR	13.5		13.5	11.5
	FEM4X24****		23400	TDR&TXV	15.5			12.5
	FEM4X30****		23600	TDR&TXV	16			13
	FS(M,U)4P24**A*		23400	TDR	14.5		14.5	12.5
	FS(M,U)4P30**A*		23600	TDR	15		15	12.5
	FS(M,U)4X24****		23400	TDR&TXV	14			11.5
	FS(M,U)4X30****		23600	TDR&TXV	14.5			12
	FSA4X24**A*		23400	TDR&TXV	14			11.5
	FSA4X30**A*		23600	TDR&TXV	14			11.5
	FVM4X24****		23800	TDR&TXV	16			13
	FVM4X36****		24200	TDR&TXV	16			13
	FXM4X24**A*		23800	TDR&TXV	16			13
	FXM4X30**A*		24000	TDR&TXV	15.5			12.5
	FXM4X36**A*		24200	TDR&TXV	16			13
	EA*4X24*14A*	*8MX*0451408**	24000	TDR&TXV	15.5			12.7
	EA*4X24*14A*	*8MV*0701412**	24000	TDR&TXV	16			13
	EA*4X24*14A*	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MV*0401410A**	23800	TDR&TXV	15			12.5
	EA*4X24*14A*		24000	TXV		14		12
	EA*4X24*17A*	*8MX*0451408**	24000	TDR&TXV	16			13
	EA*4X24*17A*	*8MV*0701412**	24000	TDR&TXV	16			13
	EA*4X24*17A*	*8MV*0901716**	24000	TDR&TXV	16			13
	EA*4X24*17A*	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MX*0601714A**	24000	TDR&TXV	16			13
	EA*4X24*17A*	*9MV*0401410A**	24000	TDR&TXV	15			12.5
	EA*4X24*17A*	*9MV*0601714A**	24000	TDR&TXV	16			13
	EA*4X24*17A*	*9MV*0801716A**	24000	TDR&TXV	16			13
	EA*4X24*17A*	*9MA*0601714A**	24000	TDR&TXV	15.5			12.7
	EA*4X24*17A*	*9MA*0801714A**	23800	TDR&TXV	16			13
	EA*4X24*17A*		24000	TXV		14		12
	EA*4X30*14A*	*8MX*0451408**	24000	TDR&TXV	16			13
	EA*4X30*14A*	*8MV*0701412**	24000	TDR&TXV	16			13
	EA*4X30*14A*	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EA*4X30*14A*	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	EA*4X30*14A*		24000	TXV		14		12
	EA*4X30*17A*	*8MX*0451408**	24000	TDR&TXV	16			13
	EA*4X30*17A*	*8MV*0701412**	24000	TDR&TXV	16			13
	EA*4X30*17A*	*8MV*0901716**	24000	TDR&TXV	16			13
	EA*4X30*17A*	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MX*0601714A**	24000	TDR&TXV	16			13
EA*4X30*17A*	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5	
EA*4X30*17A*	*9MV*0601714A**	24000	TDR&TXV	16			13	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA624GKA	EA*4X30*17A*	*9MV*0801716A**	24000	TDR&TXV	16			13
	EA*4X30*17A*	*9MA*0601714A**	24000	TDR&TXV	16			13
	EA*4X30*17A*	*9MA*0801714A**	24000	TDR&TXV	16			13
	EA*4X30*17A*		24000	TXV		14		12
	EA*4X36*14A*	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EA*4X36*14A*	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	EA*4X36*14A*		24000	TXV		14		12.2
	EA*4X36*17A*	*9MX*0401410A**	24000	TDR&TXV	15			12.5
	EA*4X36*17A*	*9MX*0601714A**	24000	TDR&TXV	16			13
	EA*4X36*17A*	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	EA*4X36*17A*	*9MV*0601714A**	24000	TDR&TXV	16			13
	EA*4X36*17A*	*9MV*0801716A**	24000	TDR&TXV	16			13
	EA*4X36*17A*	*9MA*0601714A**	24000	TDR&TXV	16			13
	EA*4X36*17A*	*9MA*0801714A**	24000	TDR&TXV	16			13
	EA*4X36*17A*		24000	TXV		14		12.2
	EA*4X36*21A*	*9MX*0601714A**	24000	TDR&TXV	16			13
	EA*4X36*21A*	*9MV*0601714A**	24000	TDR&TXV	16			13
	EA*4X36*21A*	*9MV*0801716A**	24000	TDR&TXV	16.5			13.2
	EA*4X36*21A*	*9MA*0601714A**	24000	TDR&TXV	16			13
	EA*4X36*21A*	*9MA*0801714A**	24000	TDR&TXV	16			13
	EA*4X36*21A*	*9MA*0802120A**	24400	TDR&TXV	16.5			13.7
	EA*4X36*21A*	*9MA*1002122A**	24400	TDR&TXV	16.5			13.7
	EA*4X36*21A*	*9MA*0602120A**	24200	TDR&TXV	16			13.5
	EA*4X36*21A*	*9MV*1002116A**	24000	TDR&TXV	16.5			13.2
	EA*4X36*21A*	*9MA*1002120A**	24000	TDR&TXV	16			13
	EA*4X36*21A*		24000	TXV	--	14		12.2
	ED*4X24B**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	ED*4X24B**	*9MV*0401410A**	23800	TDR&TXV	15			12.5
	ED*4X24B**		23400	TXV		14		11.5
	ED*4X24B**	*8MPV050	23400	TDR&TXV	15			12.5
	ED*4X24B**	MV08B15**B*	23400	TDR&TXV	16			13
	ED*4X24F**	*9MX*0601714A**	24000	TDR&TXV	16			13
	ED*4X24F**	*9MV*0601714A**	24000	TDR&TXV	16			13
	ED*4X24F**	*9MV*0801716A**	24000	TDR&TXV	16			13
	ED*4X24F**	*9MV*0802120A**	24000	TDR&TXV	16			13
	ED*4X24F**	*9MV*1002120A**	24200	TDR&TXV	16			13
	ED*4X24F**	*9MA*0601714A**	24000	TDR&TXV	15.5			12.7
	ED*4X24F**	*9MA*0801714A**	23800	TDR&TXV	16			13
	ED*4X24F**	*9MA*0802120A**	24000	TDR&TXV	16			13
	ED*4X24F**	*9MA*1002122A**	24200	TDR&TXV	16			13
	ED*4X24F**	*9MA*0602120A**	24000	TDR&TXV	16			13
	ED*4X24F**	*9MVX040	23400	TDR&TXV	15.5			12.5
	ED*4X24F**	*9MVX060	23400	TDR&TXV	15.5			12.5
	ED*4X24F**	*9MV*1002116A**	24000	TDR&TXV	16			13
ED*4X24F**	*9MA*1002120A**	24000	TDR&TXV	16			13	
ED*4X24F**	OLV098A12A	23400	TDR&TXV	16			13	
ED*4X24F**	OMV098J12A	23400	TDR&TXV	15.95			13	
ED*4X24F**	OMV112K14A	23400	TDR&TXV	16			13	
ED*4X24F**		23400	TXV		14		11.5	
ED*4X24F**	*8MPV075	23400	TDR&TXV	15.5			12.5	
ED*4X24F**	*9MPV050	23400	TDR&TXV	15.5			12.5	
ED*4X24F**	*9MPV075	23400	TDR&TXV	15.5			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA624GKA	ED*4X24F**	MV12F19**B*	23400	TDR&TXV	16			13
	ED*4X30B**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	ED*4X30B**	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	ED*4X30B**		23600	TXV		14		11.5
	ED*4X30B**	*8MPV050	23600	TDR&TXV	15.5			12.5
	ED*4X30B**	MV08B15**B*	23600	TDR&TXV	16			13
	ED*4X30F**	*9MX*0601714A**	24000	TDR&TXV	16			13
	ED*4X30F**	*9MV*0601714A**	24000	TDR&TXV	16			13
	ED*4X30F**	*9MV*0801716A**	24000	TDR&TXV	16			13
	ED*4X30F**	*9MV*0802120A**	24200	TDR&TXV	16			13.5
	ED*4X30F**	*9MV*1002120A**	24400	TDR&TXV	16.5			13.5
	ED*4X30F**	*9MA*0601714A**	24000	TDR&TXV	16			13
	ED*4X30F**	*9MA*0801714A**	24000	TDR&TXV	16			13
	ED*4X30F**	*9MA*0802120A**	24200	TDR&TXV	16			13.5
	ED*4X30F**	*9MA*1002122A**	24200	TDR&TXV	16.5			13.5
	ED*4X30F**	*9MA*0602120A**	24000	TDR&TXV	16			13
	ED*4X30F**	*9MVX040	23600	TDR&TXV	15.5			12.5
	ED*4X30F**	*9MVX060	23600	TDR&TXV	15.5			12.5
	ED*4X30F**	*9MV*1002116A**	24000	TDR&TXV	16			13
	ED*4X30F**	*9MA*1002120A**	24000	TDR&TXV	16			13
	ED*4X30F**	OLV098A12A	23600	TDR&TXV	16			13
	ED*4X30F**	OMV098J12A	23600	TDR&TXV	16			13
	ED*4X30F**	OMV112K14A	23400	TDR&TXV	16			13
	ED*4X30F**		23600	TXV		14		11.5
	ED*4X30F**	*8MPV075	23600	TDR&TXV	15.5			12.5
	ED*4X30F**	*9MPV050	23600	TDR&TXV	15.5			12.5
	ED*4X30F**	*9MPV075	23600	TDR&TXV	15.5			12.5
	ED*4X30F**	MV12F19**B*	23600	TDR&TXV	16			13
	ED*4X36B**	*8MV*0701412**	23800	TDR&TXV	16			13
	ED*4X36B**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	ED*4X36B**	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	ED*4X36B**		23800	TXV		14.5		12
	ED*4X36B**	*8MPV050	23800	TDR&TXV	15.5			12.5
	ED*4X36B**	MV08B15**B*	23800	TDR&TXV	16			13
	ED*4X36F**	*8MX*0701716**	23800	TDR&TXV	15.5			12.5
	ED*4X36F**	*8MV*0901716**	23800	TDR&TXV	16			13
	ED*4X36F**	*9MX*0601714A**	24000	TDR&TXV	16			13
	ED*4X36F**	*9MV*0601714A**	24000	TDR&TXV	16			13
	ED*4X36F**	*9MV*0801716A**	24000	TDR&TXV	16			13
	ED*4X36F**	*9MV*0802120A**	24400	TDR&TXV	16.5			13.7
	ED*4X36F**	*9MV*1002120A**	24600	TDR&TXV	16.5			13.7
	ED*4X36F**	*9MA*0601714A**	24000	TDR&TXV	16			13
	ED*4X36F**	*9MA*0801714A**	24000	TDR&TXV	16			13
	ED*4X36F**	*9MA*0802120A**	24400	TDR&TXV	16.5			13.7
	ED*4X36F**	*9MA*1002122A**	24400	TDR&TXV	16.5			13.7
	ED*4X36F**	*9MA*0602120A**	24200	TDR&TXV	16			13
	ED*4X36F**	NOMV106D12*	23800	TDR&TXV	16			13
	ED*4X36F**	*9MVX040	23800	TDR&TXV	15.5			12.5
ED*4X36F**	*9MVX060	23800	TDR&TXV	15.5			12.5	
ED*4X36F**	*9MV*1002116A**	24000	TDR&TXV	16			13	
ED*4X36F**	*9MA*1002120A**	24000	TDR&TXV	16			13	
ED*4X36F**		23800	TXV		14.5		12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA624GKA	ED*4X36F**	*8MPV050	23800	TDR&TXV	15.5			12.5
	ED*4X36F**	*8MPV075	23800	TDR&TXV	16			13
	ED*4X36F**	*9MPV050	23800	TDR&TXV	15.5			12.5
	ED*4X36F**	*9MPV075	23800	TDR&TXV	15.5			12.5
	ED*4X36F**	MV08B15**B*	23800	TDR&TXV	16			13
	ED*4X36F**	MV12F19**B*	23800	TDR&TXV	16			13
	ED*4X36J**	*8MX*0902116**	23800	TDR&TXV	16			13
	ED*4X36J**	*8MV*1102120**	23800	TDR&TXV	16			13
	ED*4X36J**	*9MV*0802120A**	24600	TDR&TXV	16.5			13.7
	ED*4X36J**	*9MV*1002120A**	24800	TDR&TXV	16.5			13.7
	ED*4X36J**	*9MV*1202422A**	24000	TDR&TXV	16.5			13.2
	ED*4X36J**	*9MA*0802120A**	24400	TDR&TXV	16.5			13.7
	ED*4X36J**	*9MA*1002122A**	24400	TDR&TXV	16.5			13.7
	ED*4X36J**	*9MA*1202422A**	24000	TDR&TXV	16.5			13.2
	ED*4X36J**	*9MA*0602120A**	24200	TDR&TXV	16			13.5
	ED*4X36J**	*9MVX040	23800	TDR&TXV	15.5			12.5
	ED*4X36J**	*9MVX060	23800	TDR&TXV	16			13
	ED*4X36J**	*9MVX080	23800	TDR&TXV	16			13
	ED*4X36J**	*9MV*1002116A**	24000	TDR&TXV	16.5			13.2
	ED*4X36J**	*9MA*1002120A**	24000	TDR&TXV	16			13
	ED*4X36J**		23800	TXV		14.5		12
	ED*4X36J**	*8MPV075	23800	TDR&TXV	16			13
	ED*4X36J**	*8MPV100	23800	TDR&TXV	16			13
	ED*4X36J**	*8MPV125	23800	TDR&TXV	16			13
	ED*4X36J**	*9MPV050	23800	TDR&TXV	15.5			12.5
	ED*4X36J**	*9MPV075	23800	TDR&TXV	15.5			12.5
	ED*4X36J**	*9MPV100	23800	TDR&TXV	16			13
	ED*4X36J**	MV12F19**B*	23800	TDR&TXV	16			13
	ED*4X42F**	*8MX*0701716**	24000	TDR&TXV	15.95			13
	ED*4X42F**	*8MV*0901716**	24000	TDR&TXV	16			13
	ED*4X42F**	NOMV106D12*	24000	TDR&TXV	16			13
	ED*4X42F**	*9MVX040	24000	TDR&TXV	15.95			13
	ED*4X42F**	*9MVX060	24000	TDR&TXV	16			13
	ED*4X42F**		24000	TXV		14.5		12
	ED*4X42F**	*8MPV050	24000	TDR&TXV	15.5			12.5
	ED*4X42F**	*8MPV075	24000	TDR&TXV	16			13
	ED*4X42F**	*9MPV050	24000	TDR&TXV	16			13
	ED*4X42F**	*9MPV075	24000	TDR&TXV	16			13
	ED*4X42F**	MV08B15**B*	24000	TDR&TXV	16			13
	ED*4X42F**	MV12F19**B*	24000	TDR&TXV	16			13
	ED*4X42J**	*8MX*0902116**	24000	TDR&TXV	16			13
	ED*4X42J**	*8MV*1102120**	24000	TDR&TXV	16			13
	ED*4X42J**	*9MVX040	24000	TDR&TXV	16			13
	ED*4X42J**	*9MVX060	24000	TDR&TXV	16			13
	ED*4X42J**	*9MVX080	24000	TDR&TXV	16			13
	ED*4X42J**		24000	TXV		14.5		12
	ED*4X42J**	*8MPV075	24000	TDR&TXV	16			13
	ED*4X42J**	*8MPV100	24000	TDR&TXV	16			14
ED*4X42J**	*8MPV125	24000	TDR&TXV	16			13	
ED*4X42J**	*9MPV050	24000	TDR&TXV	16			13	
ED*4X42J**	*9MPV075	24000	TDR&TXV	16			13	
ED*4X42J**	*9MPV100	24000	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA624GKA	ED*4X42J**	MV12F19**B*	24000	TDR&TXV	16			13
	ED*4X42L**	*8MX*0902116**	24000	TDR&TXV	16			13
	ED*4X42L**	*8MV*1102120**	24000	TDR&TXV	16			13
	ED*4X42L**	*8MV*1352422**	24000	TDR&TXV	16			13
	ED*4X42L**	*9MVX080	24000	TDR&TXV	16			13
	ED*4X42L**	*9MVX100	24000	TDR&TXV	16			13
	ED*4X42L**		24000	TXV		14.5		12
	ED*4X42L**	*8MPV100	24000	TDR&TXV	16			13
	ED*4X42L**	*8MPV125	24000	TDR&TXV	16			13
	ED*4X42L**	*9MPV100	24000	TDR&TXV	16			13
	ED*4X42L**	*9MPV125	24000	TDR&TXV	16			13
	EHD4X24A**	*8MX*0451408**	23400	TDR&TXV	16			13
	EHD4X24A**	*8MV*0701412**	23400	TDR&TXV	16			13
	EHD4X24A**	*8MV*0901716**	23400	TDR&TXV	16			13
	EHD4X24A**	*8MV*1102120**	23400	TDR&TXV	16			13
	EHD4X24A**	*8MV*1352422**	23400	TDR&TXV	16			13
	EHD4X24A**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EHD4X24A**	*9MX*0601714A**	24000	TDR&TXV	16			13
	EHD4X24A**	*9MV*0401410A**	24000	TDR&TXV	15			12.5
	EHD4X24A**	*9MV*0601714A**	24000	TDR&TXV	15.5			12.7
	EHD4X24A**	*9MV*0801716A**	24000	TDR&TXV	16			13
	EHD4X24A**	*9MV*0802120A**	24000	TDR&TXV	16			13
	EHD4X24A**	*9MV*1002120A**	24000	TDR&TXV	16			13
	EHD4X24A**	*9MV*1202422A**	24000	TDR&TXV	16			13
	EHD4X24A**	*9MA*0601714A**	24000	TDR&TXV	15.5			12.7
	EHD4X24A**	*9MA*0801714A**	24000	TDR&TXV	16			13
	EHD4X24A**	*9MA*0802120A**	24400	TDR&TXV	16			13
	EHD4X24A**	*9MA*1002122A**	24400	TDR&TXV	16			13
	EHD4X24A**	*9MA*1202422A**	24000	TDR&TXV	16			13
	EHD4X24A**	*9MA*0602120A**	24200	TDR&TXV	16			13
	EHD4X24A**	NOMV106D12*	23400	TDR&TXV	16			13
	EHD4X24A**	*9MVX040	23400	TDR&TXV	15.5			12.5
	EHD4X24A**	*9MVX060	23400	TDR&TXV	15.5			12.5
	EHD4X24A**	*9MVX080	23400	TDR&TXV	15.95			13
	EHD4X24A**	*9MVX100	23400	TDR&TXV	16			13
	EHD4X24A**	*9MV*1002116A**	23800	TDR&TXV	16			13
	EHD4X24A**	*9MA*1002120A**	24000	TDR&TXV	16			13
	EHD4X24A**	OLV098A12A	23600	TDR&TXV	16			13
	EHD4X24A**	OMV098J12A	23600	TDR&TXV	15.5			12.5
	EHD4X24A**	OMV112K14A	23600	TDR&TXV	16			13
	EHD4X24A**		23400	TXV		14		11.5
	EHD4X24A**	*8MPV050	23400	TDR&TXV	15.5			12.5
EHD4X24A**	*8MPV075	23400	TDR&TXV	15.95			13	
EHD4X24A**	*8MPV100	23400	TDR&TXV	16			13	
EHD4X24A**	*8MPV125	23400	TDR&TXV	16			13	
EHD4X24A**	*9MPV050	23400	TDR&TXV	15.5			12.5	
EHD4X24A**	*9MPV075	23400	TDR&TXV	15.5			12.5	
EHD4X24A**	*9MPV100	23400	TDR&TXV	15.5			12.5	
EHD4X24A**	*9MPV125	23400	TDR&TXV	16			13	
EHD4X24A**	MV08B15**B*	23400	TDR&TXV	16			13	
EHD4X24A**	MV12F19**B*	23400	TDR&TXV	16			13	
EHD4X30A**	*8MX*0451408**	23600	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA624GKA	EHD4X30A**	*8MV*0701412**	23600	TDR&TXV	16			13
	EHD4X30A**	*8MV*0901716**	23600	TDR&TXV	16			13
	EHD4X30A**	*8MV*1102120**	23600	TDR&TXV	16			13
	EHD4X30A**	*8MV*1352422**	23600	TDR&TXV	16			13
	EHD4X30A**	*9MX*0401410A**	24000	TDR&TXV	15			12.5
	EHD4X30A**	*9MX*0601714A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	EHD4X30A**	*9MV*0601714A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MV*0801716A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MV*0802120A**	24200	TDR&TXV	16			13.5
	EHD4X30A**	*9MV*1002120A**	24400	TDR&TXV	16.5			13.5
	EHD4X30A**	*9MV*1202422A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MA*0601714A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MA*0801714A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MA*0802120A**	24400	TDR&TXV	16			13.5
	EHD4X30A**	*9MA*1002122A**	24400	TDR&TXV	16.5			13.5
	EHD4X30A**	*9MA*1202422A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MA*0602120A**	24200	TDR&TXV	16			13
	EHD4X30A**	NOMV106D12*	23600	TDR&TXV	16			13
	EHD4X30A**	*9MVX040	23600	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MVX060	23600	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MVX080	23600	TDR&TXV	16			13
	EHD4X30A**	*9MVX100	23600	TDR&TXV	16			13
	EHD4X30A**	*9MV*1002116A**	24000	TDR&TXV	16			13
	EHD4X30A**	*9MA*1002120A**	24000	TDR&TXV	16			13
	EHD4X30A**	OLV098A12A	23600	TDR&TXV	16			13
	EHD4X30A**	OMV098J12A	23600	TDR&TXV	16			13
	EHD4X30A**	OMV112K14A	23600	TDR&TXV	16			13
	EHD4X30A**		23600	TXV		14		11.5
	EHD4X30A**	*8MPV050	23600	TDR&TXV	15.5			12.5
	EHD4X30A**	*8MPV075	23600	TDR&TXV	16			13
	EHD4X30A**	*8MPV100	23600	TDR&TXV	16			13
	EHD4X30A**	*8MPV125	23600	TDR&TXV	16			13
	EHD4X30A**	*9MPV050	23600	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MPV075	23600	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MPV100	23600	TDR&TXV	16			13
	EHD4X30A**	*9MPV125	23600	TDR&TXV	16			13
	EHD4X30A**	MV08B15**B*	23600	TDR&TXV	16			13
	EHD4X30A**	MV12F19**B*	23600	TDR&TXV	16			13
	EHD4X36A**	*9MX*0401410A**	24000	TDR&TXV	15.2			12.5
EHD4X36A**	*9MX*0601714A**	24000	TDR&TXV	16.5			13.2	
EHD4X36A**	*9MV*0401410A**	24000	TDR&TXV	15.5			12.7	
EHD4X36A**	*9MV*0601714A**	24000	TDR&TXV	16			13	
EHD4X36A**	*9MV*0801716A**	24000	TDR&TXV	16.5			13.2	
EHD4X36A**	*9MV*0802120A**	24800	TDR&TXV	16.5			13.7	
EHD4X36A**	*9MV*1002120A**	25000	TDR&TXV	16.5			13.7	
EHD4X36A**	*9MV*1202422A**	24000	TDR&TXV	16.5			13.2	
EHD4X36A**	*9MA*0601714A**	24000	TDR&TXV	16			13	
EHD4X36A**	*9MA*0801714A**	24000	TDR&TXV	16.5			13.2	
EHD4X36A**	*9MA*0802120A**	24600	TDR&TXV	16.5			13.7	
EHD4X36A**	*9MA*1002122A**	24800	TDR&TXV	16.5			13.7	
EHD4X36A**	*9MA*1202422A**	24000	TDR&TXV	16.5			13.2	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA624GKA	EHD4X36A**	*9MA*0602120A**	24400	TDR&TXV	16.5			13.5
	EHD4X36A**	*9MV*1002116A**	24000	TDR&TXV	16.5			13.2
	EHD4X36A**	*9MA*1002120A**	24000	TDR&TXV	16.5			13.2
	EMA4X24D**		23400	TXV		14		11.5
	EN(A,D)4X24*14**	*8MX*0451408**	23400	TDR&TXV	15.5			12.5
	EN(A,D)4X24*14**	*8MV*0701412**	23400	TDR&TXV	16			13
	EN(A,D)4X24*14**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EN(A,D)4X24*14**	*9MV*0401410A**	23800	TDR&TXV	15			12.5
	EN(A,D)4X24*14**		23400	TXV		14		11.5
	EN(A,D)4X24*17**	*8MX*0451408**	23400	TDR&TXV	15.5			12.5
	EN(A,D)4X24*17**	*8MV*0701412**	23400	TDR&TXV	16			13
	EN(A,D)4X24*17**	*8MV*0901716**	23400	TDR&TXV	16			13
	EN(A,D)4X24*17**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MX*0601714A**	24000	TDR&TXV	15.5			12.7
	EN(A,D)4X24*17**	*9MV*0401410A**	23800	TDR&TXV	15			12.5
	EN(A,D)4X24*17**	*9MV*0601714A**	23800	TDR&TXV	15.5			12.7
	EN(A,D)4X24*17**	*9MV*0801716A**	24000	TDR&TXV	16			13
	EN(A,D)4X24*17**	*9MA*0601714A**	24000	TDR&TXV	15.5			12.7
	EN(A,D)4X24*17**	*9MA*0801714A**	23800	TDR&TXV	15.5			12.7
	EN(A,D)4X24*17**	NOMV106D12*	23400	TDR&TXV	15.5			12.5
	EN(A,D)4X24*17**	*9MVX040	23400	TDR&TXV	15			12.5
	EN(A,D)4X24*17**	OLV098A12A	23400	TDR&TXV	15.5			12.5
	EN(A,D)4X24*17**	OMV098J12A	23400	TDR&TXV	15.5			12.5
	EN(A,D)4X24*17**	OMV112K14A	23400	TDR&TXV	16			13
	EN(A,D)4X24*17**		23400	TXV		14		11.5
	EN(A,D)4X24*17**	*8MPV050	23400	TDR&TXV	15.35			12.5
	EN(A,D)4X24*17**	MV08B15**B*	23400	TDR&TXV	16			13
	EN(A,D)4X24*17**	*9MPV050	23200	TDR&TXV	15			12.5
	EN(A,D)4X30*14**	*8MX*0451408**	23600	TDR&TXV	16			13
	EN(A,D)4X30*14**	*8MV*0701412**	23600	TDR&TXV	16			13
	EN(A,D)4X30*14**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EN(A,D)4X30*14**	*9MV*0401410A**	24000	TDR&TXV	15			12.5
	EN(A,D)4X30*14**		23600	TXV		14.5		12
	EN(A,D)4X30*17**	*8MX*0451408**	23600	TDR&TXV	16			13
	EN(A,D)4X30*17**	*8MV*0701412**	23600	TDR&TXV	16			13
	EN(A,D)4X30*17**	*8MV*0901716**	23600	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MX*0601714A**	24000	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	EN(A,D)4X30*17**	*9MV*0601714A**	24000	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MV*0801716A**	24000	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MA*0601714A**	24000	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MA*0801714A**	24000	TDR&TXV	16			13
	EN(A,D)4X30*17**	NOMV106D12*	23600	TDR&TXV	16			13
	EN(A,D)4X30*17**	*9MVX040	23600	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**	*9MVX060	24000	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**	OLV098A12A	23600	TDR&TXV	16			13
	EN(A,D)4X30*17**	OMV098J12A	23600	TDR&TXV	16			13
EN(A,D)4X30*17**	OMV112K14A	23600	TDR&TXV	16			13	
EN(A,D)4X30*17**		23600	TXV		14.5		12	
EN(A,D)4X30*17**	*8MPV050	23600	TDR&TXV	15.5			12.5	
EN(A,D)4X30*17**	MV08B15**B*	23600	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA624GKA	EN(A,D)4X30*17**	*9MPV050	23600	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**	*9MPV075	23800	TDR&TXV	15.5			12.5
	EN(A,D)4X31*17**	*8MX*0451408**	23600	TDR&TXV	16			13
	EN(A,D)4X31*17**	*8MV*0701412**	23600	TDR&TXV	16			13
	EN(A,D)4X31*17**	*8MV*0901716**	23600	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MX*0401410A**	24000	TDR&TXV	15.2			12.5
	EN(A,D)4X31*17**	*9MX*0601714A**	24000	TDR&TXV	16.5			13.2
	EN(A,D)4X31*17**	*9MV*0401410A**	24000	TDR&TXV	15.5			12.7
	EN(A,D)4X31*17**	*9MV*0601714A**	24000	TDR&TXV	16.5			13.2
	EN(A,D)4X31*17**	*9MV*0801716A**	24000	TDR&TXV	16.5			13.2
	EN(A,D)4X31*17**	*9MA*0601714A**	24000	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MA*0801714A**	24000	TDR&TXV	16.5			13.2
	EN(A,D)4X31*17**	NOMV106D12*	23600	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MVX040	24000	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MVX060	24000	TDR&TXV	16			13
	EN(A,D)4X31*17**	OLV098A12A	24000	TDR&TXV	16			13
	EN(A,D)4X31*17**	OMV098J12A	24000	TDR&TXV	16			13
	EN(A,D)4X31*17**	OMV112K14A	24000	TDR&TXV	16			13
	EN(A,D)4X31*17**	*8MPV050	23600	TDR&TXV	16			13
	EN(A,D)4X31*17**	MV08B15**B*	23600	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MPV050	24000	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MPV075	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MX*0601714A**	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MV*0601714A**	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MV*0801716A**	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MV*0802120A**	24200	TDR&TXV	16			13.5
	EN(A,D)4X36*21**	*9MV*1002120A**	24400	TDR&TXV	16.5			13.5
	EN(A,D)4X36*21**	*9MA*0601714A**	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MA*0801714A**	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MA*0802120A**	24200	TDR&TXV	16			13.5
	EN(A,D)4X36*21**	*9MA*1002122A**	24200	TDR&TXV	16.5			13.5
	EN(A,D)4X36*21**	*9MA*0602120A**	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MV*1002116A**	24000	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MA*1002120A**	24000	TDR&TXV	16			13
	EN(A,D,W)4X36*17**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*9MX*0601714A**	24000	TDR&TXV	16			13
	EN(A,D,W)4X36*17**	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	EN(A,D,W)4X36*17**	*9MV*0601714A**	24000	TDR&TXV	16			13
	EN(A,D,W)4X36*17**	*9MV*0801716A**	24000	TDR&TXV	16			13
	EN(A,D,W)4X36*17**	*9MA*0601714A**	24000	TDR&TXV	16			13
	EN(A,D,W)4X36*17**	*9MA*0801714A**	24000	TDR&TXV	16			13
	EN(A,D,W)4X36*17**		24000	TXV			14.5	12
	ENH4X24*17**	*8MX*0451408**	23400	TDR&TXV	15.5			12.5
	ENH4X24*17**	*8MV*0701412**	23400	TDR&TXV	16			13
	ENH4X24*17**	*8MV*0901716**	23400	TDR&TXV	16			13
	ENH4X24*17**	*8MV*1102120**	23400	TDR&TXV	16			13
	ENH4X24*17**	*8MV*1352422**	23400	TDR&TXV	16			13
	ENH4X24*17**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
ENH4X24*17**	*9MX*0601714A**	24000	TDR&TXV	15.5			12.7	
ENH4X24*17**	*9MV*0401410A**	23800	TDR&TXV	15			12.5	
ENH4X24*17**	*9MV*0601714A**	23800	TDR&TXV	15.5			12.7	
ENH4X24*17**	*9MV*0801716A**	24000	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
NXA624GKA	ENH4X24*17**	*9MV*1202422A**	24000	TDR&TXV	16		13
	ENH4X24*17**	*9MA*0601714A**	24000	TDR&TXV	15.5		12.7
	ENH4X24*17**	*9MA*0801714A**	23800	TDR&TXV	15.5		12.7
	ENH4X24*17**	*9MA*1202422A**	24000	TDR&TXV	16		13
	ENH4X24*17**	NOMV106D12*	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX040	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX040	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX060	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX060	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX080	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX080	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX100	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MVX100	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MV*1002116A**	23600	TDR&TXV	15.5		12.7
	ENH4X24*17**	*9MA*1002120A**	24000	TDR&TXV	16		13
	ENH4X24*17**	OLV098A12A	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	OMV098J12A	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	OMV112K14A	23400	TDR&TXV	16		13
	ENH4X24*17**		23400	TXV		14	11.5
	ENH4X24*17**	*8MPV050	23400	TDR&TXV	15		12.5
	ENH4X24*17**	*8MPV075	23400	TDR&TXV	15.5		12.5
	ENH4X24*17**	*8MPV100	23400	TDR&TXV	16		13
	ENH4X24*17**	*8MPV125	23400	TDR&TXV	16		13
	ENH4X24*17**	*9MPV050	23200	TDR&TXV	15		12.5
	ENH4X24*17**	*9MPV075	23400	TDR&TXV	15		12.5
	ENH4X24*17**	*9MPV100	23600	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MPV125	23600	TDR&TXV	15.5		12.5
	ENH4X24*17**	MV08B15*B*	23400	TDR&TXV	16		13
	ENH4X24*17**	MV12F19*B*	23400	TDR&TXV	16		13
	ENH4X24*17**	*9MPV050	23200	TDR&TXV	15		12.5
	ENH4X24*17**	*9MPV075	23400	TDR&TXV	15		12.5
	ENH4X24*17**	*9MPV100	23600	TDR&TXV	15.5		12.5
	ENH4X24*17**	*9MPV125	23600	TDR&TXV	15.5		12.5
	ENH4X30*17**	*8MX*0451408**	23600	TDR&TXV	16		13
	ENH4X30*17**	*8MV*0701412**	23600	TDR&TXV	16		13
	ENH4X30*17**	*8MV*0901716**	23600	TDR&TXV	16		13
	ENH4X30*17**	*8MV*1102120**	23600	TDR&TXV	16		13
	ENH4X30*17**	*8MV*1352422**	23600	TDR&TXV	16		13
	ENH4X30*17**	*9MX*0401410A**	24000	TDR&TXV	14.5		12
	ENH4X30*17**	*9MX*0601714A**	24000	TDR&TXV	16		13
	ENH4X30*17**	*9MV*0401410A**	24000	TDR&TXV	15.2		12.5
	ENH4X30*17**	*9MV*0601714A**	24000	TDR&TXV	16		13
	ENH4X30*17**	*9MV*0801716A**	24000	TDR&TXV	16		13
	ENH4X30*17**	*9MV*1202422A**	24000	TDR&TXV	16		13
	ENH4X30*17**	*9MA*0601714A**	24000	TDR&TXV	16		13
ENH4X30*17**	*9MA*0801714A**	24000	TDR&TXV	16		13	
ENH4X30*17**	*9MA*1202422A**	24000	TDR&TXV	16		13	
ENH4X30*17**	NOMV106D12*	23600	TDR&TXV	16		13	
ENH4X30*17**	*9MVX040	23600	TDR&TXV	15.5		12.5	
ENH4X30*17**	*9MVX040	23600	TDR&TXV	15.5		12.5	
ENH4X30*17**	*9MVX060	23600	TDR&TXV	15.5		12.5	
ENH4X30*17**	*9MVX060	23600	TDR&TXV	15.5		12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA624GKA	ENH4X30*17**	*9MVX080	23600	TDR&TXV	16			13
	ENH4X30*17**	*9MVX080	23600	TDR&TXV	16			13
	ENH4X30*17**	*9MVX100	23600	TDR&TXV	16			13
	ENH4X30*17**	*9MVX100	23600	TDR&TXV	16			13
	ENH4X30*17**	*9MV*1002116A**	24000	TDR&TXV	16			13
	ENH4X30*17**	*9MA*1002120A**	24000	TDR&TXV	16			13
	ENH4X30*17**	OLV098A12A	23600	TDR&TXV	16			13
	ENH4X30*17**	OMV098J12A	23600	TDR&TXV	16			13
	ENH4X30*17**	OMV112K14A	23600	TDR&TXV	16			13
	ENH4X30*17**		23600	TXV		14.5		12
	ENH4X30*17**	*8MPV050	23600	TDR&TXV	15.5			12.5
	ENH4X30*17**	*8MPV075	23600	TDR&TXV	16			13
	ENH4X30*17**	*8MPV100	23600	TDR&TXV	16			13
	ENH4X30*17**	*8MPV125	23600	TDR&TXV	16			13
	ENH4X30*17**	*9MPV050	23600	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MPV075	23800	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MPV100	24000	TDR&TXV	16			13
	ENH4X30*17**	*9MPV125	24000	TDR&TXV	16			13
	ENH4X30*17**	MV08B15**B*	23600	TDR&TXV	16			13
	ENH4X30*17**	MV12F19**B*	23600	TDR&TXV	16			13
	ENH4X30*17**	*9MPV050	23600	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MPV075	23800	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MPV100	24000	TDR&TXV	16			13
	ENH4X30*17**	*9MPV125	24000	TDR&TXV	16			13
	ENH4X31*17**	*8MX*0451408**	23600	TDR&TXV	16			13
	ENH4X31*17**	*8MX*0902116**	24600	TDR&TXV	16			13
	ENH4X31*17**	*8MV*0701412**	23600	TDR&TXV	16			13
	ENH4X31*17**	*8MV*0901716**	23600	TDR&TXV	16			13
	ENH4X31*17**	*8MV*1102120**	23600	TDR&TXV	16			13
	ENH4X31*17**	*8MV*1352422**	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MX*0401410A**	24000	TDR&TXV	15.2			12.5
	ENH4X31*17**	*9MX*0601714A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	*9MV*0401410A**	24000	TDR&TXV	15.5			12.7
	ENH4X31*17**	*9MV*0601714A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	*9MV*0801716A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	*9MV*1202422A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	*9MA*0601714A**	24000	TDR&TXV	16			13
	ENH4X31*17**	*9MA*0801714A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	*9MA*1202422A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	NOMV106D12*	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX040	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX040	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX060	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX060	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX080	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX080	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX100	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MVX100	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MV*1002116A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	*9MA*1002120A**	24000	TDR&TXV	16.5			13.2
	ENH4X31*17**	OLV098A12A	24000	TDR&TXV	16			13
	ENH4X31*17**	OMV098J12A	24000	TDR&TXV	16			13

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA624GKA	ENH4X31*17**	OMV112K14A	24000	TDR&TXV	16			13
	ENH4X31*17**		23600	TXV		14.5		12
	ENH4X31*17**	*8MPV050	23600	TDR&TXV	16			13
	ENH4X31*17**	*8MPV075	23600	TDR&TXV	16			13
	ENH4X31*17**	*8MPV100	23600	TDR&TXV	16			13
	ENH4X31*17**	*8MPV125	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MPV050	24000	TDR&TXV	16			13
	ENH4X31*17**	*9MPV075	24000	TDR&TXV	16			13
	ENH4X31*17**	*9MPV100	24000	TDR&TXV	16			13
	ENH4X31*17**	*9MPV125	24000	TDR&TXV	16			13
	ENH4X31*17**	MV08B15**B*	23600	TDR&TXV	16			13
	ENH4X31*17**	MV12F19**B*	23600	TDR&TXV	16			13
	ENH4X31*17**	*9MPV050	24000	TDR&TXV	16			13
	ENH4X31*17**	*9MPV075	24000	TDR&TXV	16			13
	ENH4X31*17**	*9MPV100	24000	TDR&TXV	16			13
	ENH4X31*17**	*9MPV125	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MX*0401410A**	24000	TDR&TXV	14.5			12
	ENH4X36*17**	*9MX*0601714A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MV*0401410A**	24000	TDR&TXV	15.2			12.5
	ENH4X36*17**	*9MV*0601714A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MV*0801716A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MV*1202422A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MA*0601714A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MA*0801714A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MA*1202422A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MV*1002116A**	24000	TDR&TXV	16			13
	ENH4X36*17**	*9MA*1002120A**	24000	TDR&TXV	16			13

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA630GKA	*EN(A,D)4X31*17**		28600	TXV		14.5		12
	FEA4X30**A*		28600	TDR&TXV	15			12.5
	FEA4X36**A*		28600	TDR&TXV	15			12.5
	FEM4P30**A*		28400	TDR	14.5		14.5	12.5
	FEM4P36**A*		28600	TDR	14.5		14.5	12.5
	FEM4P42**A*		28800	TDR	14.5		14.5	12.5
	FEM4X30****		28400	TDR&TXV	15			12.5
	FEM4X36****		28600	TDR&TXV	15			12.5
	FS(M,U)4P30**A*		28400	TDR	14.5		14.5	12.5
	FS(M,U)4P36**A*		28600	TDR	14		14	12
	FS(M,U)4X30****		28400	TDR&TXV	14			11.5
	FSA4X30**A*		28400	TDR&TXV	14			11.5
	FSA4X36**A*		28600	TDR&TXV	14			12
	FSM4X36****		28600	TDR&TXV	14.5			12
	FSU4X36****		28600	TDR&TXV	14			11.5
	FVM4X24****		28400	TDR&TXV	16			13
	FVM4X36****		28600	TDR&TXV	16			13
	FVM4X48****		28800	TDR&TXV	16			13
	FXM4X30**A*		28600	TDR&TXV	15.5			12.5
	FXM4X36**A*		28800	TDR&TXV	16			13
	FXM4X42**A*		28800	TDR&TXV	15			12.5
	EA*4X30*14A*	*8MV*0701412**	28200	TDR&TXV	15.5			12.7
	EA*4X30*14A*		28600	TXV		14		11.7
	EA*4X30*17A*	*8MX*0701716**	28600	TDR&TXV	15.2			12.7
	EA*4X30*17A*	*8MV*0701412**	28200	TDR&TXV	15.5			13
	EA*4X30*17A*	*8MV*0901716**	28400	TDR&TXV	16			13
	EA*4X30*17A*	*9MX*0601714A**	28400	TDR&TXV	15.5			12.7
	EA*4X30*17A*	*9MX*0801716A**	28800	TDR&TXV	15.5			12.7
	EA*4X30*17A*	*9MV*0601714A**	28400	TDR&TXV	15.5			12.7
	EA*4X30*17A*	*9MV*0801716A**	28400	TDR&TXV	15.5			12.7
	EA*4X30*17A*	*9MA*0601714A**	28200	TDR&TXV	15.2			12.5
	EA*4X30*17A*	*9MA*0801714A**	28400	TDR&TXV	15.5			12.7
	EA*4X30*17A*		28600	TXV		14		11.7
	EA*4X36*14A*	*8MV*0701412**	28400	TDR&TXV	15.5			13
	EA*4X36*14A*		28600	TXV		14		12
	EA*4X36*17A*	*8MX*0701716**	28600	TDR&TXV	15.5			13
	EA*4X36*17A*	*8MV*0701412**	28400	TDR&TXV	15.5			13
	EA*4X36*17A*	*8MV*0901716**	28400	TDR&TXV	16			13
	EA*4X36*17A*	*9MX*0601714A**	28600	TDR&TXV	15.5			12.7
	EA*4X36*17A*	*9MX*0801716A**	28800	TDR&TXV	15.5			12.7
	EA*4X36*17A*	*9MV*0601714A**	28400	TDR&TXV	15.5			12.7
	EA*4X36*17A*	*9MV*0801716A**	28600	TDR&TXV	15.5			12.7
	EA*4X36*17A*	*9MA*0601714A**	28400	TDR&TXV	15.5			12.7
	EA*4X36*17A*	*9MA*0801714A**	28600	TDR&TXV	15.5			12.7
	EA*4X36*17A*		28600	TXV		14		12
	EA*4X36*21A*	*8MX*0701716**	28800	TDR&TXV	15.5			13
	EA*4X36*21A*	*8MX*0902116**	28800	TDR&TXV	16			13
	EA*4X36*21A*	*8MV*0901716**	28400	TDR&TXV	16			13
	EA*4X36*21A*	*8MV*1102120**	28600	TDR&TXV	16			13

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA630GKA	EA*4X36*21A*	*9MX*0601714A**	28800	TDR&TXV	15.5		12.7	
	EA*4X36*21A*	*9MX*0801716A**	29000	TDR&TXV	15.5		12.7	
	EA*4X36*21A*	*9MV*0601714A**	28600	TDR&TXV	15.5		12.7	
	EA*4X36*21A*	*9MV*0801716A**	28600	TDR&TXV	15.5		12.7	
	EA*4X36*21A*	*9MV*0802120A**	28600	TDR&TXV	16		13	
	EA*4X36*21A*	*9MV*1002120A**	28600	TDR&TXV	16		13	
	EA*4X36*21A*	*9MA*0601714A**	28400	TDR&TXV	15.5		12.7	
	EA*4X36*21A*	*9MA*0801714A**	28600	TDR&TXV	15.5		12.7	
	EA*4X36*21A*	*9MA*0802120A**	28600	TDR&TXV	16		13	
	EA*4X36*21A*	*9MA*1002122A**	28800	TDR&TXV	16		13.2	
	EA*4X36*21A*	*9MA*0602120A**	28600	TDR&TXV	15.75		13	
	EA*4X36*21A*	*9MV*1002116A**	28600	TDR&TXV	15.5		12.7	
	EA*4X36*21A*	*9MA*1002120A**	28600	TDR&TXV	15.5		12.7	
	EA*4X36*21A*		28600	TXV		14	12	
	EA*4X42*21A*	*9MX*0601714A**	28800	TDR&TXV	15.5		12.7	
	EA*4X42*21A*	*9MX*0801716A**	29000	TDR&TXV	15.5		12.7	
	EA*4X42*21A*	*9MV*0601714A**	28600	TDR&TXV	15.5		12.7	
	EA*4X42*21A*	*9MV*0801716A**	28800	TDR&TXV	15.5		12.7	
	EA*4X42*21A*	*9MV*0802120A**	28800	TDR&TXV	16		13	
	EA*4X42*21A*	*9MV*1002120A**	28600	TDR&TXV	16		13	
	EA*4X42*21A*	*9MA*0601714A**	28600	TDR&TXV	15.5		12.7	
	EA*4X42*21A*	*9MA*0801714A**	28600	TDR&TXV	15.5		12.7	
	EA*4X42*21A*	*9MA*0802120A**	28800	TDR&TXV	16		13	
	EA*4X42*21A*	*9MA*1002122A**	29000	TDR&TXV	16.3		13.5	
	EA*4X42*21A*	*9MA*0602120A**	28800	TDR&TXV	15.85		13	
	EA*4X42*21A*	*9MV*1002116A**	28800	TDR&TXV	16		13	
	EA*4X42*21A*	*9MA*1002120A**	28800	TDR&TXV	16		13	
	EA*4X42*21A*		28800	TXV		14	12	
	EA*4X42*24A*	*9MV*1202422A**	29000	TDR&TXV	16		13	
	EA*4X42*24A*	*9MA*1202422A**	28800	TDR&TXV	16		13	
	EA*4X42*24A*	*9MV*1002116A**	28800	TDR&TXV	16		13	
	EA*4X42*24A*	*9MA*1002120A**	28800	TDR&TXV	16		13	
	EA*4X42*24A*		28800	TXV		14	12	
	ED*4X30B**		28400	TXV		14	11.5	
	ED*4X30B**	*8MPV050	28400	TDR&TXV	14.5		12	
	ED*4X30B**	MV08B15**B*	28400	TDR&TXV	16		13	
	ED*4X30F**	*9MX*0601714A**	28400	TDR&TXV	15.5		12.7	
	ED*4X30F**	*9MX*0801716A**	28800	TDR&TXV	15.5		12.7	
	ED*4X30F**	*9MV*0601714A**	28400	TDR&TXV	15.5		12.7	
	ED*4X30F**	*9MV*0801716A**	28400	TDR&TXV	15.5		12.7	
	ED*4X30F**	*9MV*0802120A**	28400	TDR&TXV	15.5		13.2	
	ED*4X30F**	*9MV*1002120A**	28200	TDR&TXV	15.5		13.2	
ED*4X30F**	*9MA*0601714A**	28200	TDR&TXV	15.2		12.5		
ED*4X30F**	*9MA*0801714A**	28400	TDR&TXV	15.5		12.7		
ED*4X30F**	*9MA*0802120A**	28400	TDR&TXV	15.5		13		
ED*4X30F**	*9MA*1002122A**	28600	TDR&TXV	16		13		
ED*4X30F**	*9MA*0602120A**	28400	TDR&TXV	15.2		12.7		
ED*4X30F**	*9MVX040	28400	TDR&TXV	15		12.5		
ED*4X30F**	*9MVX060	28400	TDR&TXV	15		12.5		
ED*4X30F**	*9MV*1002116A**	28400	TDR&TXV	15.5		12.7		
ED*4X30F**	*9MA*1002120A**	28600	TDR&TXV	15.5		12.7		
ED*4X30F**	OLV098A12A	28400	TDR&TXV	15		12.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA630GKA	ED*4X30F**	OLV112A16A	28600	TDR&TXV	15			12.5
	ED*4X30F**	OMV098J12A	28400	TDR&TXV	15			12.5
	ED*4X30F**	OMV112K14A	28600	TDR&TXV	15.5			12.5
	ED*4X30F**		28400	TXV		14		11.5
	ED*4X30F**	*8MPV075		28400	TDR&TXV	15		12.5
	ED*4X30F**	*9MPV050		28400	TDR&TXV	15		12.5
	ED*4X30F**	*9MPV075		28400	TDR&TXV	15		12.5
	ED*4X30F**	MV12F19**B*		28400	TDR&TXV	16		13
	ED*4X36B**			28600	TXV		14	11.5
	ED*4X36B**	*8MPV050		28600	TDR&TXV	14.5		12
	ED*4X36B**	MV08B15**B*		28600	TDR&TXV	16		13
	ED*4X36F**	*9MX*0601714A**		28600	TDR&TXV	15.5		12.7
	ED*4X36F**	*9MX*0801716A**		28800	TDR&TXV	15.5		12.7
	ED*4X36F**	*9MV*0601714A**		28400	TDR&TXV	15.5		12.7
	ED*4X36F**	*9MV*0801716A**		28600	TDR&TXV	15.5		12.7
	ED*4X36F**	*9MV*0802120A**		28600	TDR&TXV	16		13
	ED*4X36F**	*9MV*1002120A**		28400	TDR&TXV	16		13
	ED*4X36F**	*9MA*0601714A**		28400	TDR&TXV	15.5		12.7
	ED*4X36F**	*9MA*0801714A**		28600	TDR&TXV	15.5		12.7
	ED*4X36F**	*9MA*0802120A**		28600	TDR&TXV	15.5		13.2
	ED*4X36F**	*9MA*1002122A**		28800	TDR&TXV	16		13
	ED*4X36F**	*9MA*0602120A**		28600	TDR&TXV	15.5		13
	ED*4X36F**	*9MVX040		28600	TDR&TXV	15		12.5
	ED*4X36F**	*9MVX060		28600	TDR&TXV	15		12.5
	ED*4X36F**	*9MV*1002116A**		28600	TDR&TXV	15.5		12.7
	ED*4X36F**	*9MA*1002120A**		28600	TDR&TXV	15.5		12.7
	ED*4X36F**	OLV098A12A		28400	TDR&TXV	15		12.5
	ED*4X36F**	OLV112A16A		28600	TDR&TXV	15		12.5
	ED*4X36F**	OMV098J12A		28400	TDR&TXV	15		12.5
	ED*4X36F**	OMV112K14A		28600	TDR&TXV	15.5		12.5
	ED*4X36F**			28600	TXV		14	11.5
	ED*4X36F**	*8MPV075		28600	TDR&TXV	15		12.5
	ED*4X36F**	*9MPV050		28600	TDR&TXV	15		12.5
	ED*4X36F**	*9MPV075		28600	TDR&TXV	15		12.5
	ED*4X36F**	MV12F19**B*		28600	TDR&TXV	16		13
	ED*4X36J**	*9MV*0802120A**		28600	TDR&TXV	16		13
	ED*4X36J**	*9MV*1002120A**		28600	TDR&TXV	16		13
	ED*4X36J**	*9MV*1202422A**		28800	TDR&TXV	16		13
	ED*4X36J**	*9MA*0802120A**		28600	TDR&TXV	16		13
	ED*4X36J**	*9MA*1002122A**		28800	TDR&TXV	16		13
	ED*4X36J**	*9MA*1202422A**		28600	TDR&TXV	16		13
	ED*4X36J**	*9MA*0602120A**		28600	TDR&TXV	15.5		13
	ED*4X36J**	*9MVX080		28600	TDR&TXV	15.5		12.5
	ED*4X36J**	*9MV*1002116A**		28600	TDR&TXV	15.5		12.7
	ED*4X36J**	*9MA*1002120A**		28600	TDR&TXV	15.5		12.7
	ED*4X36J**	OLV112A16A		28800	TDR&TXV	15.5		12.5
	ED*4X36J**			28600	TXV		14	11.5
	ED*4X36J**	*8MPV100		28600	TDR&TXV	16		13
ED*4X36J**	*8MPV125		28600	TDR&TXV	16		13	
ED*4X36J**	*9MPV100		28600	TDR&TXV	15.5		12.5	
ED*4X42F**	*8MX*0701716**		28800	TDR&TXV	15.5		12.5	
ED*4X42F**	*8MV*0901716**		28800	TDR&TXV	16		13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA630GKA	ED*4X42F**	*9MX*0601714A**	28800	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MX*0801716A**	29000	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MV*0601714A**	28600	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MV*0801716A**	28800	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MV*0802120A**	28800	TDR&TXV	16		13	
	ED*4X42F**	*9MV*1002120A**	28600	TDR&TXV	16		13	
	ED*4X42F**	*9MA*0601714A**	28600	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MA*0801714A**	28600	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MA*0802120A**	28800	TDR&TXV	16		13	
	ED*4X42F**	*9MA*1002122A**	28800	TDR&TXV	16		13	
	ED*4X42F**	*9MA*0602120A**	28600	TDR&TXV	15.5		13	
	ED*4X42F**	NOMV106D12*	28600	TDR&TXV	16		13	
	ED*4X42F**	*9MVX040	28800	TDR&TXV	15		12.5	
	ED*4X42F**	*9MVX060	28800	TDR&TXV	15		12.5	
	ED*4X42F**	*9MV*1002116A**	28800	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MA*1002120A**	28800	TDR&TXV	15.5		12.7	
	ED*4X42F**		28800	TXV		14	11.5	
	ED*4X42F**	*8MPV050	28800	TDR&TXV	14.5		12	
	ED*4X42F**	*8MPV075	28800	TDR&TXV	15.5		12.5	
	ED*4X42F**	*9MPV050	28800	TDR&TXV	15		12.5	
	ED*4X42F**	*9MPV075	28800	TDR&TXV	15		12.5	
	ED*4X42F**	MV08B15**B*	28800	TDR&TXV	16		13	
	ED*4X42F**	MV12F19**B*	28800	TDR&TXV	16		13	
	ED*4X42J**	*8MX*0902116**	28800	TDR&TXV	16		13	
	ED*4X42J**	*8MX*1102120**	28800	TDR&TXV	16		13	
	ED*4X42J**	*8MV*1102120**	28800	TDR&TXV	16		13	
	ED*4X42J**	*9MV*0802120A**	28800	TDR&TXV	16		13	
	ED*4X42J**	*9MV*1002120A**	28600	TDR&TXV	16		13	
	ED*4X42J**	*9MV*1202422A**	29000	TDR&TXV	16		13	
	ED*4X42J**	*9MA*0802120A**	28800	TDR&TXV	16		13	
	ED*4X42J**	*9MA*1002122A**	29000	TDR&TXV	16		13	
	ED*4X42J**	*9MA*1202422A**	28800	TDR&TXV	16		13	
	ED*4X42J**	*9MA*0602120A**	28800	TDR&TXV	15.5		13	
	ED*4X42J**	NOMV156E19*	28800	TDR&TXV	16		13	
	ED*4X42J**	*9MVX040	28800	TDR&TXV	15		12.5	
	ED*4X42J**	*9MVX060	28800	TDR&TXV	15		12.5	
	ED*4X42J**	*9MVX080	28800	TDR&TXV	16		13	
	ED*4X42J**	*9MV*1002116A**	28800	TDR&TXV	16		13	
	ED*4X42J**	*9MA*1002120A**	28800	TDR&TXV	16		13	
	ED*4X42J**		28800	TXV		14	11.5	
	ED*4X42J**	*8MPV075	28800	TDR&TXV	15.5		12.5	
	ED*4X42J**	*8MPV100	28800	TDR&TXV	16		13	
ED*4X42J**	*8MPV125	28800	TDR&TXV	16		13		
ED*4X42J**	*9MPV050	28800	TDR&TXV	15		12.5		
ED*4X42J**	*9MPV075	28800	TDR&TXV	15		12.5		
ED*4X42J**	*9MPV100	28800	TDR&TXV	15		12.5		
ED*4X42J**	MV12F19**B*	28800	TDR&TXV	16		13		
ED*4X42J**	MV16J22**B*	28800	TDR&TXV	16		13		
ED*4X42L**	*8MX*0902116**	28800	TDR&TXV	16		13		
ED*4X42L**	*8MX*1102120**	28800	TDR&TXV	16		13		
ED*4X42L**	*8MV*1102120**	28800	TDR&TXV	16		13		
ED*4X42L**	*8MV*1352422**	28800	TDR&TXV	16		13		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA630GKA	ED*4X42L**	*9MV*1202422A**	29000	TDR&TXV	16			13
	ED*4X42L**	*9MA*1202422A**	28800	TDR&TXV	16			13
	ED*4X42L**	NOMV156E19*	28800	TDR&TXV	16			13
	ED*4X42L**	*9MVX080	28800	TDR&TXV	16			13
	ED*4X42L**	*9MVX100	28800	TDR&TXV	16			13
	ED*4X42L**	*9MV*1002116A**	28800	TDR&TXV	16			13
	ED*4X42L**	*9MA*1002120A**	28800	TDR&TXV	16			13
	ED*4X42L**		28800	TXV		14		11.5
	ED*4X42L**	*8MPV100	28800	TDR&TXV	16			13
	ED*4X42L**	*8MPV125	28800	TDR&TXV	16			13
	ED*4X42L**	*9MPV100	28800	TDR&TXV	16			13
	ED*4X42L**	*9MPV125	28800	TDR&TXV	16			13
	ED*4X42L**	MV16J22**B*	28800	TDR&TXV	16			13
	ED*4X42L**	MV20L24**B*	28800	TDR&TXV	16			13
	ED*4X48F**	*8MX*0701716**	29000	TDR&TXV	16			13
	ED*4X48F**	*8MV*0901716**	29000	TDR&TXV	16			13
	ED*4X48F**	NOMV106D12*	29000	TDR&TXV	16			13
	ED*4X48F**	*9MVX040	29000	TDR&TXV	15.5			12.5
	ED*4X48F**	*9MVX060	29000	TDR&TXV	15.5			12.5
	ED*4X48F**		29000	TXV		14.5		12
	ED*4X48F**	*8MPV050	29000	TDR&TXV	15			12.5
	ED*4X48F**	*8MPV075	29000	TDR&TXV	16			13
	ED*4X48F**	*9MPV050	29000	TDR&TXV	15.5			12.5
	ED*4X48F**	*9MPV075	29400	TDR&TXV	15.5			12.5
	ED*4X48F**	MV08B15**B*	29000	TDR&TXV	16			13
	ED*4X48F**	MV12F19**B*	29000	TDR&TXV	16			13
	ED*4X48J**	*8MX*0902116**	29000	TDR&TXV	16			13
	ED*4X48J**	*8MX*1102120**	29000	TDR&TXV	16			13
	ED*4X48J**	*8MV*1102120**	29000	TDR&TXV	16			13
	ED*4X48J**	NOMV156E19*	29000	TDR&TXV	16			13
	ED*4X48J**	*9MVX040	29000	TDR&TXV	15.5			12.5
	ED*4X48J**	*9MVX060	29000	TDR&TXV	15.5			12.5
	ED*4X48J**	*9MVX080	29000	TDR&TXV	15.5			12.5
	ED*4X48J**		29000	TXV		14.5		12
	ED*4X48J**	*8MPV075	29000	TDR&TXV	16			13
	ED*4X48J**	*8MPV100	29000	TDR&TXV	16			13
	ED*4X48J**	*8MPV125	29000	TDR&TXV	16			13
	ED*4X48J**	*9MPV050	29000	TDR&TXV	15.5			12.5
	ED*4X48J**	*9MPV075	29000	TDR&TXV	15.5			12.5
	ED*4X48J**	*9MPV100	29000	TDR&TXV	15.5			12.5
	ED*4X48J**	MV12F19**B*	29000	TDR&TXV	16			13
	ED*4X48J**	MV16J22**B*	29000	TDR&TXV	16			13
	ED*4X48L**	*8MX*0902116**	29000	TDR&TXV	16			13
	ED*4X48L**	*8MX*1102120**	29000	TDR&TXV	16			13
	ED*4X48L**	*8MV*1102120**	29000	TDR&TXV	16			13
	ED*4X48L**	*8MV*1352422**	29000	TDR&TXV	16			13
	ED*4X48L**	NOMV156E19*	29000	TDR&TXV	16			13
	ED*4X48L**	*9MVX080	29000	TDR&TXV	16			13
ED*4X48L**	*9MVX100	29000	TDR&TXV	16			13	
ED*4X48L**		29000	TXV		14.5		12	
ED*4X48L**	*8MPV100	29000	TDR&TXV	16			13	
ED*4X48L**	*8MPV125	29000	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA630GKA	ED*4X48L**	*9MPV100	29000	TDR&TXV	16			13
	ED*4X48L**	*9MPV125	29800	TDR&TXV	16			13
	ED*4X48L**	MV16J22**B*	29000	TDR&TXV	16			13
	ED*4X48L**	MV20L24**B*	29000	TDR&TXV	16			13
	EHD4X30A**	*8MX*0701716**	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*8MX*0902116**	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*8MV*0701412**	28400	TDR&TXV	15.5			13.3
	EHD4X30A**	*8MV*0901716**	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*8MV*1102120**	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*8MV*1352422**	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MX*0601714A**	28600	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MX*0801716A**	28800	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MV*0601714A**	28400	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MV*0801716A**	28400	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MV*0802120A**	28400	TDR&TXV	15.5			13.2
	EHD4X30A**	*9MV*1002120A**	28200	TDR&TXV	15.5			13.2
	EHD4X30A**	*9MV*1202422A**	28600	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MA*0601714A**	28400	TDR&TXV	15.2			12.5
	EHD4X30A**	*9MA*0801714A**	28600	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MA*0802120A**	28600	TDR&TXV	15.5			13
	EHD4X30A**	*9MA*1002122A**	28800	TDR&TXV	16			13
	EHD4X30A**	*9MA*1202422A**	28600	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MA*0602120A**	28600	TDR&TXV	15.5			12.7
	EHD4X30A**	NOMV106D12*	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MVX040	28400	TDR&TXV	15			12.5
	EHD4X30A**	*9MVX060	28400	TDR&TXV	15			12.5
	EHD4X30A**	*9MVX080	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MVX100	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MV*1002116A**	28400	TDR&TXV	15.5			12.7
	EHD4X30A**	*9MA*1002120A**	28800	TDR&TXV	15.5			12.7
	EHD4X30A**	OLV098A12A	28400	TDR&TXV	15			12.5
	EHD4X30A**	OLV112A16A	28800	TDR&TXV	15			12.5
	EHD4X30A**	OMV098J12A	28600	TDR&TXV	15			12.5
	EHD4X30A**	OMV112K14A	28600	TDR&TXV	15			12.5
	EHD4X30A**		28400	TXV			14	11.5
	EHD4X30A**	*8MPV050	28400	TDR&TXV	14.5			12
	EHD4X30A**	*8MPV075	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*8MPV100	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*8MPV125	28400	TDR&TXV	15.5			12.5
	EHD4X30A**	*9MPV050	28400	TDR&TXV	15			12.5
	EHD4X30A**	*9MPV075	28400	TDR&TXV	15			12.5
	EHD4X30A**	*9MPV100	28400	TDR&TXV	15			12.5
	EHD4X30A**	*9MPV125	28400	TDR&TXV	15			12.5
	EHD4X30A**	MV08B15**B*	28400	TDR&TXV	16			13
	EHD4X30A**	MV12F19**B*	28400	TDR&TXV	16			13
	EHD4X36A**	*8MX*0701716**	28600	TDR&TXV	15.5			12.5
	EHD4X36A**	*8MX*0902116**	28600	TDR&TXV	16			13
	EHD4X36A**	*8MV*0701412**	28600	TDR&TXV	16			13
EHD4X36A**	*8MV*0901716**	28600	TDR&TXV	16			13	
EHD4X36A**	*8MV*1102120**	28600	TDR&TXV	16			13	
EHD4X36A**	*8MV*1352422**	28600	TDR&TXV	16			13	
EHD4X36A**	*9MX*0601714A**	29200	TDR&TXV	15.5			12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35° C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA630GKA	EHD4X36A**	*9MX*0801716A**	29400	TDR&TXV	15.5			12.7
	EHD4X36A**	*9MV*0601714A**	29000	TDR&TXV	15.5			12.7
	EHD4X36A**	*9MV*0801716A**	29000	TDR&TXV	16			13
	EHD4X36A**	*9MV*0802120A**	29000	TDR&TXV	16			13
	EHD4X36A**	*9MV*1002120A**	28800	TDR&TXV	16			13
	EHD4X36A**	*9MV*1202422A**	29200	TDR&TXV	16			13
	EHD4X36A**	*9MA*0601714A**	28800	TDR&TXV	15.5			12.7
	EHD4X36A**	*9MA*0801714A**	29000	TDR&TXV	16			13
	EHD4X36A**	*9MA*0802120A**	29000	TDR&TXV	16			13.2
	EHD4X36A**	*9MA*1002122A**	29200	TDR&TXV	16.4			13.5
	EHD4X36A**	*9MA*1202422A**	29200	TDR&TXV	16			13
	EHD4X36A**	*9MA*0602120A**	29000	TDR&TXV	16			13
	EHD4X36A**	NOMV106D12*	28600	TDR&TXV	16			13
	EHD4X36A**	*9MVX040	28600	TDR&TXV	15.5			12.5
	EHD4X36A**	*9MVX060	28600	TDR&TXV	15.5			12.5
	EHD4X36A**	*9MVX080	28600	TDR&TXV	16			13
	EHD4X36A**	*9MVX100	28600	TDR&TXV	16			13
	EHD4X36A**	*9MV*1002116A**	29000	TDR&TXV	16			13
	EHD4X36A**	*9MA*1002120A**	29200	TDR&TXV	16			13
	EHD4X36A**	OLV098A12A	29000	TDR&TXV	15.5			12.5
	EHD4X36A**	OLV112A16A	25000	TDR&TXV	15.5			12.5
	EHD4X36A**	OMV098J12A	29000	TDR&TXV	15			12.5
	EHD4X36A**	OMV112K14A	29000	TDR&TXV	16			13
	EHD4X36A**		28600	TXV		14		11.5
	EHD4X36A**	*8MPV050	28600	TDR&TXV	15			12.5
	EHD4X36A**	*8MPV075	28600	TDR&TXV	15.5			12.5
	EHD4X36A**	*8MPV100	28600	TDR&TXV	16			13
	EHD4X36A**	*8MPV125	28600	TDR&TXV	16			13
	EHD4X36A**	*9MPV050	28600	TDR&TXV	15.5			12.5
	EHD4X36A**	*9MPV075	28600	TDR&TXV	15.5			12.5
	EHD4X36A**	*9MPV100	28600	TDR&TXV	16			13
	EHD4X36A**	*9MPV125	28600	TDR&TXV	16			13
	EHD4X36A**	MV08B15**B*	28600	TDR&TXV	16			13
	EHD4X36A**	MV12F19**B*	28600	TDR&TXV	16			13
	EHD4X42A**	*9MX*0601714A**	29200	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MX*0801716A**	29600	TDR&TXV	16			13
	EHD4X42A**	*9MV*0601714A**	29000	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MV*0801716A**	29200	TDR&TXV	16			13
	EHD4X42A**	*9MV*0802120A**	29200	TDR&TXV	16			13.5
	EHD4X42A**	*9MV*1002120A**	29000	TDR&TXV	16			13.5
	EHD4X42A**	*9MV*1202422A**	29400	TDR&TXV	16			13
	EHD4X42A**	*9MA*0601714A**	29000	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MA*0801714A**	29200	TDR&TXV	16			13
	EHD4X42A**	*9MA*0802120A**	29200	TDR&TXV	16.3			13.5
	EHD4X42A**	*9MA*1002122A**	29400	TDR&TXV	16.5			13.5
EHD4X42A**	*9MA*1202422A**	29200	TDR&TXV	16			13	
EHD4X42A**	*9MA*0602120A**	29200	TDR&TXV	16			13	
EHD4X42A**	*9MV*1002116A**	29200	TDR&TXV	16			13	
EHD4X42A**	*9MA*1002120A**	29400	TDR&TXV	16			13	
EMA4X36D**		28600	TXV		14		11.5	
EN(A,D)4X30*14**	*8MV*0701412**	28400	TDR&TXV	15.5			12.5	
EN(A,D)4X30*14**		28400	TXV		14		11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA630GKA	EN(A,D)4X30*17**	*8MX*0701716**	28400	TDR&TXV	15			12.5
	EN(A,D)4X30*17**	*8MV*0701412**	28400	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**	*8MV*0901716**	28400	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**	*9MX*0601714A**	28600	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	*9MX*0801716A**	28800	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	*9MV*0601714A**	28400	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	*9MV*0801716A**	28400	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	*9MA*0601714A**	28200	TDR&TXV	15.2			12.5
	EN(A,D)4X30*17**	*9MA*0801714A**	28400	TDR&TXV	15.5			12.7
	EN(A,D)4X30*17**	NOMV106D12*	28400	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**	*9MVX040	28400	TDR&TXV	15			12.5
	EN(A,D)4X30*17**	*9MVX060	28600	TDR&TXV	15			12.5
	EN(A,D)4X30*17**	OLV098A12A	28400	TDR&TXV	15			12.5
	EN(A,D)4X30*17**	OMV098J12A	28400	TDR&TXV	15			12.5
	EN(A,D)4X30*17**	OMV112K14A	28600	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**		28400	TXV		14		11.5
	EN(A,D)4X30*17**	*8MPV050	28400	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	MV08B15**B*	28400	TDR&TXV	15.5			12.5
	EN(A,D)4X30*17**	*9MPV050	28400	TDR&TXV	15			12.5
	EN(A,D)4X30*17**	*9MPV075	28400	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	*8MX*0701716**	28400	TDR&TXV	15.5			12.5
	EN(A,D)4X31*17**	*8MV*0701412**	28400	TDR&TXV	16			13
	EN(A,D)4X31*17**	*8MV*0901716**	28400	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MX*0601714A**	29200	TDR&TXV	15.5			12.7
	EN(A,D)4X31*17**	*9MX*0801716A**	29400	TDR&TXV	15.5			12.7
	EN(A,D)4X31*17**	*9MV*0601714A**	29000	TDR&TXV	15.5			12.7
	EN(A,D)4X31*17**	*9MV*0801716A**	29000	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MA*0601714A**	29000	TDR&TXV	15.5			12.7
	EN(A,D)4X31*17**	*9MA*0801714A**	29000	TDR&TXV	16			13
	EN(A,D)4X31*17**	NOMV106D12*	28400	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MVX040	29000	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	*9MVX060	29000	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	OLV098A12A	29000	TDR&TXV	15.5			12.5
	EN(A,D)4X31*17**	OMV098J12A	29000	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	OMV112K14A	29000	TDR&TXV	15.5			12.5
	EN(A,D)4X31*17**	*8MPV050	28400	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	MV08B15**B*	28400	TDR&TXV	16			13
	EN(A,D)4X31*17**	*9MPV050	29000	TDR&TXV	15			12.5
	EN(A,D)4X31*17**	*9MPV075	29000	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*8MX*0701716**	28600	TDR&TXV	15.5			12.5
	EN(A,D)4X36*21**	*8MX*0902116**	28600	TDR&TXV	15.5			12.5
	EN(A,D)4X36*21**	*8MV*0901716**	28600	TDR&TXV	15.5			12.5
EN(A,D)4X36*21**	*8MV*1102120**	28600	TDR&TXV	15.5			12.5	
EN(A,D)4X36*21**	*9MX*0601714A**	28600	TDR&TXV	15.5			12.7	
EN(A,D)4X36*21**	*9MX*0801716A**	28800	TDR&TXV	15.5			12.7	
EN(A,D)4X36*21**	*9MV*0601714A**	28400	TDR&TXV	15.5			12.7	
EN(A,D)4X36*21**	*9MV*0801716A**	28400	TDR&TXV	15.5			12.7	
EN(A,D)4X36*21**	*9MV*0802120A**	28400	TDR&TXV	15.5			13.2	
EN(A,D)4X36*21**	*9MV*1002120A**	28200	TDR&TXV	15.5			13.2	
EN(A,D)4X36*21**	*9MA*0601714A**	28400	TDR&TXV	15.2			12.5	
EN(A,D)4X36*21**	*9MA*0801714A**	28400	TDR&TXV	15.5			12.7	
EN(A,D)4X36*21**	*9MA*0802120A**	28400	TDR&TXV	15.75			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA630GKA	EN(A,D)4X36*21**	*9MA*1002122A**	28600	TDR&TXV	16			13
	EN(A,D)4X36*21**	*9MA*0602120A**	28400	TDR&TXV	15.5			12.7
	EN(A,D)4X36*21**	NOMV106D12*	28400	TDR&TXV	15.5			12.5
	EN(A,D)4X36*21**	*9MVX040	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MVX040	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MVX060	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MVX060	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MVX080	28800	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MV*1002116A**	28400	TDR&TXV	15.5			12.7
	EN(A,D)4X36*21**	*9MA*1002120A**	28600	TDR&TXV	15.5			12.7
	EN(A,D)4X36*21**	OLV098A12A	28400	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	OLV112A16A	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	OMV098J12A	28400	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	OMV112K14A	28600	TDR&TXV	15.5			12.5
	EN(A,D)4X36*21**		28600	TXV		14		11.5
	EN(A,D)4X36*21**	*8MPV075	28600	TDR&TXV	15.5			12.5
	EN(A,D)4X36*21**	*9MPV050	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MPV075	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	MV12F19**B*	28600	TDR&TXV	15.5			12.5
	EN(A,D)4X36*21**	*9MPV050	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MPV075	28600	TDR&TXV	15			12.5
	EN(A,D)4X36*21**	*9MPV100	28600	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	*8MX*0701716**	28800	TDR&TXV	16			13
	EN(A,D)4X37*17**	*8MV*0701412**	28800	TDR&TXV	16			13
	EN(A,D)4X37*17**	*8MV*0901716**	28800	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MX*0601714A**	29600	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MX*0801716A**	29800	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MV*0601714A**	29200	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MV*0801716A**	29400	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MA*0601714A**	29200	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MA*0801714A**	29400	TDR&TXV	16			13
	EN(A,D)4X37*17**	NOMV106D12*	28800	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MVX040	29000	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	*9MVX060	29000	TDR&TXV	15.5			12.5
	EN(A,D)4X37*17**	OLV098A12A	29000	TDR&TXV	16			13
	EN(A,D)4X37*17**	OMV098J12A	29000	TDR&TXV	15.5			12.5
	EN(A,D)4X37*17**	OMV112K14A	29000	TDR&TXV	16			13
	EN(A,D)4X37*17**		28800	TXV		14.5		12
	EN(A,D)4X37*17**	*8MPV050	28800	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	MV08B15**B*	28800	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MPV050	29000	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	*9MPV075	29000	TDR&TXV	15.5			12.5
	EN(A,D)4X43*24**	*9MVX100	28800	TDR&TXV	16			13
	EN(A,D,W)4X36*17**	*8MX*0701716**	28600	TDR&TXV	15.5			12.5
	EN(A,D,W)4X36*17**	*8MV*0701412**	28600	TDR&TXV	15.5			12.5
EN(A,D,W)4X36*17**	*8MV*0901716**	28600	TDR&TXV	15.5			12.5	
EN(A,D,W)4X36*17**	*9MX*0601714A**	28600	TDR&TXV	15.5			12.7	
EN(A,D,W)4X36*17**	*9MX*0801716A**	28800	TDR&TXV	15.5			12.7	
EN(A,D,W)4X36*17**	*9MV*0601714A**	28400	TDR&TXV	15.5			12.7	
EN(A,D,W)4X36*17**	*9MV*0801716A**	28400	TDR&TXV	15.5			12.7	
EN(A,D,W)4X36*17**	*9MA*0601714A**	28200	TDR&TXV	15.2			12.5	
EN(A,D,W)4X36*17**	*9MA*0801714A**	28400	TDR&TXV	15.5			12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA630GKA	EN(A,D,W)4X36*17**	NOMV106D12*	28400	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X36*17**	*9MVX040	28400	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**	*9MVX060	28600	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**	OLV098A12A	28400	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**	OMV098J12A	28400	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**	OMV112K14A	28600	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X36*17**		28400	TXV		14	11.5	
	EN(A,D,W)4X36*17**	*8MPV050	28600	TDR&TXV	14.5		12	
	EN(A,D,W)4X36*17**	MV08B15**B*	28600	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X36*17**	*9MPV050	28400	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**	*9MPV075	28400	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**	*9MX*0601714A**	28800	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MX*0801716A**	29000	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MV*0601714A**	28600	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MV*0801716A**	28800	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MV*0802120A**	28800	TDR&TXV	16		13	
	EN(A,D,W)4X42*21**	*9MV*1002120A**	28600	TDR&TXV	16		13	
	EN(A,D,W)4X42*21**	*9MA*0601714A**	28600	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MA*0801714A**	28800	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MA*0802120A**	28800	TDR&TXV	16		13	
	EN(A,D,W)4X42*21**	*9MA*1002122A**	29000	TDR&TXV	16		13.2	
	EN(A,D,W)4X42*21**	*9MA*0602120A**	28800	TDR&TXV	15.8		13	
	EN(A,D,W)4X42*21**	*9MV*1002116A**	28800	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MA*1002120A**	28800	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X48*21**		29200	TXV		14	12.2	
	END4X42*17**	*8MV*0901716**	28800	TDR&TXV	16		13	
	END4X42*17**	*9MX*0601714A**	29000	TDR&TXV	15.5		12.7	
	END4X42*17**	*9MX*0801716A**	29200	TDR&TXV	15.5		12.7	
	END4X42*17**	*9MV*0601714A**	28800	TDR&TXV	15.5		12.7	
	END4X42*17**	*9MV*0801716A**	29000	TDR&TXV	16		13	
	END4X42*17**	*9MA*0601714A**	28800	TDR&TXV	15.5		12.7	
	END4X42*17**	*9MA*0801714A**	29000	TDR&TXV	15.5		12.7	
	ENH4X30*17**	*8MX*0701716**	28400	TDR&TXV	15.5		12.5	
	ENH4X30*17**	*8MX*0902116**	28400	TDR&TXV	15.5		12.5	
	ENH4X30*17**	*8MV*0701412**	28400	TDR&TXV	15.5		12.5	
	ENH4X30*17**	*8MV*0901716**	28400	TDR&TXV	15.5		12.5	
	ENH4X30*17**	*8MV*1102120**	28400	TDR&TXV	15.5		12.5	
	ENH4X30*17**	*8MV*1352422**	28400	TDR&TXV	15.5		12.5	
	ENH4X30*17**	*9MX*0601714A**	28600	TDR&TXV	15.5		12.7	
	ENH4X30*17**	*9MX*0801716A**	28800	TDR&TXV	15.5		12.7	
	ENH4X30*17**	*9MV*0601714A**	28400	TDR&TXV	15.5		12.7	
	ENH4X30*17**	*9MV*0801716A**	28400	TDR&TXV	15.5		12.7	
ENH4X30*17**	*9MV*1202422A**	28400	TDR&TXV	15.5		12.7		
ENH4X30*17**	*9MA*0601714A**	28200	TDR&TXV	15.2		12.5		
ENH4X30*17**	*9MA*0801714A**	28400	TDR&TXV	15.5		12.7		
ENH4X30*17**	*9MA*1202422A**	28600	TDR&TXV	15.5		12.7		
ENH4X30*17**	NOMV106D12*	28400	TDR&TXV	15.5		12.5		
ENH4X30*17**	*9MVX040	28400	TDR&TXV	15		12.5		
ENH4X30*17**	*9MVX040	28400	TDR&TXV	15		12.5		
ENH4X30*17**	*9MVX060	28400	TDR&TXV	15		12.5		
ENH4X30*17**	*9MVX060	28400	TDR&TXV	15		12.5		
ENH4X30*17**	*9MVX080	28400	TDR&TXV	15.5		12.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA630GKA	ENH4X30*17**	*9MVX080	28400	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MVX100	28400	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MVX100	28400	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MV*1002116A**	28400	TDR&TXV	15.5			12.7
	ENH4X30*17**	*9MA*1002120A**	28600	TDR&TXV	15.5			12.7
	ENH4X30*17**	OLV098A12A	28400	TDR&TXV	15			12.5
	ENH4X30*17**	OLV112A16A	28600	TDR&TXV	15			12.5
	ENH4X30*17**	OMV098J12A	28400	TDR&TXV	15			12.5
	ENH4X30*17**	OMV112K14A	28600	TDR&TXV	15.5			12.5
	ENH4X30*17**		28400	TXV		14		11.5
	ENH4X30*17**	*8MPV050	28400	TDR&TXV	14.5			12
	ENH4X30*17**	*8MPV075	28400	TDR&TXV	15.5			12.5
	ENH4X30*17**	*8MPV100	28400	TDR&TXV	15.5			12.5
	ENH4X30*17**	*8MPV125	28400	TDR&TXV	15.5			12.5
	ENH4X30*17**	*9MPV050	28400	TDR&TXV	15			12.5
	ENH4X30*17**	*9MPV075	28400	TDR&TXV	15			12.5
	ENH4X30*17**	*9MPV100	28600	TDR&TXV	15			12.5
	ENH4X30*17**	*9MPV125	28600	TDR&TXV	15.5			12.5
	ENH4X30*17**	MV08B15**B*	28400	TDR&TXV	16			13
	ENH4X30*17**	MV12F19**B*	28400	TDR&TXV	16			13
	ENH4X30*17**	*9MPV050	28400	TDR&TXV	15			12.5
	ENH4X30*17**	*9MPV075	28400	TDR&TXV	15			12.5
	ENH4X30*17**	*9MPV100	28600	TDR&TXV	15			12.5
	ENH4X30*17**	*9MPV125	28600	TDR&TXV	15.5			12.5
	ENH4X31*17**	*8MX*0701716**	28400	TDR&TXV	15.5			12.5
	ENH4X31*17**	*8MX*0902116**	28400	TDR&TXV	16			13
	ENH4X31*17**	*8MV*0701412**	28400	TDR&TXV	16			13
	ENH4X31*17**	*8MV*0901716**	28400	TDR&TXV	16			13
	ENH4X31*17**	*8MV*1102120**	28400	TDR&TXV	16			13
	ENH4X31*17**	*8MV*1352422**	28400	TDR&TXV	16			13
	ENH4X31*17**	*9MX*0601714A**	29200	TDR&TXV	15.5			12.7
	ENH4X31*17**	*9MX*0801716A**	29400	TDR&TXV	15.5			12.7
	ENH4X31*17**	*9MV*0601714A**	29000	TDR&TXV	15.5			12.7
	ENH4X31*17**	*9MV*0801716A**	29000	TDR&TXV	16			13
	ENH4X31*17**	*9MV*1202422A**	29200	TDR&TXV	16			13
	ENH4X31*17**	*9MA*0601714A**	29000	TDR&TXV	15.5			12.7
	ENH4X31*17**	*9MA*0801714A**	29000	TDR&TXV	16			13
	ENH4X31*17**	*9MA*1202422A**	29200	TDR&TXV	16			13
	ENH4X31*17**	NOMV106D12*	28400	TDR&TXV	16			13
	ENH4X31*17**	*9MVX040	28400	TDR&TXV	15.5			12.5
	ENH4X31*17**	*9MVX040	28400	TDR&TXV	15.45			12.5
	ENH4X31*17**	*9MVX060	28400	TDR&TXV	15.5			12.5
	ENH4X31*17**	*9MVX060	28400	TDR&TXV	15.5			12.5
	ENH4X31*17**	*9MVX080	28400	TDR&TXV	16			13
	ENH4X31*17**	*9MVX080	28400	TDR&TXV	16			13
ENH4X31*17**	*9MVX100	28400	TDR&TXV	16			13	
ENH4X31*17**	*9MVX100	28400	TDR&TXV	16			13	
ENH4X31*17**	*9MV*1002116A**	29000	TDR&TXV	16			13	
ENH4X31*17**	*9MA*1002120A**	29200	TDR&TXV	16			13	
ENH4X31*17**	OLV098A12A	29000	TDR&TXV	15.5			12.5	
ENH4X31*17**	OLV112A16A	29000	TDR&TXV	15.5			12.5	
ENH4X31*17**	OMV098J12A	29000	TDR&TXV	15			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
NXA630GKA	ENH4X31*17**	OMV112K14A	29000	TDR&TXV	16		13
	ENH4X31*17**		28400	TXV		14.5	12
	ENH4X31*17**	*8MPV050	28400	TDR&TXV	15		12.5
	ENH4X31*17**	*8MPV075	28400	TDR&TXV	15.5		12.5
	ENH4X31*17**	*8MPV100	28400	TDR&TXV	16		13
	ENH4X31*17**	*8MPV125	28400	TDR&TXV	16		13
	ENH4X31*17**	*9MPV050	29000	TDR&TXV	15		12.5
	ENH4X31*17**	*9MPV075	29000	TDR&TXV	15		12.5
	ENH4X31*17**	*9MPV100	29000	TDR&TXV	16		13
	ENH4X31*17**	*9MPV125	29000	TDR&TXV	16		13
	ENH4X31*17**	MV08B15**B*	28400	TDR&TXV	16		13
	ENH4X31*17**	MV12F19**B*	28400	TDR&TXV	16		13
	ENH4X31*17**	*9MPV050	29000	TDR&TXV	15		12.5
	ENH4X31*17**	*9MPV075	29000	TDR&TXV	15		12.5
	ENH4X31*17**	*9MPV100	29000	TDR&TXV	16		13
	ENH4X31*17**	*9MPV125	29000	TDR&TXV	16		13
	ENH4X36*17**	*8MX*0701716**	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*8MX*0902116**	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*8MV*0701412**	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*8MV*0901716**	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*8MV*1102120**	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*8MV*1352422**	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*9MX*0601714A**	28600	TDR&TXV	15.5		12.7
	ENH4X36*17**	*9MX*0801716A**	28800	TDR&TXV	15.5		12.7
	ENH4X36*17**	*9MV*0601714A**	28400	TDR&TXV	15.5		12.7
	ENH4X36*17**	*9MV*0801716A**	28400	TDR&TXV	15.5		12.7
	ENH4X36*17**	*9MV*1202422A**	28400	TDR&TXV	15.5		12.7
	ENH4X36*17**	*9MA*0601714A**	28200	TDR&TXV	15.2		12.5
	ENH4X36*17**	*9MA*0801714A**	28400	TDR&TXV	15.5		12.7
	ENH4X36*17**	*9MA*1202422A**	28600	TDR&TXV	15.5		12.7
	ENH4X36*17**	NOMV106D12*	28400	TDR&TXV	15.5		12.5
	ENH4X36*17**	*9MVX040	28600	TDR&TXV	15		12.5
	ENH4X36*17**	*9MVX040	28600	TDR&TXV	15		12.5
	ENH4X36*17**	*9MVX060	28600	TDR&TXV	15		12.5
	ENH4X36*17**	*9MVX060	28600	TDR&TXV	15		12.5
	ENH4X36*17**	*9MVX080	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*9MVX080	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**	*9MVX100	28800	TDR&TXV	15.5		12.5
	ENH4X36*17**	*9MVX100	28800	TDR&TXV	15.5		12.5
	ENH4X36*17**	*9MV*1002116A**	28400	TDR&TXV	15.5		12.7
	ENH4X36*17**	*9MA*1002120A**	28600	TDR&TXV	15.5		12.7
	ENH4X36*17**	OLV098A12A	28400	TDR&TXV	15		12.5
	ENH4X36*17**	OLV112A16A	28600	TDR&TXV	15		12.5
	ENH4X36*17**	OMV098J12A	28400	TDR&TXV	15		12.5
	ENH4X36*17**	OMV112K14A	28600	TDR&TXV	15.5		12.5
	ENH4X36*17**		28600	TXV		14	11.5
	ENH4X36*17**	*8MPV050	28600	TDR&TXV	14.5		12
	ENH4X36*17**	*8MPV075	28600	TDR&TXV	15.5		12.5
ENH4X36*17**	*8MPV100	28600	TDR&TXV	15.5		12.5	
ENH4X36*17**	*8MPV125	28600	TDR&TXV	15.5		12.5	
ENH4X36*17**	*9MPV050	28400	TDR&TXV	15		12.5	
ENH4X36*17**	*9MPV075	28400	TDR&TXV	15		12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA630GKA	ENH4X36*17**	*9MPV100	28600	TDR&TXV	15			12.5
	ENH4X36*17**	*9MPV125	28600	TDR&TXV	15.5			12.5
	ENH4X36*17**	MV08B15**B*	28600	TDR&TXV	16			13
	ENH4X36*17**	MV12F19**B*	28600	TDR&TXV	16			13
	ENH4X36*17**	*9MPV050	28400	TDR&TXV	15			12.5
	ENH4X36*17**	*9MPV075	28400	TDR&TXV	15			12.5
	ENH4X36*17**	*9MPV100	28600	TDR&TXV	15			12.5
	ENH4X36*17**	*9MPV125	28600	TDR&TXV	15.5			12.5
	ENH4X42*21**	*9MX*0601714A**	28800	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MX*0801716A**	29000	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MV*0601714A**	28600	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MV*0801716A**	28800	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MV*0802120A**	28800	TDR&TXV	16			13
	ENH4X42*21**	*9MV*1002120A**	28600	TDR&TXV	16			13
	ENH4X42*21**	*9MV*1202422A**	28800	TDR&TXV	16			13
	ENH4X42*21**	*9MA*0601714A**	28600	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*0801714A**	28800	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*0802120A**	28800	TDR&TXV	16			13
	ENH4X42*21**	*9MA*1002122A**	29000	TDR&TXV	16			13.2
	ENH4X42*21**	*9MA*1202422A**	28800	TDR&TXV	16			13
	ENH4X42*21**	*9MA*0602120A**	28800	TDR&TXV	15.8			13
	ENH4X42*21**	*9MV*1002116A**	28800	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*1002120A**	28800	TDR&TXV	15.5			12.7

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models								
For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org . New ratings may be listed online before Specification Sheets are updated.								
Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	*EN(A,D)4X37*17**		34400	TXV		14.5		12
	FEA4X36**A*		33600	TDR&TXV	14			11.5
	FEM4P36**A*		33400	TDR	14		14	12
	FEM4P42**A*		34000	TDR	15		15	12.5
	FEM4P48**A*		34000	TDR	15		15	12.5
	FEM4X36****		34400	TDR&TXV	15			12.5
	FEM4X42****		34400	TDR&TXV	15			12.5
	FS(M,U)4P36**A*		33400	TDR	14		14	12
	FS(M,U)4P42**A*		34000	TDR	14		14	12
	FS(M,U)4X42****		34000	TDR&TXV	14			11.5
	FSA4X36**A*		33400	TDR&TXV	14			11.5
	FSM4X36****		34000	TDR&TXV	14			11.5
	FSU4X36****		33400	TDR&TXV	14			11.5
	FVM4X24****		33400	TDR&TXV	15			12.5
	FVM4X36****		33600	TDR&TXV	16			13
	FVM4X48****		34000	TDR&TXV	16			13
	FVM4X60****		34400	TDR&TXV	16			13
	FXM4X36**A*		34200	TDR&TXV	16			13
	FXM4X42**A*		34200	TDR&TXV	16			13
	FXM4X48**A*		34600	TDR&TXV	15			12.5
	EA*4X36*14A*	*8MX*0451408**	33000	TDR&TXV	14.5			12
	EA*4X36*14A*	*8MV*0701412**	33200	TDR&TXV	15			12.5
	EA*4X36*14A*		33200	TXV			13.7	11.7
	EA*4X36*17A*	*8MX*0451408**	33200	TDR&TXV	14.5			12
	EA*4X36*17A*	*8MX*0701716**	33200	TDR&TXV	15			12.2
	EA*4X36*17A*	*8MV*0701412**	33200	TDR&TXV	15			12.5
	EA*4X36*17A*	*8MV*0901716**	33200	TDR&TXV	15.5			12.7
	EA*4X36*17A*	*9MX*0601714A**	33200	TDR&TXV	15			12.5
	EA*4X36*17A*	*9MX*0801716A**	33200	TDR&TXV	15.5			12.7
	EA*4X36*17A*	*9MV*0601714A**	33200	TDR&TXV	15			12.5
	EA*4X36*17A*	*9MV*0801716A**	33400	TDR&TXV	15.2			12.5
	EA*4X36*17A*	*9MA*0601714A**	32800	TDR&TXV	15.2			12.5
	EA*4X36*17A*	*9MA*0801714A**	33000	TDR&TXV	15.5			12.7
	EA*4X36*17A*		33400	TXV			13.7	11.7
	EA*4X36*21A*	*8MX*0701716**	33400	TDR&TXV	15			12.5
	EA*4X36*21A*	*8MX*0902116**	33600	TDR&TXV	15.5			12.7
	EA*4X36*21A*	*8MX*1102120**	33800	TDR&TXV	16			13
	EA*4X36*21A*	*8MV*0901716**	33400	TDR&TXV	15.5			12.7
	EA*4X36*21A*	*8MV*1102120**	33400	TDR&TXV	15.5			12.7
	EA*4X36*21A*	*9MX*0601714A**	33400	TDR&TXV	15.2			12.5
	EA*4X36*21A*	*9MX*0801716A**	33200	TDR&TXV	15.5			12.7
	EA*4X36*21A*	*9MX*1002120A**	34000	TDR&TXV	15.5			12.7
	EA*4X36*21A*	*9MV*0601714A**	33200	TDR&TXV	15			12.5
	EA*4X36*21A*	*9MV*0801716A**	33400	TDR&TXV	15.2			12.5
	EA*4X36*21A*	*9MV*0802120A**	33400	TDR&TXV	15.5			12.7
EA*4X36*21A*	*9MV*1002120A**	33400	TDR&TXV	15.5			12.7	
EA*4X36*21A*	*9MA*0601714A**	33000	TDR&TXV	15.2			12.5	
EA*4X36*21A*	*9MA*0801714A**	33000	TDR&TXV	15.5			12.7	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35° C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	EA*4X36*21A*	*9MA*0802120A**	33200	TDR&TXV	15.5			13
	EA*4X36*21A*	*9MA*1002122A**	33400	TDR&TXV	15.5			13
	EA*4X36*21A*	*9MA*0602120A**	33000	TDR&TXV	15.2			12.7
	EA*4X36*21A*	*9MV*1002116A**	33400	TDR&TXV	15.5			12.7
	EA*4X36*21A*	*9MA*1002120A**	33200	TDR&TXV	15.5			12.7
	EA*4X36*21A*		33400	TXV		13.7		11.7
	EA*4X42*21A*	*8MX*0701716**	33600	TDR&TXV	15			12.5
	EA*4X42*21A*	*8MX*0902116**	33800	TDR&TXV	16			13
	EA*4X42*21A*	*8MX*1102120**	34000	TDR&TXV	16			13
	EA*4X42*21A*	*8MV*0901716**	33600	TDR&TXV	16			13
	EA*4X42*21A*	*8MV*1102120**	33600	TDR&TXV	16			13
	EA*4X42*21A*	*9MX*0601714A**	33600	TDR&TXV	15.2			12.5
	EA*4X42*21A*	*9MX*0801716A**	33400	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MX*1002120A**	34200	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MV*0601714A**	33600	TDR&TXV	15.2			12.5
	EA*4X42*21A*	*9MV*0801716A**	33600	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MV*0802120A**	33600	TDR&TXV	16			13
	EA*4X42*21A*	*9MV*1002120A**	33600	TDR&TXV	16			13
	EA*4X42*21A*	*9MA*0601714A**	33200	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MA*0801714A**	33200	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MA*0802120A**	33400	TDR&TXV	15.5			13
	EA*4X42*21A*	*9MA*1002122A**	33600	TDR&TXV	15.5			13
	EA*4X42*21A*	*9MA*0602120A**	33200	TDR&TXV	15.2			12.7
	EA*4X42*21A*	*9MV*1002116A**	33800	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MA*1002120A**	33400	TDR&TXV	15.5			12.7
	EA*4X42*21A*		33800	TXV		13.7		11.7
	EA*4X42*24A*	*8MX*0902116**	34000	TDR&TXV	16			13
	EA*4X42*24A*	*8MX*1102120**	34000	TDR&TXV	16			13
	EA*4X42*24A*	*8MV*1102120**	33600	TDR&TXV	16			13
	EA*4X42*24A*	*8MV*1352422**	33600	TDR&TXV	16			13
	EA*4X42*24A*	*9MX*1002120A**	34200	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*9MV*0802120A**	33600	TDR&TXV	16			13
	EA*4X42*24A*	*9MV*1002120A**	33600	TDR&TXV	16			13
	EA*4X42*24A*	*9MV*1202422A**	33800	TDR&TXV	16			13
	EA*4X42*24A*	*9MA*0802120A**	33400	TDR&TXV	16			13
	EA*4X42*24A*	*9MA*1002122A**	33600	TDR&TXV	16			13
	EA*4X42*24A*	*9MA*1202422A**	33400	TDR&TXV	16			13
	EA*4X42*24A*	*9MA*0602120A**	33200	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*9MV*1002116A**	33800	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*9MA*1002120A**	33400	TDR&TXV	15.5			12.7
	EA*4X42*24A*		33800	TXV		13.7		11.7
	EA*4X48*17A*	*9MX*0601714A**	34200	TDR&TXV	15.5			12.7
	EA*4X48*17A*	*9MX*0801716A**	34200	TDR&TXV	15.5			12.7
	EA*4X48*17A*	*9MV*0601714A**	34200	TDR&TXV	15.5			12.7
	EA*4X48*17A*	*9MV*0801716A**	34200	TDR&TXV	15.5			12.7
	EA*4X48*17A*	*9MA*0601714A**	33800	TDR&TXV	15.5			12.7
	EA*4X48*17A*	*9MA*0801714A**	33800	TDR&TXV	15.5			12.7
	EA*4X48*17A*		34400	TXV		14		12
EA*4X48*21A*	*9MX*0601714A**	34000	TDR&TXV	15.5			12.7	
EA*4X48*21A*	*9MX*0801716A**	33800	TDR&TXV	15.5			12.7	
EA*4X48*21A*	*9MV*0601714A**	34000	TDR&TXV	15.2			12.5	
EA*4X48*21A*	*9MV*0801716A**	34000	TDR&TXV	15.5			12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA636GKA	EA*4X48*21A*	*9MV*0802120A**	34000	TDR&TXV	16		13	
	EA*4X48*21A*	*9MV*1002120A**	34000	TDR&TXV	16		13	
	EA*4X48*21A*	*9MA*0601714A**	33600	TDR&TXV	15.5		12.7	
	EA*4X48*21A*	*9MA*0801714A**	33600	TDR&TXV	15.5		12.7	
	EA*4X48*21A*	*9MA*0802120A**	33800	TDR&TXV	16		13	
	EA*4X48*21A*	*9MA*1002122A**	34000	TDR&TXV	16		13	
	EA*4X48*21A*	*9MA*0602120A**	33600	TDR&TXV	15.5		12.7	
	EA*4X48*21A*	*9MV*1002116A**	34200	TDR&TXV	15.5		12.7	
	EA*4X48*21A*	*9MA*1002120A**	33800	TDR&TXV	15.5		12.7	
	EA*4X48*21A*		34200	TXV		14	11.7	
	EA*4X48*24A*	*9MV*1202422A**	34200	TDR&TXV	16		13	
	EA*4X48*24A*	*9MA*1202422A**	33800	TDR&TXV	16		13	
	EA*4X48*24A*	*9MV*1002116A**	34200	TDR&TXV	15.5		12.7	
	EA*4X48*24A*	*9MA*1002120A**	33800	TDR&TXV	16		13	
	EA*4X48*24A*		34200	TXV		14	11.7	
	ED*4X36B**		33200	TXV		14	11.5	
	ED*4X36B**	*8MPV050	33000	TDR&TXV	14		11.5	
	ED*4X36B**	MV08B15**B*	33200	TDR&TXV	15		12.5	
	ED*4X36F**	*9MX*0601714A**	33200	TDR&TXV	15		12.5	
	ED*4X36F**	*9MX*0801716A**	33200	TDR&TXV	15.5		12.7	
	ED*4X36F**	*9MV*0601714A**	33200	TDR&TXV	15		12.5	
	ED*4X36F**	*9MV*0801716A**	33400	TDR&TXV	15.2		12.5	
	ED*4X36F**	*9MV*0802120A**	33200	TDR&TXV	15.5		12.7	
	ED*4X36F**	*9MV*1002120A**	33200	TDR&TXV	15.5		12.7	
	ED*4X36F**	*9MA*0601714A**	32800	TDR&TXV	15.2		12.5	
	ED*4X36F**	*9MA*0801714A**	33000	TDR&TXV	15.5		12.7	
	ED*4X36F**	*9MA*0802120A**	33200	TDR&TXV	15.5		12.7	
	ED*4X36F**	*9MA*1002122A**	33200	TDR&TXV	15.5		12.7	
	ED*4X36F**	*9MA*0602120A**	33000	TDR&TXV	15.2		12.5	
	ED*4X36F**	*9MVX040	33200	TDR&TXV	14		11.5	
	ED*4X36F**	*9MVX060	33200	TDR&TXV	14.5		12	
	ED*4X36F**	*9MV*1002116A**	33400	TDR&TXV	15.2		12.5	
	ED*4X36F**	*9MA*1002120A**	33200	TDR&TXV	15.5		12.7	
	ED*4X36F**	OLV098A12A	33000	TDR&TXV	14.5		12	
	ED*4X36F**	OLV112A16A	33400	TDR&TXV	15		12.5	
	ED*4X36F**	OMV098J12A	33200	TDR&TXV	14.5		12	
ED*4X36F**	OMV112K14A	33200	TDR&TXV	15		12.5		
ED*4X36F**		33200	TXV		14	11.5		
ED*4X36F**	*8MPV075	33200	TDR&TXV	15		12.5		
ED*4X36F**	*9MPV050	33200	TDR&TXV	14.45		12		
ED*4X36F**	*9MPV075	33200	TDR&TXV	14.5		12		
ED*4X36F**	MV12F19**B*	33200	TDR&TXV	16		13		
ED*4X36J**	*9MV*0802120A**	33400	TDR&TXV	15.5		12.7		
ED*4X36J**	*9MV*1002120A**	33400	TDR&TXV	15.5		12.7		
ED*4X36J**	*9MV*1202422A**	33400	TDR&TXV	15.5		12.7		
ED*4X36J**	*9MA*0802120A**	33200	TDR&TXV	16		13		
ED*4X36J**	*9MA*1002122A**	33400	TDR&TXV	16		13		
ED*4X36J**	*9MA*1202422A**	33200	TDR&TXV	15.5		12.7		
ED*4X36J**	*9MA*0602120A**	33000	TDR&TXV	15.2		12.7		
ED*4X36J**	*9MVX080	33200	TDR&TXV	15		12.5		
ED*4X36J**	*9MV*1002116A**	33400	TDR&TXV	15.5		12.7		
ED*4X36J**	*9MA*1002120A**	33200	TDR&TXV	15.5		12.7		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	ED*4X36J**	OLV112A16A	33400	TDR&TXV	15			12.5
	ED*4X36J**		33200	TXV		14		11.5
	ED*4X36J**	*8MPV100	33200	TDR&TXV	15.5			12.5
	ED*4X36J**	*8MPV125	33200	TDR&TXV	15.5			12.5
	ED*4X36J**	*9MPV100	33200	TDR&TXV	15			12.5
	ED*4X36J**	MV16J22**B*	33200	TDR&TXV	16			13
	ED*4X42F**	*9MX*0601714A**	33600	TDR&TXV	15.2			12.5
	ED*4X42F**	*9MX*0801716A**	33400	TDR&TXV	15.5			12.7
	ED*4X42F**	*9MV*0601714A**	33400	TDR&TXV	15.2			12.5
	ED*4X42F**	*9MV*0801716A**	33600	TDR&TXV	15.5			12.7
	ED*4X42F**	*9MV*0802120A**	33600	TDR&TXV	15.5			12.7
	ED*4X42F**	*9MV*1002120A**	33600	TDR&TXV	15.5			13
	ED*4X42F**	*9MA*0601714A**	33000	TDR&TXV	15.2			12.5
	ED*4X42F**	*9MA*0801714A**	33200	TDR&TXV	15.5			12.7
	ED*4X42F**	*9MA*0802120A**	33400	TDR&TXV	16			13
	ED*4X42F**	*9MA*1002122A**	33600	TDR&TXV	16			13
	ED*4X42F**	*9MA*0602120A**	33200	TDR&TXV	15.2			12.7
	ED*4X42F**	*9MVX040	33600	TDR&TXV	14.5			12
	ED*4X42F**	*9MVX060	33600	TDR&TXV	14.5			12
	ED*4X42F**	*9MV*1002116A**	33600	TDR&TXV	15.5			12.7
	ED*4X42F**	*9MA*1002120A**	33400	TDR&TXV	15.5			12.7
	ED*4X42F**	OLV098A12A	33400	TDR&TXV	14.5			12
	ED*4X42F**	OLV112A16A	33600	TDR&TXV	15			12.5
	ED*4X42F**	OMV098J12A	33400	TDR&TXV	14.5			12
	ED*4X42F**	OMV112K14A	33600	TDR&TXV	15			12.5
	ED*4X42F**		33600	TXV		14		11.5
	ED*4X42F**	*8MPV075	33600	TDR&TXV	15			12.5
	ED*4X42F**	*9MPV050	33600	TDR&TXV	14.5			12
	ED*4X42F**	*9MPV075	33600	TDR&TXV	14.5			12
	ED*4X42F**	MV12F19**B*	33600	TDR&TXV	16			13
	ED*4X42J**	*9MV*0802120A**	33600	TDR&TXV	16			13
	ED*4X42J**	*9MV*1002120A**	33600	TDR&TXV	16			13
	ED*4X42J**	*9MV*1202422A**	33600	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MA*0802120A**	33400	TDR&TXV	16			13
	ED*4X42J**	*9MA*1002122A**	33600	TDR&TXV	16			13
	ED*4X42J**	*9MA*1202422A**	33400	TDR&TXV	16			13
	ED*4X42J**	*9MA*0602120A**	33200	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MVX080	33600	TDR&TXV	15			12.5
	ED*4X42J**	*9MV*1002116A**	33800	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MA*1002120A**	33400	TDR&TXV	15.5			12.7
	ED*4X42J**	OLV112A16A	33800	TDR&TXV	15			12.5
	ED*4X42J**		33600	TXV		14		11.5
	ED*4X42J**	*8MPV100	33600	TDR&TXV	15.5			12.5
	ED*4X42J**	*8MPV125	33600	TDR&TXV	15.5			12.5
	ED*4X42J**	*9MPV100	33600	TDR&TXV	15			12.5
	ED*4X42J**	MV16J22**B*	33600	TDR&TXV	16			13
	ED*4X42L**	*8MV*1352422**	33600	TDR&TXV	15.5			12.5
	ED*4X42L**	*9MV*0802120A**	33600	TDR&TXV	16			13
ED*4X42L**	*9MV*1002120A**	33600	TDR&TXV	16			13	
ED*4X42L**	*9MV*1202422A**	33800	TDR&TXV	16			13	
ED*4X42L**	*9MA*0802120A**	33400	TDR&TXV	16			13	
ED*4X42L**	*9MA*1002122A**	33600	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		EER
Standard	W/ Field TDR	W/ Field TXV					
NXA636GKA	ED*4X42L**	*9MA*1202422A**	33400	TDR&TXV	16		13
	ED*4X42L**	*9MA*0602120A**	33200	TDR&TXV	15.5		12.7
	ED*4X42L**	*9MVX100	33600	TDR&TXV	15.5		12.5
	ED*4X42L**	*9MV*1002116A**	33800	TDR&TXV	15.5		12.7
	ED*4X42L**	*9MA*1002120A**	33400	TDR&TXV	15.5		12.7
	ED*4X42L**	OLV112A16A	33800	TDR&TXV	15		12.5
	ED*4X42L**	OLV154F20A	34400	TDR&TXV	15.5		12.5
	ED*4X42L**		33600	TXV		14	11.5
	ED*4X42L**	*9MPV125	33600	TDR&TXV	15.5		12.5
	ED*4X42L**	MV20L24**B*	33600	TDR&TXV	16		13
	ED*4X48F**	*8MX*0701716**	34200	TDR&TXV	15.5		12.5
	ED*4X48F**	*8MV*0901716**	34200	TDR&TXV	15.5		12.5
	ED*4X48F**	*9MX*0601714A**	34200	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MX*0801716A**	34200	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MV*0601714A**	34200	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MV*0801716A**	34200	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MV*0802120A**	34200	TDR&TXV	16		13
	ED*4X48F**	*9MV*1002120A**	34200	TDR&TXV	16		13
	ED*4X48F**	*9MA*0601714A**	33800	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MA*0801714A**	33800	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MA*0802120A**	34000	TDR&TXV	16		13
	ED*4X48F**	*9MA*1002122A**	34200	TDR&TXV	16		13
	ED*4X48F**	*9MA*0602120A**	34000	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MVX060	34200	TDR&TXV	15		12.5
	ED*4X48F**	*9MV*1002116A**	34400	TDR&TXV	15.5		12.7
	ED*4X48F**	*9MA*1002120A**	34000	TDR&TXV	16		13
	ED*4X48F**		34200	TXV		14	11.5
	ED*4X48F**	*8MPV075	34200	TDR&TXV	15.5		12.5
	ED*4X48F**	*9MPV075	34200	TDR&TXV	15		12.5
	ED*4X48F**	MV12F19**B*	34200	TDR&TXV	16		13
	ED*4X48J**	*8MX*0902116**	34200	TDR&TXV	16		13
	ED*4X48J**	*8MX*1102120**	34200	TDR&TXV	16		13
	ED*4X48J**	*8MV*1102120**	34200	TDR&TXV	16		13
	ED*4X48J**	*9MV*0802120A**	34000	TDR&TXV	16		13
	ED*4X48J**	*9MV*1002120A**	34000	TDR&TXV	16		13
	ED*4X48J**	*9MV*1202422A**	34000	TDR&TXV	16		13
	ED*4X48J**	*9MA*0802120A**	33800	TDR&TXV	16		13
	ED*4X48J**	*9MA*1002122A**	34000	TDR&TXV	16		13
	ED*4X48J**	*9MA*1202422A**	33800	TDR&TXV	16		13
	ED*4X48J**	*9MA*0602120A**	33600	TDR&TXV	15.5		12.7
	ED*4X48J**	NOMV156E19*	34000	TDR&TXV	15.5		12.5
	ED*4X48J**	*9MVX060	34200	TDR&TXV	15		12.5
ED*4X48J**	*9MVX080	34200	TDR&TXV	15.5		12.5	
ED*4X48J**	*9MV*1002116A**	34200	TDR&TXV	15.5		12.7	
ED*4X48J**	*9MA*1002120A**	33800	TDR&TXV	15.5		12.7	
ED*4X48J**		34200	TXV		14	11.5	
ED*4X48J**	*8MPV075	34200	TDR&TXV	15.5		12.5	
ED*4X48J**	*8MPV100	34200	TDR&TXV	15.5		12.5	
ED*4X48J**	*8MPV125	34200	TDR&TXV	16		13	
ED*4X48J**	*9MPV075	34200	TDR&TXV	15		12.5	
ED*4X48J**	*9MPV100	34200	TDR&TXV	15		12.5	
ED*4X48J**	MV12F19**B*	34200	TDR&TXV	16		13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	ED*4X48J**	MV16J22**B*	34200	TDR&TXV	16			13
	ED*4X48L**	*8MX*0902116**	34200	TDR&TXV	16			13
	ED*4X48L**	*8MX*1102120**	34200	TDR&TXV	16			13
	ED*4X48L**	*8MX*1352420**	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	*8MV*1102120**	34200	TDR&TXV	16			13
	ED*4X48L**	*8MV*1352422**	34200	TDR&TXV	16			13
	ED*4X48L**	*9MV*1202422A**	34200	TDR&TXV	16			13
	ED*4X48L**	*9MA*1202422A**	33800	TDR&TXV	16			13
	ED*4X48L**	NOMV156E19*	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	*9MVX080	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	*9MVX100	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	*9MV*1002116A**	34200	TDR&TXV	15.5			12.7
	ED*4X48L**	*9MA*1002120A**	33800	TDR&TXV	16			13
	ED*4X48L**		34200	TXV		14		11.5
	ED*4X48L**	*8MPV100	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	*8MPV125	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	*9MPV100	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	*9MPV125	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	MV16J22**B*	34200	TDR&TXV	15.5			12.5
	ED*4X48L**	MV20L24**B*	34200	TDR&TXV	15.5			12.5
	ED*4X60J**	*8MX*0902116**	34600	TDR&TXV	16			13
	ED*4X60J**	*8MX*1102120**	34600	TDR&TXV	16			13
	ED*4X60J**	*8MV*1102120**	34600	TDR&TXV	16			13
	ED*4X60J**	NOMV156E19*	34400	TDR&TXV	16			13
	ED*4X60J**	*9MVX060	34600	TDR&TXV	15			12.5
	ED*4X60J**	*9MVX080	34600	TDR&TXV	15			12.5
	ED*4X60J**		34600	TXV		14.5		12
	ED*4X60J**	*8MPV075	34600	TDR&TXV	15.5			12.5
	ED*4X60J**	*8MPV100	34600	TDR&TXV	16			13
	ED*4X60J**	*8MPV125	34600	TDR&TXV	16			13
	ED*4X60J**	*9MPV075	34600	TDR&TXV	15			12.5
	ED*4X60J**	*9MPV100	34600	TDR&TXV	15			12.5
	ED*4X60J**	MV12F19**B*	34600	TDR&TXV	16			13
	ED*4X60J**	MV16J22**B*	34600	TDR&TXV	16			13
	ED*4X60L**	*8MX*0902116**	34600	TDR&TXV	16			13
	ED*4X60L**	*8MX*1102120**	34600	TDR&TXV	16			13
	ED*4X60L**	*8MX*1352420**	34600	TDR&TXV	16			13
	ED*4X60L**	*8MV*1102120**	34600	TDR&TXV	16			13
	ED*4X60L**	*8MV*1352422**	34600	TDR&TXV	16			13
	ED*4X60L**	NOMV156E19*	34400	TDR&TXV	16			13
	ED*4X60L**	*9MVX080	34600	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MVX100	34600	TDR&TXV	16			13
	ED*4X60L**		34600	TXV		14.5		12
	ED*4X60L**	*8MPV100	34600	TDR&TXV	16			13
	ED*4X60L**	*8MPV125	34600	TDR&TXV	16			13
ED*4X60L**	*9MPV100	34600	TDR&TXV	15.5			12.5	
ED*4X60L**	*9MPV125	34600	TDR&TXV	15.5			12.5	
ED*4X60L**	MV16J22**B*	34600	TDR&TXV	16			13	
ED*4X60L**	MV20L24**B*	34600	TDR&TXV	16			13	
EHD4X36A**	*8MX*0451408**	33200	TDR&TXV	14.5			12	
EHD4X36A**	*8MX*0701716**	33200	TDR&TXV	15			12.5	
EHD4X36A**	*8MX*0902116**	33200	TDR&TXV	15.5			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
NXA636GKA	EHD4X36A**	*8MX*1102120**	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*8MV*0701412**	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*8MV*0901716**	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*8MV*1102120**	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*8MV*1352422**	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*9MX*0601714A**	34000	TDR&TXV	15.5		12.7
	EHD4X36A**	*9MX*0801716A**	33800	TDR&TXV	15.5		12.7
	EHD4X36A**	*9MX*1002120A**	34600	TDR&TXV	15.5		12.7
	EHD4X36A**	*9MV*0601714A**	34000	TDR&TXV	15.2		12.5
	EHD4X36A**	*9MV*0801716A**	34000	TDR&TXV	15.5		12.7
	EHD4X36A**	*9MV*0802120A**	34000	TDR&TXV	16		13
	EHD4X36A**	*9MV*1002120A**	34000	TDR&TXV	16		13
	EHD4X36A**	*9MV*1202422A**	34000	TDR&TXV	16		13
	EHD4X36A**	*9MA*0601714A**	33600	TDR&TXV	15.5		12.7
	EHD4X36A**	*9MA*0801714A**	33600	TDR&TXV	15.5		12.7
	EHD4X36A**	*9MA*0802120A**	33800	TDR&TXV	16		13
	EHD4X36A**	*9MA*1002122A**	34000	TDR&TXV	16		13
	EHD4X36A**	*9MA*1202422A**	33800	TDR&TXV	16		13
	EHD4X36A**	*9MA*0602120A**	33800	TDR&TXV	15.5		12.7
	EHD4X36A**	NOMV106D12*	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	NOMV156E19*	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*9MVX040	33200	TDR&TXV	14.5		12
	EHD4X36A**	*9MVX060	33200	TDR&TXV	15		12.5
	EHD4X36A**	*9MVX080	33200	TDR&TXV	15		12.5
	EHD4X36A**	*9MVX100	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*9MV*1002116A**	34000	TDR&TXV	15.5		12.7
	EHD4X36A**	*9MA*1002120A**	33800	TDR&TXV	15.5		12.7
	EHD4X36A**	OLV098A12A	33800	TDR&TXV	15		12.5
	EHD4X36A**	OLV112A16A	34200	TDR&TXV	15		12.5
	EHD4X36A**	OLV154F20A	34600	TDR&TXV	15.5		12.5
	EHD4X36A**	OMV098J12A	33800	TDR&TXV	15		12.5
	EHD4X36A**	OMV112K14A	34000	TDR&TXV	15.5		12.5
	EHD4X36A**		33200	TXV		14	11.5
	EHD4X36A**	*8MPV050	33200	TDR&TXV	14.5		12
	EHD4X36A**	*8MPV075	33200	TDR&TXV	15		12.5
	EHD4X36A**	*8MPV100	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*8MPV125	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*9MPV050	33200	TDR&TXV	14.5		12
	EHD4X36A**	*9MPV075	33200	TDR&TXV	15		12.5
	EHD4X36A**	*9MPV100	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	*9MPV125	33200	TDR&TXV	15.5		12.5
	EHD4X36A**	MV08B15**B*	33200	TDR&TXV	16		13
EHD4X36A**	MV12F19**B*	33200	TDR&TXV	16		13	
EHD4X36A**	MV16J22**B*	33200	TDR&TXV	16		13	
EHD4X36A**	MV20L24**B*	33200	TDR&TXV	16		13	
EHD4X42A**	*8MX*0451408**	33600	TDR&TXV	14.5		12	
EHD4X42A**	*8MX*0701716**	33600	TDR&TXV	15		12.5	
EHD4X42A**	*8MX*0902116**	33600	TDR&TXV	16		13	
EHD4X42A**	*8MX*1102120**	33600	TDR&TXV	16		13	
EHD4X42A**	*8MV*0701412**	33600	TDR&TXV	15.5		12.5	
EHD4X42A**	*8MV*0901716**	33600	TDR&TXV	16		13	
EHD4X42A**	*8MV*1102120**	33600	TDR&TXV	16		13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	EHD4X42A**	*8MV*1352422**	33600	TDR&TXV	16			13
	EHD4X42A**	*9MX*0601714A**	34200	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MX*0801716A**	34000	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MX*1002120A**	34800	TDR&TXV	16			13
	EHD4X42A**	*9MV*0601714A**	34200	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MV*0801716A**	34200	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MV*0802120A**	34200	TDR&TXV	16			13
	EHD4X42A**	*9MV*1002120A**	34200	TDR&TXV	16			13
	EHD4X42A**	*9MV*1202422A**	34200	TDR&TXV	16			13
	EHD4X42A**	*9MA*0601714A**	33800	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MA*0801714A**	33800	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MA*0802120A**	34000	TDR&TXV	16			13
	EHD4X42A**	*9MA*1002122A**	34200	TDR&TXV	16			13
	EHD4X42A**	*9MA*1202422A**	34000	TDR&TXV	16			13
	EHD4X42A**	*9MA*0602120A**	33800	TDR&TXV	15.5			12.7
	EHD4X42A**	NOMV106D12*	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	NOMV156E19*	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	*9MVX040	33600	TDR&TXV	14.5			12
	EHD4X42A**	*9MVX060	33600	TDR&TXV	15			12.5
	EHD4X42A**	*9MVX080	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	*9MVX100	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	*9MV*1002116A**	34400	TDR&TXV	15.5			12.7
	EHD4X42A**	*9MA*1002120A**	34000	TDR&TXV	16			13
	EHD4X42A**	OLV098A12A	34000	TDR&TXV	15			12.5
	EHD4X42A**	OLV112A16A	34400	TDR&TXV	15.5			12.5
	EHD4X42A**	OLV154F20A	34600	TDR&TXV	15.5			12.5
	EHD4X42A**	OMV098J12A	34000	TDR&TXV	15			12.5
	EHD4X42A**	OMV112K14A	34200	TDR&TXV	15.5			12.5
	EHD4X42A**		33600	TXV		14.5		12
	EHD4X42A**	*8MPV050	33600	TDR&TXV	14.5			12
	EHD4X42A**	*8MPV075	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	*8MPV100	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	*8MPV125	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	*9MPV050	33600	TDR&TXV	14.5			12
	EHD4X42A**	*9MPV075	34400	TDR&TXV	15			12.5
	EHD4X42A**	*9MPV100	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	*9MPV125	33600	TDR&TXV	15.5			12.5
	EHD4X42A**	MV08B15**B*	33600	TDR&TXV	16			13
	EHD4X42A**	MV12F19**B*	33600	TDR&TXV	16			13
	EHD4X42A**	MV16J22**B*	33600	TDR&TXV	16			13
	EHD4X42A**	MV20L24**B*	33600	TDR&TXV	16			13
	EHD4X48A**	*9MX*0601714A**	34400	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MX*0801716A**	34200	TDR&TXV	16			13
	EHD4X48A**	*9MV*0601714A**	34200	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MV*0801716A**	34400	TDR&TXV	15.5			12.7
EHD4X48A**	*9MV*0802120A**	34400	TDR&TXV	16			13	
EHD4X48A**	*9MV*1002120A**	34200	TDR&TXV	16			13	
EHD4X48A**	*9MV*1202422A**	34400	TDR&TXV	16			13	
EHD4X48A**	*9MA*0601714A**	33800	TDR&TXV	15.5			12.7	
EHD4X48A**	*9MA*0801714A**	34000	TDR&TXV	16			13	
EHD4X48A**	*9MA*0802120A**	34200	TDR&TXV	16			13.2	
EHD4X48A**	*9MA*1002122A**	34400	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA636GKA	EHD4X48A**	*9MA*1202422A**	34200	TDR&TXV	16		13	
	EHD4X48A**	*9MA*0602120A**	34000	TDR&TXV	15.5		13	
	EHD4X48A**	*9MV*1002116A**	34400	TDR&TXV	15.5		12.7	
	EHD4X48A**	*9MA*1002120A**	34200	TDR&TXV	16		13	
	EMA4X36D**		33200	TXV		14	11.5	
	EN(A,D)4X36*21**	*8MX*0701716**	33200	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	*8MX*0902116**	33200	TDR&TXV	15.5		12.5	
	EN(A,D)4X36*21**	*8MX*1102120**	33200	TDR&TXV	15.5		12.5	
	EN(A,D)4X36*21**	*8MV*0901716**	33200	TDR&TXV	15.5		12.5	
	EN(A,D)4X36*21**	*8MV*1102120**	33200	TDR&TXV	15.5		12.5	
	EN(A,D)4X36*21**	*9MX*0601714A**	33200	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	*9MX*0801716A**	33000	TDR&TXV	15.2		12.5	
	EN(A,D)4X36*21**	*9MX*1002120A**	33600	TDR&TXV	15.2		12.5	
	EN(A,D)4X36*21**	*9MV*0601714A**	33000	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	*9MV*0801716A**	33200	TDR&TXV	15.2		12.5	
	EN(A,D)4X36*21**	*9MV*0802120A**	33200	TDR&TXV	15.2		12.7	
	EN(A,D)4X36*21**	*9MV*1002120A**	33200	TDR&TXV	15.5		12.7	
	EN(A,D)4X36*21**	*9MA*0601714A**	32800	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	*9MA*0801714A**	33000	TDR&TXV	15.2		12.5	
	EN(A,D)4X36*21**	*9MA*0802120A**	33200	TDR&TXV	15.5		12.7	
	EN(A,D)4X36*21**	*9MA*1002122A**	33200	TDR&TXV	15.2		12.7	
	EN(A,D)4X36*21**	*9MA*0602120A**	33000	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	NOMV106D12*	33200	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	NOMV156E19*	33200	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	*9MVX040	33200	TDR&TXV	14		11.5	
	EN(A,D)4X36*21**	*9MVX040	33200	TDR&TXV	14		11.5	
	EN(A,D)4X36*21**	*9MVX060	33200	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MVX060	33200	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	*9MVX080	33800	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	*9MV*1002116A**	33200	TDR&TXV	15.2		12.5	
	EN(A,D)4X36*21**	*9MA*1002120A**	33000	TDR&TXV	15.2		12.5	
	EN(A,D)4X36*21**	OLV098A12A	33000	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	OLV112A16A	33400	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	OMV098J12A	33200	TDR&TXV	14.5		12	
	EN(A,D)4X36*21**	OMV112K14A	33200	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**		33200	TXV		14	11.5	
	EN(A,D)4X36*21**	*8MPV075	33200	TDR&TXV	15		12.5	
	EN(A,D)4X36*21**	*9MPV050	33200	TDR&TXV	14		11.5	
	EN(A,D)4X36*21**	*9MPV075	33200	TDR&TXV	14		11.5	
	EN(A,D)4X36*21**	MV12F19**B*	33200	TDR&TXV	15.5		12.5	
	EN(A,D)4X36*21**	*9MPV050	33200	TDR&TXV	14		11.5	
	EN(A,D)4X36*21**	*9MPV075	33200	TDR&TXV	14		11.5	
	EN(A,D)4X36*21**	*9MPV100	33600	TDR&TXV	15		12.5	
	EN(A,D)4X37*17**	*8MX*0451408**	34400	TDR&TXV	15		12.5	
	EN(A,D)4X37*17**	*8MX*0701716**	34400	TDR&TXV	15.5		12.5	
	EN(A,D)4X37*17**	*8MV*0701412**	34400	TDR&TXV	15.5		12.5	
	EN(A,D)4X37*17**	*8MV*0901716**	34400	TDR&TXV	15.5		12.5	
	EN(A,D)4X37*17**	*9MX*0601714A**	34400	TDR&TXV	15.5		12.7	
EN(A,D)4X37*17**	*9MX*0801716A**	34400	TDR&TXV	16		13		
EN(A,D)4X37*17**	*9MV*0601714A**	34400	TDR&TXV	15.5		12.7		
EN(A,D)4X37*17**	*9MV*0801716A**	34200	TDR&TXV	16		13		
EN(A,D)4X37*17**	*9MA*0601714A**	34000	TDR&TXV	15.5		12.7		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	EN(A,D)4X37*17**	*9MA*0801714A**	34000	TDR&TXV	16			13
	EN(A,D)4X37*17**	NOMV106D12*	34400	TDR&TXV	15.5			12.5
	EN(A,D)4X37*17**	*9MVX040	34400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MVX060	34600	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	OLV098A12A	34200	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	OMV098J12A	34400	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	OMV112K14A	34400	TDR&TXV	15.5			12.5
	EN(A,D)4X37*17**	*8MPV050	34400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	MV08B15**B*	34400	TDR&TXV	16			13
	EN(A,D)4X37*17**	*9MPV050	34400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MPV075	34400	TDR&TXV	15			12.5
	EN(A,D)4X43*24**	*8MX*0902116**	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*8MX*1102120**	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*8MV*1102120**	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*8MV*1352422**	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MX*1002120A**	35400	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MV*0802120A**	34600	TDR&TXV	16.5			13.2
	EN(A,D)4X43*24**	*9MV*1002120A**	34600	TDR&TXV	16.5			13.2
	EN(A,D)4X43*24**	*9MV*1202422A**	34400	TDR&TXV	16.5			13.2
	EN(A,D)4X43*24**	*9MA*0802120A**	34400	TDR&TXV	16.5			13.5
	EN(A,D)4X43*24**	*9MA*1002122A**	34600	TDR&TXV	16.5			13.5
	EN(A,D)4X43*24**	*9MA*1202422A**	34400	TDR&TXV	16.5			13.2
	EN(A,D)4X43*24**	*9MA*0602120A**	34200	TDR&TXV	16			13
	EN(A,D)4X43*24**	NOMV156E19*	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MVX080	34600	TDR&TXV	15.5			12.5
	EN(A,D)4X43*24**	*9MVX080	34600	TDR&TXV	15.5			12.5
	EN(A,D)4X43*24**	*9MVX100	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MVX100	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MV*1002116A**	34400	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MA*1002120A**	34400	TDR&TXV	16			13
	EN(A,D)4X43*24**	OLV112A16A	34600	TDR&TXV	15.5			12.5
	EN(A,D)4X43*24**	OLV154F20A	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**		34600	TXV		14.5		12
	EN(A,D)4X43*24**	*8MPV100	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*8MPV125	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MPV100	34600	TDR&TXV	15.5			12.5
	EN(A,D)4X43*24**	*9MPV125	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	MV16J22**B*	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	MV20L24**B*	34600	TDR&TXV	16			13
	EN(A,D)4X43*24**	*9MPV100	34600	TDR&TXV	15.5			12.5
	EN(A,D)4X43*24**	*9MPV125	34600	TDR&TXV	16			13
	EN(A,D)4X48*24**	*9MV*1202422A**	34200	TDR&TXV	16			13
	EN(A,D)4X48*24**	*9MA*1202422A**	34000	TDR&TXV	16			13
	EN(A,D)4X48*24**	*9MV*1002116A**	34400	TDR&TXV	15.5			12.7
	EN(A,D)4X48*24**	*9MA*1002120A**	34000	TDR&TXV	16			13
	EN(A,D,W)4X36*17**	*8MX*0451408**	33200	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*8MX*0701716**	33200	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*8MV*0701412**	33200	TDR&TXV	15			12.5
EN(A,D,W)4X36*17**	*8MV*0901716**	33200	TDR&TXV	15.5			12.5	
EN(A,D,W)4X36*17**	*9MX*0601714A**	33200	TDR&TXV	15			12.5	
EN(A,D,W)4X36*17**	*9MX*0801716A**	33000	TDR&TXV	15.2			12.5	
EN(A,D,W)4X36*17**	*9MV*0601714A**	33000	TDR&TXV	15			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA636GKA	EN(A,D,W)4X36*17**	*9MV*0801716A**	33200	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X36*17**	*9MA*0601714A**	32800	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**	*9MA*0801714A**	33000	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X36*17**	NOMV106D12*	33200	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**	*9MVX040	33000	TDR&TXV	14		12	
	EN(A,D,W)4X36*17**	*9MVX060	33200	TDR&TXV	14.5		12	
	EN(A,D,W)4X36*17**	OLV098A12A	33000	TDR&TXV	14.5		12	
	EN(A,D,W)4X36*17**	OMV098J12A	33000	TDR&TXV	14.5		12	
	EN(A,D,W)4X36*17**	OMV112K14A	33200	TDR&TXV	15		12.5	
	EN(A,D,W)4X36*17**		33200	TXV		14	11.5	
	EN(A,D,W)4X36*17**	*8MPV050	33200	TDR&TXV	14		11.5	
	EN(A,D,W)4X36*17**	MV08B15**B*	33200	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X36*17**	*9MPV050	33000	TDR&TXV	14		12	
	EN(A,D,W)4X36*17**	*9MPV075	33000	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	*8MX*0701716**	33800	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**	*8MX*0902116**	34000	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X42*21**	*8MX*1102120**	34000	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X42*21**	*8MV*0901716**	33800	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X42*21**	*8MV*1102120**	33800	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X42*21**	*9MX*0601714A**	33600	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X42*21**	*9MX*0801716A**	33400	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MX*1002120A**	34200	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MV*0601714A**	33400	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X42*21**	*9MV*0801716A**	33600	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MV*0802120A**	33600	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MV*1002120A**	33600	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MA*0601714A**	33200	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X42*21**	*9MA*0801714A**	33200	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MA*0802120A**	33400	TDR&TXV	15.5		13	
	EN(A,D,W)4X42*21**	*9MA*1002122A**	33600	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MA*0602120A**	33400	TDR&TXV	15.2		12.7	
	EN(A,D,W)4X42*21**	NOMV106D12*	33600	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**	NOMV156E19*	33600	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**	*9MVX040	33600	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	*9MVX040	33600	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	*9MVX060	33800	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	*9MVX060	33800	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	*9MVX080	34200	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**	*9MV*1002116A**	33600	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	*9MA*1002120A**	33400	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X42*21**	OLV098A12A	33400	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	OLV112A16A	33800	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**	OMV098J12A	33400	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	OMV112K14A	33600	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**		34000	TXV		14	11.5	
	EN(A,D,W)4X42*21**	*8MPV075	34000	TDR&TXV	15		12.5	
	EN(A,D,W)4X42*21**	*9MPV050	33600	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	*9MPV075	33800	TDR&TXV	14.5		12	
EN(A,D,W)4X42*21**	MV12F19**B*	34000	TDR&TXV	16		13		
EN(A,D,W)4X42*21**	*9MPV050	33600	TDR&TXV	14.5		12		
EN(A,D,W)4X42*21**	*9MPV075	33800	TDR&TXV	14.5		12		
EN(A,D,W)4X42*21**	*9MPV100	34000	TDR&TXV	15		12.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	EN(A,D,W)4X48*21**	*9MX*0601714A**	34200	TDR&TXV	15.5			12.7
	EN(A,D,W)4X48*21**	*9MX*0801716A**	34000	TDR&TXV	15.5			12.7
	EN(A,D,W)4X48*21**	*9MV*0601714A**	34000	TDR&TXV	15.5			12.7
	EN(A,D,W)4X48*21**	*9MV*0801716A**	34200	TDR&TXV	15.5			12.7
	EN(A,D,W)4X48*21**	*9MV*0802120A**	34200	TDR&TXV	16			13
	EN(A,D,W)4X48*21**	*9MV*1002120A**	34200	TDR&TXV	16			13
	EN(A,D,W)4X48*21**	*9MA*0601714A**	33600	TDR&TXV	15.5			12.7
	EN(A,D,W)4X48*21**	*9MA*0801714A**	33800	TDR&TXV	16			13
	EN(A,D,W)4X48*21**	*9MA*0802120A**	34000	TDR&TXV	16			13.2
	EN(A,D,W)4X48*21**	*9MA*1002122A**	34200	TDR&TXV	16			13.2
	EN(A,D,W)4X48*21**	*9MA*0602120A**	33800	TDR&TXV	15.5			13
	EN(A,D,W)4X48*21**	*9MV*1002116A**	34400	TDR&TXV	15.5			12.7
	EN(A,D,W)4X48*21**	*9MA*1002120A**	34000	TDR&TXV	16			13
	EN(A,D,W)4X48*21**		34400	TXV		14		12
	END4X42*17**	*8MX*0451408**	34000	TDR&TXV	14.5			12
	END4X42*17**	*8MX*0701716**	34000	TDR&TXV	15			12.5
	END4X42*17**	*8MV*0701412**	34000	TDR&TXV	15.5			12.5
	END4X42*17**	*8MV*0901716**	34000	TDR&TXV	15.5			12.5
	END4X42*17**	*9MX*0601714A**	33800	TDR&TXV	15.2			12.5
	END4X42*17**	*9MX*0801716A**	33600	TDR&TXV	15.5			12.7
	END4X42*17**	*9MV*0601714A**	33800	TDR&TXV	15.2			12.5
	END4X42*17**	*9MV*0801716A**	33800	TDR&TXV	15.5			12.7
	END4X42*17**	*9MA*0601714A**	33400	TDR&TXV	15.2			12.5
	END4X42*17**	*9MA*0801714A**	33600	TDR&TXV	15.5			12.7
	END4X42*17**	NOMV106D12*	33800	TDR&TXV	15.5			12.5
	END4X42*17**	*9MVX040	33600	TDR&TXV	14.5			12
	END4X42*17**	*9MVX060	34000	TDR&TXV	14.5			12
	END4X42*17**	OLV098A12A	33600	TDR&TXV	15			12.5
	END4X42*17**	OMV098J12A	33800	TDR&TXV	15			12.5
	END4X42*17**	OMV112K14A	33800	TDR&TXV	15			12.5
	END4X42*17**		34000	TXV		14		11.5
	END4X42*17**	*8MPV050	33800	TDR&TXV	14.5			12
	END4X42*17**	MV08B15**B*	34000	TDR&TXV	16			13
	END4X42*17**	*9MPV050	33600	TDR&TXV	14.5			12
	END4X42*17**	*9MPV075	33800	TDR&TXV	14.5			12
	ENH4X36*17**	*8MX*0451408**	33200	TDR&TXV	14.5			12
	ENH4X36*17**	*8MX*0701716**	33200	TDR&TXV	14.5			12
	ENH4X36*17**	*8MX*0902116**	33200	TDR&TXV	15			12.5
	ENH4X36*17**	*8MX*1102120**	33200	TDR&TXV	15			12.5
	ENH4X36*17**	*8MV*0701412**	33200	TDR&TXV	15			12.5
	ENH4X36*17**	*8MV*0901716**	33200	TDR&TXV	15			12.5
	ENH4X36*17**	*8MV*1102120**	33200	TDR&TXV	15			12.5
	ENH4X36*17**	*8MV*1352422**	33200	TDR&TXV	15			12.5
	ENH4X36*17**	*9MX*0601714A**	33200	TDR&TXV	15			12.5
	ENH4X36*17**	*9MX*0801716A**	33000	TDR&TXV	15.2			12.5
ENH4X36*17**	*9MV*0601714A**	33000	TDR&TXV	15			12.5	
ENH4X36*17**	*9MV*0801716A**	33200	TDR&TXV	15.2			12.5	
ENH4X36*17**	*9MV*1202422A**	33200	TDR&TXV	15.5			12.7	
ENH4X36*17**	*9MA*0601714A**	32800	TDR&TXV	15			12.5	
ENH4X36*17**	*9MA*0801714A**	33000	TDR&TXV	15.2			12.5	
ENH4X36*17**	*9MA*1202422A**	33000	TDR&TXV	15.5			12.7	
ENH4X36*17**	NOMV106D12*	33200	TDR&TXV	15			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA636GKA	ENH4X36*17**	NOMV156E19*	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MVX040	33200	TDR&TXV	14		11.5	
	ENH4X36*17**	*9MVX040	33200	TDR&TXV	14		11.5	
	ENH4X36*17**	*9MVX060	33200	TDR&TXV	14.5		12	
	ENH4X36*17**	*9MVX060	33200	TDR&TXV	14.5		12	
	ENH4X36*17**	*9MVX080	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MVX080	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MVX100	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MVX100	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MV*1002116A**	33200	TDR&TXV	15.2		12.5	
	ENH4X36*17**	*9MA*1002120A**	33000	TDR&TXV	15.2		12.5	
	ENH4X36*17**	OLV098A12A	33000	TDR&TXV	14.5		12	
	ENH4X36*17**	OLV112A16A	33400	TDR&TXV	14.5		12	
	ENH4X36*17**	OLV154F20A	34000	TDR&TXV	15		12.5	
	ENH4X36*17**	OMV098J12A	33000	TDR&TXV	14.5		12	
	ENH4X36*17**	OMV112K14A	33200	TDR&TXV	15		12.5	
	ENH4X36*17**		33200	TXV		14	11.4	
	ENH4X36*17**	*8MPV050	33200	TDR&TXV	14		11.5	
	ENH4X36*17**	*8MPV075	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*8MPV100	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*8MPV125	33200	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MPV050	33000	TDR&TXV	14		12	
	ENH4X36*17**	*9MPV075	33000	TDR&TXV	14.5		12	
	ENH4X36*17**	*9MPV100	33600	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MPV125	33600	TDR&TXV	15		12.5	
	ENH4X36*17**	MV08B15**B*	33200	TDR&TXV	15.5		12.5	
	ENH4X36*17**	MV12F19**B*	33200	TDR&TXV	15.5		12.5	
	ENH4X36*17**	MV16J22**B*	33200	TDR&TXV	15.5		12.5	
	ENH4X36*17**	MV20L24**B*	33200	TDR&TXV	15.5		12.5	
	ENH4X36*17**	*9MPV050	33000	TDR&TXV	14		12	
	ENH4X36*17**	*9MPV075	33000	TDR&TXV	14.5		12	
	ENH4X36*17**	*9MPV100	33600	TDR&TXV	15		12.5	
	ENH4X36*17**	*9MPV125	33600	TDR&TXV	15		12.5	
	ENH4X42*21**	*8MX*0451408**	33600	TDR&TXV	14.5		12	
	ENH4X42*21**	*8MX*0701716**	33600	TDR&TXV	15		12.5	
	ENH4X42*21**	*8MX*0902116**	33600	TDR&TXV	15.5		12.5	
	ENH4X42*21**	*8MX*1102120**	33600	TDR&TXV	15.5		12.5	
	ENH4X42*21**	*8MV*0701412**	33600	TDR&TXV	15		12.5	
	ENH4X42*21**	*8MV*0901716**	33600	TDR&TXV	15.5		12.5	
	ENH4X42*21**	*8MV*1102120**	33600	TDR&TXV	15.5		12.5	
	ENH4X42*21**	*8MV*1352422**	33600	TDR&TXV	15.5		12.5	
	ENH4X42*21**	*9MX*0601714A**	33600	TDR&TXV	15.2		12.5	
ENH4X42*21**	*9MX*0801716A**	33400	TDR&TXV	15.5		12.7		
ENH4X42*21**	*9MX*1002120A**	34200	TDR&TXV	15.5		12.7		
ENH4X42*21**	*9MV*0601714A**	33400	TDR&TXV	15.2		12.5		
ENH4X42*21**	*9MV*0801716A**	33600	TDR&TXV	15.5		12.7		
ENH4X42*21**	*9MV*0802120A**	33600	TDR&TXV	15.5		12.7		
ENH4X42*21**	*9MV*1002120A**	33600	TDR&TXV	15.5		12.7		
ENH4X42*21**	*9MV*1202422A**	33600	TDR&TXV	15.5		12.7		
ENH4X42*21**	*9MA*0601714A**	33200	TDR&TXV	15.2		12.5		
ENH4X42*21**	*9MA*0801714A**	33200	TDR&TXV	15.5		12.7		
ENH4X42*21**	*9MA*0802120A**	33400	TDR&TXV	15.5		13		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	ENH4X42*21**	*9MA*1002122A**	33600	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*1202422A**	33400	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*0602120A**	33400	TDR&TXV	15.2			12.7
	ENH4X42*21**	NOMV106D12*	33600	TDR&TXV	15			12.5
	ENH4X42*21**	NOMV156E19*	33600	TDR&TXV	15			12.5
	ENH4X42*21**	*9MVX040	33600	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX040	33600	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX060	33600	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX060	33600	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX080	33600	TDR&TXV	15			12.5
	ENH4X42*21**	*9MVX080	33600	TDR&TXV	15			12.5
	ENH4X42*21**	*9MVX100	33600	TDR&TXV	15.5			12.5
	ENH4X42*21**	*9MVX100	33600	TDR&TXV	15.5			12.5
	ENH4X42*21**	*9MV*1002116A**	33600	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*1002120A**	33400	TDR&TXV	15.5			12.7
	ENH4X42*21**	OLV098A12A	33400	TDR&TXV	14.5			12
	ENH4X42*21**	OLV112A16A	33800	TDR&TXV	15			12.5
	ENH4X42*21**	OLV154F20A	34400	TDR&TXV	15.5			12.5
	ENH4X42*21**	OMV098J12A	33400	TDR&TXV	14.5			12
	ENH4X42*21**	OMV112K14A	33600	TDR&TXV	15			12.5
	ENH4X42*21**		33600	TXV		14		11.7
	ENH4X42*21**	*8MPV050	33600	TDR&TXV	14.5			12
	ENH4X42*21**	*8MPV075	33600	TDR&TXV	15			12.5
	ENH4X42*21**	*8MPV100	33600	TDR&TXV	15.5			12.5
	ENH4X42*21**	*8MPV125	33600	TDR&TXV	15.5			12.5
	ENH4X42*21**	*9MPV050	33400	TDR&TXV	14.5			12
	ENH4X42*21**	*9MPV075	33600	TDR&TXV	14.5			12
	ENH4X42*21**	*9MPV100	34000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MPV125	34000	TDR&TXV	15.5			12.5
	ENH4X42*21**	MV08B15**B*	33600	TDR&TXV	15.5			12.5
	ENH4X42*21**	MV12F19**B*	33600	TDR&TXV	16			13
	ENH4X42*21**	MV16J22**B*	33600	TDR&TXV	16			13
	ENH4X42*21**	MV20L24**B*	33600	TDR&TXV	16			13
	ENH4X42*21**	*9MPV050	33400	TDR&TXV	14.5			12
	ENH4X42*21**	*9MPV075	33600	TDR&TXV	14.5			12
	ENH4X42*21**	*9MPV100	34000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MPV125	34000	TDR&TXV	15.5			12.5
	ENH4X43*21**	*8MX*0451408**	33600	TDR&TXV	15			12.5
	ENH4X43*21**	*8MX*0701716**	33600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*8MX*0902116**	33600	TDR&TXV	16			13
	ENH4X43*21**	*8MX*1102120**	33600	TDR&TXV	16			13
	ENH4X43*21**	*8MV*0701412**	33600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*8MV*0901716**	33600	TDR&TXV	16			13
	ENH4X43*21**	*8MV*1102120**	33600	TDR&TXV	16			13
	ENH4X43*21**	*8MV*1352422**	33600	TDR&TXV	16			13
ENH4X43*21**	*9MX*0601714A**	34600	TDR&TXV	15.5			12.7	
ENH4X43*21**	*9MX*0801716A**	34400	TDR&TXV	16			13	
ENH4X43*21**	*9MX*1002120A**	35200	TDR&TXV	16			13	
ENH4X43*21**	*9MV*0601714A**	34000	TDR&TXV	15.5			12.7	
ENH4X43*21**	*9MV*0801716A**	34200	TDR&TXV	16			13	
ENH4X43*21**	*9MV*0802120A**	34600	TDR&TXV	16			13.2	
ENH4X43*21**	*9MV*1002120A**	34600	TDR&TXV	16.5			13.2	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA636GKA	ENH4X43*21**	*9MV*1202422A**	34200	TDR&TXV	16.5			13.2
	ENH4X43*21**	*9MA*0601714A**	34000	TDR&TXV	15.5			12.7
	ENH4X43*21**	*9MA*0801714A**	34200	TDR&TXV	16			13
	ENH4X43*21**	*9MA*0802120A**	34400	TDR&TXV	16			13.2
	ENH4X43*21**	*9MA*1002122A**	34400	TDR&TXV	16			13.2
	ENH4X43*21**	*9MA*1202422A**	34400	TDR&TXV	16			13
	ENH4X43*21**	*9MA*0602120A**	34200	TDR&TXV	16			13
	ENH4X43*21**	NOMV106D12*	33600	TDR&TXV	16			13
	ENH4X43*21**	NOMV156E19*	33600	TDR&TXV	16			13
	ENH4X43*21**	*9MVX040	33600	TDR&TXV	15			12.5
	ENH4X43*21**	*9MVX040	33600	TDR&TXV	15			12.5
	ENH4X43*21**	*9MVX060	33600	TDR&TXV	15			12.5
	ENH4X43*21**	*9MVX060	33600	TDR&TXV	15			12.5
	ENH4X43*21**	*9MVX080	33600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*9MVX080	33600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*9MVX100	33600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*9MVX100	33600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*9MV*1002116A**	34200	TDR&TXV	16			13
	ENH4X43*21**	*9MA*1002120A**	34400	TDR&TXV	16			13
	ENH4X43*21**	OLV098A12A	34200	TDR&TXV	15			12.5
	ENH4X43*21**	OLV112A16A	34600	TDR&TXV	15.5			12.5
	ENH4X43*21**	OLV154F20A	35400	TDR&TXV	16			13
	ENH4X43*21**	OMV098J12A	34400	TDR&TXV	15			12.5
	ENH4X43*21**	OMV112K14A	34400	TDR&TXV	15.5			12.5
	ENH4X43*21**		33600	TXV			14.5	12
	ENH4X43*21**	*8MPV050	33600	TDR&TXV	14.5			12
	ENH4X43*21**	*8MPV075	33600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*8MPV100	33600	TDR&TXV	16			13
	ENH4X43*21**	*8MPV125	33600	TDR&TXV	16			13
	ENH4X43*21**	*9MPV050	34400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MPV075	34600	TDR&TXV	15			12.5
	ENH4X43*21**	*9MPV100	34600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*9MPV125	34600	TDR&TXV	16			13
	ENH4X43*21**	MV08B15**B*	33600	TDR&TXV	16			13
	ENH4X43*21**	MV12F19**B*	33600	TDR&TXV	16			13
	ENH4X43*21**	MV16J22**B*	33600	TDR&TXV	16			13
	ENH4X43*21**	MV20L24**B*	33600	TDR&TXV	16			13
	ENH4X43*21**	*9MPV050	34400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MPV075	34600	TDR&TXV	15			12.5
	ENH4X43*21**	*9MPV100	34600	TDR&TXV	15.5			12.5
	ENH4X43*21**	*9MPV125	34600	TDR&TXV	16			13
	ENH4X48*21**	*8MV*0901716**	34000	TDR&TXV	16			13
	ENH4X48*21**	*9MX*0601714A**	34200	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MX*0801716A**	34000	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MV*0601714A**	34000	TDR&TXV	15.5			12.7
ENH4X48*21**	*9MV*0801716A**	34200	TDR&TXV	15.5			12.7	
ENH4X48*21**	*9MV*0802120A**	34200	TDR&TXV	16			13	
ENH4X48*21**	*9MV*1002120A**	34200	TDR&TXV	16			13	
ENH4X48*21**	*9MV*1202422A**	34200	TDR&TXV	16			13	
ENH4X48*21**	*9MA*0601714A**	33600	TDR&TXV	15.5			12.7	
ENH4X48*21**	*9MA*0801714A**	33800	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA636GKA	ENH4X48*21**	*9MA*0802120A**	34000	TDR&TXV	16			13.2
	ENH4X48*21**	*9MA*1002122A**	34200	TDR&TXV	16			13.2
	ENH4X48*21**	*9MA*1202422A**	34000	TDR&TXV	16			13
	ENH4X48*21**	*9MA*0602120A**	33800	TDR&TXV	15.5			13
	ENH4X48*21**	*9MV*1002116A**	34400	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MA*1002120A**	34000	TDR&TXV	16			13

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	*EN(A,D)4X43*24**		41500	TXV		14.5		12
	FEM4P42**A*		41000	TDR	14.5		14.5	12.5
	FEM4P48**A*		41000	TDR	14.5		14.5	12.5
	FEM4P60**A*		41500	TDR	15		15	12.5
	FEM4X42****		41000	TDR&TXV	15			12.5
	FEM4X48****		41500	TDR&TXV	15			12.5
	FEM4X60**B*		41500	TDR&TXV	15.5			12.5
	FS(M,U)4P42**A*		40500	TDR	14		14	12
	FS(M,U)4P48**A*		41500	TDR	14		14	12
	FS(M,U)4X42****		40500	TDR&TXV	14			11.5
	FS(M,U)4X48****		41000	TDR&TXV	14			11.5
	FVM4X36****		40000	TDR&TXV	15.5			12.5
	FVM4X48****		41000	TDR&TXV	16			13
	FVM4X60****		41500	TDR&TXV	16			13
	FXM4X42**A*		41000	TDR&TXV	15			12.5
	FXM4X48**A*		42000	TDR&TXV	16			13
	FXM4X60**A*		42500	TDR&TXV	16			13
	EA*4X42*21A*	*8MX*0701716**	39500	TDR&TXV	14.5			12
	EA*4X42*21A*	*8MX*0902116**	40000	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*8MX*1102120**	40000	TDR&TXV	15.5			13
	EA*4X42*21A*	*8MV*0901716**	39500	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*8MV*1102120**	40000	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MX*0601714A**	39500	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MX*0801716A**	40000	TDR&TXV	15			12.5
	EA*4X42*21A*	*9MX*0802120A**	40000	TDR&TXV	15.2			12.7
	EA*4X42*21A*	*9MX*1002120A**	40000	TDR&TXV	15.2			12.7
	EA*4X42*21A*	*9MV*0601714A**	39500	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MV*0801716A**	39500	TDR&TXV	15			12.5
	EA*4X42*21A*	*9MV*0802120A**	40000	TDR&TXV	15.2			12.7
	EA*4X42*21A*	*9MV*1002120A**	40000	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MA*0601714A**	39000	TDR&TXV	15			12.5
	EA*4X42*21A*	*9MA*0801714A**	39500	TDR&TXV	15.2			12.5
	EA*4X42*21A*	*9MA*0802120A**	39500	TDR&TXV	15.2			12.7
	EA*4X42*21A*	*9MA*1002122A**	40000	TDR&TXV	15.5			12.7
	EA*4X42*21A*	*9MA*0602120A**	39500	TDR&TXV	15			12.5
	EA*4X42*21A*	*9MX*1002116A**	39500	TDR&TXV	15.2			12.5
	EA*4X42*21A*	*9MV*1002116A**	40000	TDR&TXV	15.2			12.5
	EA*4X42*21A*	*9MA*1002120A**	39500	TDR&TXV	15.5			12.7
	EA*4X42*21A*		40000	TXV		14		11.7
	EA*4X42*24A*	*8MX*0902116**	40000	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*8MX*1102120**	40000	TDR&TXV	15.5			13
	EA*4X42*24A*	*8MX*1352420**	40000	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*8MV*1102120**	40000	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*8MV*1352422**	40000	TDR&TXV	16			13
	EA*4X42*24A*	*9MX*0802120A**	40000	TDR&TXV	15.2			12.7
	EA*4X42*24A*	*9MX*1002120A**	40000	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*9MX*1202422A**	40000	TDR&TXV	15.5			12.7
	EA*4X42*24A*	*9MV*0802120A**	40000	TDR&TXV	15.2			12.7
	EA*4X42*24A*	*9MV*1002120A**	40000	TDR&TXV	15.5			12.7

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
NXA642GKA	EA*4X42*24A*	*9MV*1202422A**	40000	TDR&TXV	15.5		12.7
	EA*4X42*24A*	*9MA*0802120A**	39500	TDR&TXV	15.5		12.7
	EA*4X42*24A*	*9MA*1002122A**	40000	TDR&TXV	15.5		12.7
	EA*4X42*24A*	*9MA*1202422A**	39500	TDR&TXV	15.5		12.7
	EA*4X42*24A*	*9MA*0602120A**	39500	TDR&TXV	15		12.5
	EA*4X42*24A*	*9MX*1002116A**	39500	TDR&TXV	15.2		12.5
	EA*4X42*24A*	*9MV*1002116A**	40000	TDR&TXV	15.2		12.5
	EA*4X42*24A*	*9MA*1002120A**	39500	TDR&TXV	15.5		12.7
	EA*4X42*24A*		40000	TXV		14	11.7
	EA*4X48*17A*	*8MX*0701716**	40500	TDR&TXV	15		12.2
	EA*4X48*17A*	*8MV*0701412**	40500	TDR&TXV	15		12.5
	EA*4X48*17A*	*8MV*0901716**	40500	TDR&TXV	15.5		13
	EA*4X48*17A*	*9MX*0601714A**	40500	TDR&TXV	15.2		12.5
	EA*4X48*17A*	*9MX*0801716A**	40500	TDR&TXV	15.2		12.5
	EA*4X48*17A*	*9MV*0601714A**	40500	TDR&TXV	15		12.5
	EA*4X48*17A*	*9MV*0801716A**	40500	TDR&TXV	15.2		12.5
	EA*4X48*17A*	*9MA*0601714A**	40000	TDR&TXV	15.2		12.5
	EA*4X48*17A*	*9MA*0801714A**	40000	TDR&TXV	15.5		12.7
	EA*4X48*17A*		41000	TXV		14	12
	EA*4X48*21A*	*8MX*0701716**	40500	TDR&TXV	14.5		12.2
	EA*4X48*21A*	*8MX*0902116**	40500	TDR&TXV	15.5		13
	EA*4X48*21A*	*8MX*1102120**	40500	TDR&TXV	16		13
	EA*4X48*21A*	*8MV*0901716**	40500	TDR&TXV	15.5		12.7
	EA*4X48*21A*	*8MV*1102120**	40500	TDR&TXV	15.5		12.7
	EA*4X48*21A*	*9MX*0601714A**	40000	TDR&TXV	15		12.5
	EA*4X48*21A*	*9MX*0801716A**	40500	TDR&TXV	15.2		12.5
	EA*4X48*21A*	*9MX*0802120A**	40500	TDR&TXV	15.5		12.7
	EA*4X48*21A*	*9MX*1002120A**	40500	TDR&TXV	15.5		13
	EA*4X48*21A*	*9MV*0601714A**	40000	TDR&TXV	15		12.5
	EA*4X48*21A*	*9MV*0801716A**	40000	TDR&TXV	15.2		12.5
	EA*4X48*21A*	*9MV*0802120A**	40500	TDR&TXV	15.5		12.7
	EA*4X48*21A*	*9MV*1002120A**	40500	TDR&TXV	15.5		13
	EA*4X48*21A*	*9MA*0601714A**	40000	TDR&TXV	15		12.5
	EA*4X48*21A*	*9MA*0801714A**	40000	TDR&TXV	15.2		12.5
	EA*4X48*21A*	*9MA*0802120A**	40000	TDR&TXV	15.5		12.7
	EA*4X48*21A*	*9MA*1002122A**	40500	TDR&TXV	15.5		13
	EA*4X48*21A*	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7
	EA*4X48*21A*	*9MX*1002116A**	40000	TDR&TXV	15.5		12.7
	EA*4X48*21A*	*9MV*1002116A**	40500	TDR&TXV	15.2		12.5
	EA*4X48*21A*	*9MA*1002120A**	40000	TDR&TXV	15.5		12.7
	EA*4X48*21A*		40500	TXV		14	12
	EA*4X48*24A*	*8MX*0902116**	40500	TDR&TXV	16		13
	EA*4X48*24A*	*8MX*1102120**	40500	TDR&TXV	16		13
	EA*4X48*24A*	*8MX*1352420**	40500	TDR&TXV	16		13
	EA*4X48*24A*	*8MV*1102120**	40500	TDR&TXV	16		13
	EA*4X48*24A*	*8MV*1352422**	40500	TDR&TXV	16		13
	EA*4X48*24A*	*9MX*0802120A**	40500	TDR&TXV	15.5		12.7
	EA*4X48*24A*	*9MX*1002120A**	40500	TDR&TXV	16		13
	EA*4X48*24A*	*9MX*1202422A**	41000	TDR&TXV	15.5		12.7
	EA*4X48*24A*	*9MV*0802120A**	40500	TDR&TXV	15.5		13
EA*4X48*24A*	*9MV*1002120A**	40500	TDR&TXV	16		13	
EA*4X48*24A*	*9MV*1202422A**	40500	TDR&TXV	15.5		12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	EA*4X48*24A*	*9MA*0802120A**	40000	TDR&TXV	15.5		13	
	EA*4X48*24A*	*9MA*1002122A**	40500	TDR&TXV	16		13	
	EA*4X48*24A*	*9MA*1202422A**	40000	TDR&TXV	16		13	
	EA*4X48*24A*	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7	
	EA*4X48*24A*	*9MX*1002116A**	40000	TDR&TXV	15.5		12.7	
	EA*4X48*24A*	*9MV*1002116A**	40500	TDR&TXV	15.5		12.7	
	EA*4X48*24A*	*9MA*1002120A**	40000	TDR&TXV	15.5		12.7	
	EA*4X48*24A*		40500	TXV		14	12	
	EA*4X60*21A*	*9MX*0601714A**	41000	TDR&TXV	15.2		12.5	
	EA*4X60*21A*	*9MX*0801716A**	41000	TDR&TXV	15.5		12.7	
	EA*4X60*21A*	*9MX*0802120A**	41500	TDR&TXV	16		13	
	EA*4X60*21A*	*9MX*1002120A**	41000	TDR&TXV	16		13	
	EA*4X60*21A*	*9MV*0601714A**	41000	TDR&TXV	15.2		12.5	
	EA*4X60*21A*	*9MV*0801716A**	41000	TDR&TXV	15.5		12.7	
	EA*4X60*21A*	*9MV*0802120A**	41000	TDR&TXV	16		13	
	EA*4X60*21A*	*9MV*1002120A**	41000	TDR&TXV	16		13	
	EA*4X60*21A*	*9MA*0601714A**	40500	TDR&TXV	15.2		12.5	
	EA*4X60*21A*	*9MA*0801714A**	40500	TDR&TXV	15.5		12.7	
	EA*4X60*21A*	*9MA*0802120A**	40500	TDR&TXV	16		13	
	EA*4X60*21A*	*9MA*1002122A**	41000	TDR&TXV	16		13	
	EA*4X60*21A*	*9MA*0602120A**	40500	TDR&TXV	15.5		13	
	EA*4X60*21A*	*9MX*1002116A**	41000	TDR&TXV	15.5		12.7	
	EA*4X60*21A*	*9MV*1002116A**	41000	TDR&TXV	15.5		12.7	
	EA*4X60*21A*	*9MA*1002120A**	40500	TDR&TXV	15.5		12.7	
	EA*4X60*24A*	*9MX*1202422A**	41500	TDR&TXV	16		13	
	EA*4X60*24A*	*9MV*1202422A**	41000	TDR&TXV	16		13	
	EA*4X60*24A*	*9MA*1202422A**	40500	TDR&TXV	16		13	
	EA*4X60*24A*	*9MX*1002116A**	41000	TDR&TXV	15.5		12.7	
	EA*4X60*24A*	*9MV*1002116A**	41000	TDR&TXV	15.5		12.7	
	EA*4X60*24A*	*9MA*1002120A**	40500	TDR&TXV	15.5		12.7	
	ED*4X42F**	*9MX*0601714A**	39500	TDR&TXV	14.5		12	
	ED*4X42F**	*9MX*0801716A**	39500	TDR&TXV	15		12.5	
	ED*4X42F**	*9MX*0802120A**	40000	TDR&TXV	15.2		12.7	
	ED*4X42F**	*9MX*1002120A**	39500	TDR&TXV	15.2		12.7	
	ED*4X42F**	*9MV*0601714A**	39500	TDR&TXV	14.5		12	
	ED*4X42F**	*9MV*0801716A**	39500	TDR&TXV	15		12.5	
	ED*4X42F**	*9MV*0802120A**	39500	TDR&TXV	15.2		12.7	
	ED*4X42F**	*9MV*1002120A**	39500	TDR&TXV	15.2		12.7	
	ED*4X42F**	*9MA*0601714A**	39000	TDR&TXV	14.5		12	
	ED*4X42F**	*9MA*0801714A**	39500	TDR&TXV	15.2		12.5	
	ED*4X42F**	*9MA*0802120A**	39500	TDR&TXV	15.2		12.7	
	ED*4X42F**	*9MA*1002122A**	40000	TDR&TXV	15.2		12.7	
ED*4X42F**	*9MA*0602120A**	39500	TDR&TXV	15		12.5		
ED*4X42F**	*9MVX060	40000	TDR&TXV	14.5		12		
ED*4X42F**	*9MX*1002116A**	39500	TDR&TXV	15.2		12.5		
ED*4X42F**	*9MV*1002116A**	39500	TDR&TXV	15.2		12.5		
ED*4X42F**	*9MA*1002120A**	39500	TDR&TXV	15.2		12.5		
ED*4X42F**	OLV112A16A	40000	TDR&TXV	14.5		12		
ED*4X42F**	OMV112K14A	39500	TDR&TXV	14.5		12		
ED*4X42F**		40000	TXV		14	11.5		
ED*4X42F**	*8MPV075	40000	TDR&TXV	14.5		12		
ED*4X42F**	*9MPV075	40000	TDR&TXV	14		11.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA642GKA	ED*4X42F**	MV12F19**B*	40000	TDR&TXV	15.5			12.5
	ED*4X42J**	*9MX*0802120A**	40000	TDR&TXV	15.2			12.7
	ED*4X42J**	*9MX*1002120A**	40000	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MX*1202422A**	40000	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MV*0802120A**	40000	TDR&TXV	15.2			12.7
	ED*4X42J**	*9MV*1002120A**	40000	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MV*1202422A**	40000	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MA*0802120A**	39500	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MA*1002122A**	40000	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MA*1202422A**	39500	TDR&TXV	15.5			12.7
	ED*4X42J**	*9MA*0602120A**	39500	TDR&TXV	15			12.5
	ED*4X42J**	*9MVX080	40000	TDR&TXV	15			12.5
	ED*4X42J**	*9MX*1002116A**	39500	TDR&TXV	15.2			12.5
	ED*4X42J**	*9MV*1002116A**	40000	TDR&TXV	15.2			12.5
	ED*4X42J**	*9MA*1002120A**	39500	TDR&TXV	15.5			12.7
	ED*4X42J**	OLV112A16A	40000	TDR&TXV	14.5			12
	ED*4X42J**		40000	TXV			14	11.5
	ED*4X42J**	*8MPV100	40000	TDR&TXV	15			12.5
	ED*4X42J**	*8MPV125	40000	TDR&TXV	15			12.5
	ED*4X42J**	*9MPV100	40000	TDR&TXV	15			12.5
	ED*4X42J**	MV16J22**B*	40000	TDR&TXV	16			13
	ED*4X42L**	*8MX*1352420**	40000	TDR&TXV	15.5			12.5
	ED*4X42L**	*8MV*1352422**	40000	TDR&TXV	15.5			12.5
	ED*4X42L**	*9MX*0802120A**	40000	TDR&TXV	15.2			12.7
	ED*4X42L**	*9MX*1002120A**	40000	TDR&TXV	15.5			12.7
	ED*4X42L**	*9MX*1202422A**	40000	TDR&TXV	15.5			12.7
	ED*4X42L**	*9MV*0802120A**	40000	TDR&TXV	15.2			12.7
	ED*4X42L**	*9MV*1002120A**	40000	TDR&TXV	15.5			12.7
	ED*4X42L**	*9MV*1202422A**	40000	TDR&TXV	15.5			12.7
	ED*4X42L**	*9MA*0802120A**	39500	TDR&TXV	15.5			12.7
	ED*4X42L**	*9MA*1002122A**	40000	TDR&TXV	15.5			12.7
	ED*4X42L**	*9MA*1202422A**	39500	TDR&TXV	15.5			12.7
	ED*4X42L**	*9MA*0602120A**	39500	TDR&TXV	15			12.5
	ED*4X42L**	*9MVX100	40000	TDR&TXV	15			12.5
	ED*4X42L**	*9MX*1002116A**	39500	TDR&TXV	15.2			12.5
	ED*4X42L**	*9MV*1002116A**	40000	TDR&TXV	15.2			12.5
	ED*4X42L**	*9MA*1002120A**	39500	TDR&TXV	15.5			12.7
	ED*4X42L**	OLV112A16A	40000	TDR&TXV	14.5			12
	ED*4X42L**	OLV154F20A	40500	TDR&TXV	15			12.5
	ED*4X42L**		40000	TXV			14	11.5
	ED*4X42L**	*9MPV125	40000	TDR&TXV	15			12.5
	ED*4X42L**	MV20L24**B*	40000	TDR&TXV	16			13
	ED*4X48F**	*9MX*0601714A**	40500	TDR&TXV	15.2			12.5
	ED*4X48F**	*9MX*0801716A**	40500	TDR&TXV	15.2			12.5
	ED*4X48F**	*9MX*0802120A**	41000	TDR&TXV	15.5			12.7
	ED*4X48F**	*9MX*1002120A**	40500	TDR&TXV	16			13
	ED*4X48F**	*9MV*0601714A**	40500	TDR&TXV	15			12.5
	ED*4X48F**	*9MV*0801716A**	40500	TDR&TXV	15.2			12.5
ED*4X48F**	*9MV*0802120A**	40500	TDR&TXV	15.5			13	
ED*4X48F**	*9MV*1002120A**	40500	TDR&TXV	16			13	
ED*4X48F**	*9MA*0601714A**	40000	TDR&TXV	15.2			12.5	
ED*4X48F**	*9MA*0801714A**	40000	TDR&TXV	15.5			12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	ED*4X48F**	*9MA*0802120A**	40500	TDR&TXV	15.5		13	
	ED*4X48F**	*9MA*1002122A**	40500	TDR&TXV	16		13	
	ED*4X48F**	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7	
	ED*4X48F**	*9MVX060	40500	TDR&TXV	14.5		12	
	ED*4X48F**	*9MX*1002116A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48F**	*9MV*1002116A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48F**	*9MA*1002120A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48F**	OLV112A16A	40500	TDR&TXV	14.5		12	
	ED*4X48F**	OMV112K14A	40500	TDR&TXV	15		12.5	
	ED*4X48F**		40500	TXV		14.5	12	
	ED*4X48F**	*8MPV075	40500	TDR&TXV	14.5		12	
	ED*4X48F**	*9MPV075	40500	TDR&TXV	14.5		12	
	ED*4X48F**	MV12F19**B*	40500	TDR&TXV	16		13	
	ED*4X48J**	*9MX*0802120A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48J**	*9MX*1002120A**	40500	TDR&TXV	15.5		13	
	ED*4X48J**	*9MX*1202422A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48J**	*9MV*0802120A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48J**	*9MV*1002120A**	40500	TDR&TXV	15.5		13	
	ED*4X48J**	*9MV*1202422A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48J**	*9MA*0802120A**	40000	TDR&TXV	15.5		12.7	
	ED*4X48J**	*9MA*1002122A**	40500	TDR&TXV	15.5		13	
	ED*4X48J**	*9MA*1202422A**	40000	TDR&TXV	15.5		12.7	
	ED*4X48J**	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7	
	ED*4X48J**	*9MVX080	40500	TDR&TXV	15		12.5	
	ED*4X48J**	*9MX*1002116A**	40000	TDR&TXV	15.5		12.7	
	ED*4X48J**	*9MV*1002116A**	40500	TDR&TXV	15.2		12.5	
	ED*4X48J**	*9MA*1002120A**	40000	TDR&TXV	15.5		12.7	
	ED*4X48J**	OLV112A16A	40500	TDR&TXV	14.5		12	
	ED*4X48J**		40500	TXV		14.5	12	
	ED*4X48J**	*8MPV100	40500	TDR&TXV	15.5		12.5	
	ED*4X48J**	*8MPV125	40500	TDR&TXV	15.5		12.5	
	ED*4X48J**	*9MPV100	40500	TDR&TXV	15		12.5	
	ED*4X48J**	MV16J22**B*	40500	TDR&TXV	16		13	
	ED*4X48L**	*8MX*1352420**	40500	TDR&TXV	15.5		12.5	
	ED*4X48L**	*8MV*1352422**	40500	TDR&TXV	15.5		12.5	
	ED*4X48L**	*9MX*0802120A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48L**	*9MX*1002120A**	40500	TDR&TXV	16		13	
	ED*4X48L**	*9MX*1202422A**	41000	TDR&TXV	15.5		12.7	
	ED*4X48L**	*9MV*0802120A**	40500	TDR&TXV	15.5		13	
	ED*4X48L**	*9MV*1002120A**	40500	TDR&TXV	16		13	
	ED*4X48L**	*9MV*1202422A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48L**	*9MA*0802120A**	40000	TDR&TXV	15.5		13	
	ED*4X48L**	*9MA*1002122A**	40500	TDR&TXV	16		13	
	ED*4X48L**	*9MA*1202422A**	40000	TDR&TXV	16		13	
	ED*4X48L**	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7	
	ED*4X48L**	*9MVX100	40500	TDR&TXV	15.5		12.5	
	ED*4X48L**	*9MX*1002116A**	40000	TDR&TXV	15.5		12.7	
	ED*4X48L**	*9MV*1002116A**	40500	TDR&TXV	15.5		12.7	
	ED*4X48L**	*9MA*1002120A**	40000	TDR&TXV	15.5		12.7	
	ED*4X48L**	OLV112A16A	40500	TDR&TXV	14.5		12	
ED*4X48L**	OLV154F20A	41500	TDR&TXV	15		12.5		
ED*4X48L**		40500	TXV		14.5	12		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA642GKA	ED*4X48L**	*9MPV125	40500	TDR&TXV	15.5			12.5
	ED*4X48L**	MV20L24**B*	40500	TDR&TXV	16			13
	ED*4X60J**	*8MX*0902116**	41500	TDR&TXV	16			13
	ED*4X60J**	*8MX*1102120**	41500	TDR&TXV	16			13
	ED*4X60J**	*8MV*1102120**	41500	TDR&TXV	16			13
	ED*4X60J**	*9MX*0802120A**	41500	TDR&TXV	16			13
	ED*4X60J**	*9MX*1002120A**	41000	TDR&TXV	16			13
	ED*4X60J**	*9MX*1202422A**	41500	TDR&TXV	16			13
	ED*4X60J**	*9MV*0802120A**	41000	TDR&TXV	16			13
	ED*4X60J**	*9MV*1002120A**	41000	TDR&TXV	16			13
	ED*4X60J**	*9MV*1202422A**	41000	TDR&TXV	16			13
	ED*4X60J**	*9MA*0802120A**	40500	TDR&TXV	16			13
	ED*4X60J**	*9MA*1002122A**	41000	TDR&TXV	16			13
	ED*4X60J**	*9MA*1202422A**	40500	TDR&TXV	16			13
	ED*4X60J**	*9MA*0602120A**	40500	TDR&TXV	15.5			12.7
	ED*4X60J**	NOMV156E19*	41500	TDR&TXV	15.95			13
	ED*4X60J**	*9MVX060	41500	TDR&TXV	15			12.5
	ED*4X60J**	*9MVX080	41500	TDR&TXV	15.5			12.5
	ED*4X60J**	*9MX*1002116A**	41000	TDR&TXV	15.5			12.7
	ED*4X60J**	*9MV*1002116A**	41000	TDR&TXV	15.5			12.7
	ED*4X60J**	*9MA*1002120A**	40500	TDR&TXV	15.5			12.7
	ED*4X60J**		41500	TXV		14.5		12
	ED*4X60J**	*8MPV075	41500	TDR&TXV	15			12.5
	ED*4X60J**	*8MPV100	41500	TDR&TXV	15.5			12.5
	ED*4X60J**	*8MPV125	41500	TDR&TXV	16			13
	ED*4X60J**	*9MPV075	41500	TDR&TXV	14.5			12
	ED*4X60J**	*9MPV100	41500	TDR&TXV	15.5			12.5
	ED*4X60J**	MV12F19**B*	41500	TDR&TXV	16			13
	ED*4X60J**	MV16J22**B*	41500	TDR&TXV	16			13
	ED*4X60L**	*8MX*0902116**	41500	TDR&TXV	16			13
	ED*4X60L**	*8MX*1102120**	41500	TDR&TXV	16			13
	ED*4X60L**	*8MX*1352420**	41500	TDR&TXV	16			13
	ED*4X60L**	*8MV*1102120**	41500	TDR&TXV	16			13
	ED*4X60L**	*8MV*1352422**	41500	TDR&TXV	16			13
	ED*4X60L**	*9MX*1202422A**	41500	TDR&TXV	16			13
	ED*4X60L**	*9MV*1202422A**	41000	TDR&TXV	16			13
	ED*4X60L**	*9MA*1202422A**	40500	TDR&TXV	16			13
	ED*4X60L**	NOMV156E19*	41500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MVX080	41500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MVX100	41500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MX*1002116A**	41000	TDR&TXV	15.5			12.7
	ED*4X60L**	*9MV*1002116A**	41000	TDR&TXV	15.5			12.7
	ED*4X60L**	*9MA*1002120A**	40500	TDR&TXV	15.5			12.7
	ED*4X60L**	--	41500	TXV	--	14.5		12
	ED*4X60L**	*8MPV100	41500	TDR&TXV	15.5			12.5
	ED*4X60L**	*8MPV125	41500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MPV100	41500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MPV125	41500	TDR&TXV	15.5			12.5
	ED*4X60L**	MV16J22**B*	41500	TDR&TXV	16			13
	ED*4X60L**	MV20L24**B*	41500	TDR&TXV	16			13
	EHD4X42A**	*8MX*0701716**	40500	TDR&TXV	14.5			12
	EHD4X42A**	*8MX*0902116**	40500	TDR&TXV	15.5			12.5

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	EHD4X42A**	*8MX*1102120**	40500	TDR&TXV	16		13	
	EHD4X42A**	*8MX*1352420**	40500	TDR&TXV	15.5		12.5	
	EHD4X42A**	*8MV*0701412**	40500	TDR&TXV	15		12.5	
	EHD4X42A**	*8MV*0901716**	40500	TDR&TXV	15.5		12.5	
	EHD4X42A**	*8MV*1102120**	40500	TDR&TXV	15.5		12.5	
	EHD4X42A**	*8MV*1352422**	40500	TDR&TXV	16		13	
	EHD4X42A**	*9MX*0601714A**	40500	TDR&TXV	15.2		12.5	
	EHD4X42A**	*9MX*0801716A**	40500	TDR&TXV	15.2		12.5	
	EHD4X42A**	*9MX*0802120A**	41000	TDR&TXV	15.5		12.7	
	EHD4X42A**	*9MX*1002120A**	40500	TDR&TXV	16		13	
	EHD4X42A**	*9MX*1202422A**	41000	TDR&TXV	15.5		12.7	
	EHD4X42A**	*9MV*0601714A**	40500	TDR&TXV	15		12.5	
	EHD4X42A**	*9MV*0801716A**	40500	TDR&TXV	15.2		12.5	
	EHD4X42A**	*9MV*0802120A**	40500	TDR&TXV	15.5		13	
	EHD4X42A**	*9MV*1002120A**	40500	TDR&TXV	16		13	
	EHD4X42A**	*9MV*1202422A**	40500	TDR&TXV	15.5		12.7	
	EHD4X42A**	*9MA*0601714A**	40000	TDR&TXV	15.2		12.5	
	EHD4X42A**	*9MA*0801714A**	40000	TDR&TXV	15.5		12.7	
	EHD4X42A**	*9MA*0802120A**	40500	TDR&TXV	15.5		13	
	EHD4X42A**	*9MA*1002122A**	40500	TDR&TXV	16		13	
	EHD4X42A**	*9MA*1202422A**	40500	TDR&TXV	16		13	
	EHD4X42A**	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7	
	EHD4X42A**	NOMV156E19*	40500	TDR&TXV	15.5		12.5	
	EHD4X42A**	*9MVX060	40500	TDR&TXV	14.5		12	
	EHD4X42A**	*9MVX080	40500	TDR&TXV	15		12.5	
	EHD4X42A**	*9MVX100	40500	TDR&TXV	15.5		12.5	
	EHD4X42A**	*9MX*1002116A**	40500	TDR&TXV	15.5		12.7	
	EHD4X42A**	*9MV*1002116A**	40500	TDR&TXV	15.5		12.7	
	EHD4X42A**	*9MA*1002120A**	40500	TDR&TXV	15.5		12.7	
	EHD4X42A**	OLV112A16A	40500	TDR&TXV	14.5		12	
	EHD4X42A**	OLV154F20A	41500	TDR&TXV	15		12.5	
	EHD4X42A**	OMV112K14A	40500	TDR&TXV	15		12.5	
	EHD4X42A**		40500	TXV		14.5	12	
	EHD4X42A**	*8MPV075	40500	TDR&TXV	15		12.5	
	EHD4X42A**	*8MPV100	40500	TDR&TXV	15.5		12.5	
	EHD4X42A**	*8MPV125	40500	TDR&TXV	15.5		12.5	
	EHD4X42A**	*9MPV075	40500	TDR&TXV	14.5		12	
	EHD4X42A**	*9MPV100	40500	TDR&TXV	15		12.5	
	EHD4X42A**	*9MPV125	40500	TDR&TXV	15		12.5	
	EHD4X42A**	MV12F19**B*	40500	TDR&TXV	16		13	
	EHD4X42A**	MV16J22**B*	40500	TDR&TXV	16		13	
	EHD4X42A**	MV20L24**B*	40500	TDR&TXV	16		13	
EHD4X48A**	*8MX*0701716**	41000	TDR&TXV	14.5		12		
EHD4X48A**	*8MX*0902116**	41000	TDR&TXV	15.5		12.5		
EHD4X48A**	*8MX*1102120**	41000	TDR&TXV	15.5		12.5		
EHD4X48A**	*8MX*1352420**	41000	TDR&TXV	15.5		12.5		
EHD4X48A**	*8MV*0701412**	41000	TDR&TXV	15		12.5		
EHD4X48A**	*8MV*0901716**	41000	TDR&TXV	15.5		12.5		
EHD4X48A**	*8MV*1102120**	41000	TDR&TXV	15.5		12.5		
EHD4X48A**	*8MV*1352422**	41000	TDR&TXV	16		13		
EHD4X48A**	*9MX*0601714A**	40500	TDR&TXV	15.2		12.5		
EHD4X48A**	*9MX*0801716A**	41000	TDR&TXV	15.2		12.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA642GKA	EHD4X48A**	*9MX*0802120A**	41000	TDR&TXV	15.5			13
	EHD4X48A**	*9MX*1002120A**	40500	TDR&TXV	16			13
	EHD4X48A**	*9MX*1202422A**	41000	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MV*0601714A**	40500	TDR&TXV	15			12.5
	EHD4X48A**	*9MV*0801716A**	40500	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MV*0802120A**	40500	TDR&TXV	16			13
	EHD4X48A**	*9MV*1002120A**	40500	TDR&TXV	16			13
	EHD4X48A**	*9MV*1202422A**	40500	TDR&TXV	16			13
	EHD4X48A**	*9MA*0601714A**	40000	TDR&TXV	15.2			12.5
	EHD4X48A**	*9MA*0801714A**	40500	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MA*0802120A**	40500	TDR&TXV	16			13
	EHD4X48A**	*9MA*1002122A**	41000	TDR&TXV	16			13
	EHD4X48A**	*9MA*1202422A**	40500	TDR&TXV	16			13
	EHD4X48A**	*9MA*0602120A**	40500	TDR&TXV	15.2			12.7
	EHD4X48A**	NOMV156E19*	41000	TDR&TXV	15.5			12.5
	EHD4X48A**	*9MVX060	41000	TDR&TXV	14.5			12
	EHD4X48A**	*9MVX080	41000	TDR&TXV	15.45			12.5
	EHD4X48A**	*9MVX100	41000	TDR&TXV	15.5			12.5
	EHD4X48A**	*9MX*1002116A**	40500	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MV*1002116A**	41000	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MA*1002120A**	40500	TDR&TXV	15.5			12.7
	EHD4X48A**	OLV112A16A	41000	TDR&TXV	14.5			12
	EHD4X48A**	OLV154F20A	41500	TDR&TXV	15			12.5
	EHD4X48A**	OMV112K14A	40500	TDR&TXV	15			12.5
	EHD4X48A**		41000	TXV			14.5	12
	EHD4X48A**	*8MPV075	41000	TDR&TXV	15			12.5
	EHD4X48A**	*8MPV100	41000	TDR&TXV	15.5			12.5
	EHD4X48A**	*8MPV125	41000	TDR&TXV	15.5			12.5
	EHD4X48A**	*9MPV075	41000	TDR&TXV	14.5			12
	EHD4X48A**	*9MPV100	41000	TDR&TXV	15.5			12.5
	EHD4X48A**	*9MPV125	41000	TDR&TXV	15.5			12.5
	EHD4X48A**	MV12F19**B*	41000	TDR&TXV	16			13.6
	EHD4X48A**	MV16J22**B*	41000	TDR&TXV	16			13
	EHD4X48A**	MV20L24**B*	41000	TDR&TXV	16			13
	EHD4X60A**	*9MX*0601714A**	41000	TDR&TXV	15.5			12.7
	EHD4X60A**	*9MX*0801716A**	41500	TDR&TXV	15.5			12.7
	EHD4X60A**	*9MX*0802120A**	41500	TDR&TXV	16			13
	EHD4X60A**	*9MX*1002120A**	41500	TDR&TXV	16			13
	EHD4X60A**	*9MX*1202422A**	41500	TDR&TXV	16			13
	EHD4X60A**	*9MV*0601714A**	41000	TDR&TXV	15.2			12.5
	EHD4X60A**	*9MV*0801716A**	41000	TDR&TXV	15.5			12.7
	EHD4X60A**	*9MV*0802120A**	41500	TDR&TXV	16			13
	EHD4X60A**	*9MV*1002120A**	41500	TDR&TXV	16			13
	EHD4X60A**	*9MV*1202422A**	41500	TDR&TXV	16			13
	EHD4X60A**	*9MA*0601714A**	40500	TDR&TXV	15.5			12.7
EHD4X60A**	*9MA*0801714A**	41000	TDR&TXV	15.5			12.7	
EHD4X60A**	*9MA*0802120A**	41000	TDR&TXV	16			13	
EHD4X60A**	*9MA*1002122A**	41500	TDR&TXV	16			13.2	
EHD4X60A**	*9MA*1202422A**	41000	TDR&TXV	16			13	
EHD4X60A**	*9MA*0602120A**	40500	TDR&TXV	15.5			13	
EHD4X60A**	*9MX*1002116A**	41000	TDR&TXV	15.5			12.7	
EHD4X60A**	*9MV*1002116A**	41500	TDR&TXV	15.5			12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	EHD4X60A**	*9MA*1002120A**	41000	TDR&TXV	16		13	
	EMA4X48D**		40500	TXV		14	11.5	
	EN(A,D)4X43*24**	*8MX*0902116**	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*8MX*1102120**	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*8MX*1352420**	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*8MV*1102120**	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*8MV*1352422**	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MX*0802120A**	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MX*1002120A**	41000	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MX*1202422A**	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MV*0802120A**	41000	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MV*1002120A**	41000	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MV*1202422A**	41000	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MA*0802120A**	40500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MA*1002122A**	41000	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MA*1202422A**	41000	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MA*0602120A**	40500	TDR&TXV	15.5		13	
	EN(A,D)4X43*24**	NOMV156E19*	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MVX080	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	*9MVX080	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	*9MVX100	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	*9MVX100	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	*9MX*1002116A**	41000	TDR&TXV	15.5		12.7	
	EN(A,D)4X43*24**	*9MV*1002116A**	40500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MA*1002120A**	40500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	OLV112A16A	41000	TDR&TXV	15		12.5	
	EN(A,D)4X43*24**	OLV154F20A	42000	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	*8MPV100	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*8MPV125	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MPV100	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	*9MPV125	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	MV16J22**B*	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	MV20L24**B*	41500	TDR&TXV	16		13	
	EN(A,D)4X43*24**	*9MPV100	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X43*24**	*9MPV125	41500	TDR&TXV	15.5		12.5	
	EN(A,D)4X48*24**	*8MX*0902116**	41000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*8MX*1102120**	41000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*8MX*1352420**	41000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*8MV*1102120**	41000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*8MV*1352422**	41000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MX*0802120A**	41000	TDR&TXV	15.5		12.7	
	EN(A,D)4X48*24**	*9MX*1002120A**	40500	TDR&TXV	16		13	
	EN(A,D)4X48*24**	*9MX*1202422A**	41000	TDR&TXV	15.5		12.7	
	EN(A,D)4X48*24**	*9MV*0802120A**	40500	TDR&TXV	15.5		13	
	EN(A,D)4X48*24**	*9MV*1002120A**	40500	TDR&TXV	16		13	
	EN(A,D)4X48*24**	*9MV*1202422A**	40500	TDR&TXV	16		13	
	EN(A,D)4X48*24**	*9MA*0802120A**	40000	TDR&TXV	16		13	
	EN(A,D)4X48*24**	*9MA*1002122A**	40500	TDR&TXV	16		13	
EN(A,D)4X48*24**	*9MA*1202422A**	40000	TDR&TXV	16		13		
EN(A,D)4X48*24**	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7		
EN(A,D)4X48*24**	NOMV156E19*	41000	TDR&TXV	14.5		12		
EN(A,D)4X48*24**	*9MVX080	41000	TDR&TXV	14.5		12		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	EN(A,D)4X48*24**	*9MVX080	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MVX100	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MVX100	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MX*1002116A**	40500	TDR&TXV	15.5			12.7
	EN(A,D)4X48*24**	*9MV*1002116A**	40500	TDR&TXV	15.5			12.7
	EN(A,D)4X48*24**	*9MA*1002120A**	40000	TDR&TXV	15.5			12.7
	EN(A,D)4X48*24**	OLV112A16A	40500	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	OLV154F20A	41500	TDR&TXV	15			12.5
	EN(A,D)4X48*24**		41000	TXV	14.5	14.5		12
	EN(A,D)4X48*24**	*8MPV100	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*8MPV125	41000	TDR&TXV	15.5			12.5
	EN(A,D)4X48*24**	*9MPV100	41000	TDR&TXV	15.5			12.5
	EN(A,D)4X48*24**	*9MPV125	41000	TDR&TXV	15.5			12.5
	EN(A,D)4X48*24**	MV16J22**B*	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	MV20L24**B*	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MPV100	41000	TDR&TXV	15.5			12.5
	EN(A,D)4X48*24**	*9MPV125	41000	TDR&TXV	15.5			12.5
	EN(A,D,W)4X42*21**	*8MX*0701716**	40000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*8MX*0902116**	40000	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*8MX*1102120**	40000	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*8MV*0901716**	40000	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*8MV*1102120**	40000	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*9MX*0601714A**	39500	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MX*0801716A**	40000	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*9MX*0802120A**	40000	TDR&TXV	15.2			12.7
	EN(A,D,W)4X42*21**	*9MX*1002120A**	39500	TDR&TXV	15.2			12.7
	EN(A,D,W)4X42*21**	*9MV*0601714A**	39500	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MV*0801716A**	39500	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*9MV*0802120A**	39500	TDR&TXV	15.2			12.7
	EN(A,D,W)4X42*21**	*9MV*1002120A**	39500	TDR&TXV	15.2			12.7
	EN(A,D,W)4X42*21**	*9MA*0601714A**	39500	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MA*0801714A**	39500	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*9MA*0802120A**	39500	TDR&TXV	15.2			12.7
	EN(A,D,W)4X42*21**	*9MA*1002122A**	40000	TDR&TXV	15.2			12.7
	EN(A,D,W)4X42*21**	*9MA*0602120A**	39500	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	NOMV156E19*	40000	TDR&TXV	15			12.5
	EN(A,D,W)4X42*21**	*9MVX060	40000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MVX060	40000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MVX080	40000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MX*1002116A**	39500	TDR&TXV	15.2			12.5
	EN(A,D,W)4X42*21**	*9MV*1002116A**	40000	TDR&TXV	15.2			12.5
	EN(A,D,W)4X42*21**	*9MA*1002120A**	39500	TDR&TXV	15.2			12.5
	EN(A,D,W)4X42*21**	OLV112A16A	40000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	OMV112K14A	39500	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**		40000	TXV		14		11.5
	EN(A,D,W)4X42*21**	*8MPV075	40000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MPV075	40000	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**	MV12F19**B*	40000	TDR&TXV	15.5			12.5
EN(A,D,W)4X42*21**	*9MPV075	40000	TDR&TXV	14			11.5	
EN(A,D,W)4X42*21**	*9MPV100	40000	TDR&TXV	14.5			12	
EN(A,D,W)4X48*21**	*8MX*0701716**	41000	TDR&TXV	14.5			12	
EN(A,D,W)4X48*21**	*8MX*0902116**	41000	TDR&TXV	15.5			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	EN(A,D,W)4X48*21**	*8MX*1102120**	41000	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X48*21**	*8MV*0901716**	41000	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X48*21**	*8MV*1102120**	41000	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X48*21**	*9MX*0601714A**	40500	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X48*21**	*9MX*0801716A**	40500	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X48*21**	*9MX*0802120A**	41000	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X48*21**	*9MX*1002120A**	40500	TDR&TXV	16		13	
	EN(A,D,W)4X48*21**	*9MV*0601714A**	40500	TDR&TXV	15		12.5	
	EN(A,D,W)4X48*21**	*9MV*0801716A**	40500	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X48*21**	*9MV*0802120A**	40500	TDR&TXV	15.5		13	
	EN(A,D,W)4X48*21**	*9MV*1002120A**	40500	TDR&TXV	16		13	
	EN(A,D,W)4X48*21**	*9MA*0601714A**	40000	TDR&TXV	15.2		12.5	
	EN(A,D,W)4X48*21**	*9MA*0801714A**	40000	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X48*21**	*9MA*0802120A**	40000	TDR&TXV	16		13	
	EN(A,D,W)4X48*21**	*9MA*1002122A**	40500	TDR&TXV	16		13	
	EN(A,D,W)4X48*21**	*9MA*0602120A**	40000	TDR&TXV	15.2		12.7	
	EN(A,D,W)4X48*21**	NOMV156E19*	41000	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X48*21**	*9MVX060	41000	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MVX060	41000	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MVX080	41000	TDR&TXV	15		12.5	
	EN(A,D,W)4X48*21**	*9MX*1002116A**	40500	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X48*21**	*9MV*1002116A**	40500	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X48*21**	*9MA*1002120A**	40000	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X48*21**	OLV112A16A	40500	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	OMV112K14A	40500	TDR&TXV	15		12.5	
	EN(A,D,W)4X48*21**		41000	TXV		14.5	12	
	EN(A,D,W)4X48*21**	*8MPV075	41000	TDR&TXV	15		12.5	
	EN(A,D,W)4X48*21**	*9MPV075	41000	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	MV12F19**B*	41000	TDR&TXV	16		13	
	EN(A,D,W)4X48*21**	*9MPV075	41000	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MPV100	41000	TDR&TXV	15		12.5	
	EN(A,D,W)4X60*24**	*9MX*1202422A**	41500	TDR&TXV	16		13	
	EN(A,D,W)4X60*24**	*9MV*1202422A**	41000	TDR&TXV	16		13	
	EN(A,D,W)4X60*24**	*9MA*1202422A**	40500	TDR&TXV	16		13	
	EN(A,D,W)4X60*24**	*9MX*1002116A**	41000	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X60*24**	*9MV*1002116A**	41000	TDR&TXV	15.5		12.7	
	EN(A,D,W)4X60*24**	*9MA*1002120A**	40500	TDR&TXV	16		13	
	END4X42*17**	*8MX*0701716**	40500	TDR&TXV	14.5		12	
	END4X42*17**	*8MV*0701412**	40500	TDR&TXV	15		12.5	
	END4X42*17**	*8MV*0901716**	40500	TDR&TXV	15		12.5	
	END4X42*17**	*9MX*0601714A**	40000	TDR&TXV	15		12.5	
	END4X42*17**	*9MX*0801716A**	40000	TDR&TXV	15		12.5	
END4X42*17**	*9MV*0601714A**	40000	TDR&TXV	14.5		12		
END4X42*17**	*9MV*0801716A**	40000	TDR&TXV	15.2		12.5		
END4X42*17**	*9MA*0601714A**	39500	TDR&TXV	15		12.5		
END4X42*17**	*9MA*0801714A**	39500	TDR&TXV	15.2		12.5		
END4X42*17**	*9MVX060	40000	TDR&TXV	14		12		
END4X42*17**	OMV112K14A	40000	TDR&TXV	14.5		12		
END4X42*17**		40500	TXV		14	11.5		
END4X42*17**	*9MPV075	40000	TDR&TXV	14		12		
ENH4X42*21**	*8MX*0701716**	40000	TDR&TXV	14.5		12		
ENH4X42*21**	*8MX*0902116**	40000	TDR&TXV	15.5		12.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	ENH4X42*21**	*8MX*1102120**	40000	TDR&TXV	15.5			12.5
	ENH4X42*21**	*8MX*1352420**	40000	TDR&TXV	15.5			12.5
	ENH4X42*21**	*8MV*0701412**	40000	TDR&TXV	14.95			12.5
	ENH4X42*21**	*8MV*0901716**	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*8MV*1102120**	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*8MV*1352422**	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MX*0601714A**	39500	TDR&TXV	14.5			12
	ENH4X42*21**	*9MX*0801716A**	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MX*0802120A**	40000	TDR&TXV	15.2			12.7
	ENH4X42*21**	*9MX*1002120A**	39500	TDR&TXV	15.2			12.7
	ENH4X42*21**	*9MX*1202422A**	40000	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MV*0601714A**	39500	TDR&TXV	14.5			12
	ENH4X42*21**	*9MV*0801716A**	39500	TDR&TXV	15			12.5
	ENH4X42*21**	*9MV*0802120A**	39500	TDR&TXV	15.2			12.7
	ENH4X42*21**	*9MV*1002120A**	39500	TDR&TXV	15.2			12.7
	ENH4X42*21**	*9MV*1202422A**	39500	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*0601714A**	39500	TDR&TXV	14.5			12
	ENH4X42*21**	*9MA*0801714A**	39500	TDR&TXV	15			12.5
	ENH4X42*21**	*9MA*0802120A**	39500	TDR&TXV	15.2			12.7
	ENH4X42*21**	*9MA*1002122A**	40000	TDR&TXV	15.2			12.7
	ENH4X42*21**	*9MA*1202422A**	39500	TDR&TXV	15.5			12.7
	ENH4X42*21**	*9MA*0602120A**	39500	TDR&TXV	15			12.5
	ENH4X42*21**	NOMV156E19*	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MVX060	40000	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX060	40000	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX080	40000	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX080	40000	TDR&TXV	14.5			12
	ENH4X42*21**	*9MVX100	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MVX100	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MX*1002116A**	39500	TDR&TXV	15.2			12.5
	ENH4X42*21**	*9MV*1002116A**	40000	TDR&TXV	15.2			12.5
	ENH4X42*21**	*9MA*1002120A**	39500	TDR&TXV	15.2			12.5
	ENH4X42*21**	OLV112A16A	40000	TDR&TXV	14.5			12
	ENH4X42*21**	OLV154F20A	40500	TDR&TXV	14.5			12
	ENH4X42*21**	OMV112K14A	39500	TDR&TXV	14.5			12
	ENH4X42*21**		40000	TXV			14	11.5
	ENH4X42*21**	*8MPV075	40000	TDR&TXV	14.5			12
	ENH4X42*21**	*8MPV100	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*8MPV125	40000	TDR&TXV	15			12.5
	ENH4X42*21**	*9MPV075	39500	TDR&TXV	14			12
	ENH4X42*21**	*9MPV100	40000	TDR&TXV	14.5			12
	ENH4X42*21**	*9MPV125	40000	TDR&TXV	15			12.5
	ENH4X42*21**	MV12F19**B*	40000	TDR&TXV	15			12.5
	ENH4X42*21**	MV16J22**B*	40000	TDR&TXV	16			13
	ENH4X42*21**	MV20L24**B*	40000	TDR&TXV	16			13
	ENH4X42*21**	*9MPV075	39500	TDR&TXV	14			12
	ENH4X42*21**	*9MPV100	40000	TDR&TXV	14.5			12
	ENH4X42*21**	*9MPV125	40000	TDR&TXV	15			12.5
ENH4X43*21**	*8MX*0701716**	41500	TDR&TXV	15			12.5	
ENH4X43*21**	*8MX*0902116**	41500	TDR&TXV	16			13	
ENH4X43*21**	*8MX*1102120**	41500	TDR&TXV	16			13	
ENH4X43*21**	*8MX*1352420**	41500	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
NXA642GKA	ENH4X43*21**	*8MV*0701412**	41000	TDR&TXV	15.5		12.5
	ENH4X43*21**	*8MV*0901716**	41500	TDR&TXV	16		13
	ENH4X43*21**	*8MV*1102120**	41500	TDR&TXV	16		13
	ENH4X43*21**	*8MV*1352422**	41500	TDR&TXV	16		13
	ENH4X43*21**	*9MX*0601714A**	41000	TDR&TXV	15.2		12.5
	ENH4X43*21**	*9MX*0801716A**	41000	TDR&TXV	15.5		12.7
	ENH4X43*21**	*9MX*0802120A**	41500	TDR&TXV	16		13
	ENH4X43*21**	*9MX*1002120A**	41000	TDR&TXV	16		13
	ENH4X43*21**	*9MX*1202422A**	41500	TDR&TXV	16		13
	ENH4X43*21**	*9MV*0601714A**	41000	TDR&TXV	15.2		12.5
	ENH4X43*21**	*9MV*0801716A**	41000	TDR&TXV	15.5		12.7
	ENH4X43*21**	*9MV*0802120A**	41000	TDR&TXV	16		13
	ENH4X43*21**	*9MV*1002120A**	41000	TDR&TXV	16		13
	ENH4X43*21**	*9MV*1202422A**	40500	TDR&TXV	16		13
	ENH4X43*21**	*9MA*0601714A**	40500	TDR&TXV	15.2		12.5
	ENH4X43*21**	*9MA*0801714A**	40500	TDR&TXV	15.5		12.7
	ENH4X43*21**	*9MA*0802120A**	40500	TDR&TXV	16		13
	ENH4X43*21**	*9MA*1002122A**	41000	TDR&TXV	16		13
	ENH4X43*21**	*9MA*1202422A**	40500	TDR&TXV	16		13
	ENH4X43*21**	*9MA*0602120A**	40500	TDR&TXV	15.5		12.7
	ENH4X43*21**	NOMV156E19*	41500	TDR&TXV	15.95		13
	ENH4X43*21**	*9MVX060	41500	TDR&TXV	15		12.5
	ENH4X43*21**	*9MVX060	41500	TDR&TXV	15		12.5
	ENH4X43*21**	*9MVX080	41500	TDR&TXV	15.5		12.5
	ENH4X43*21**	*9MVX080	41500	TDR&TXV	15.5		12.5
	ENH4X43*21**	*9MVX100	41500	TDR&TXV	15.5		12.5
	ENH4X43*21**	*9MVX100	41500	TDR&TXV	15.5		12.5
	ENH4X43*21**	*9MX*1002116A**	41000	TDR&TXV	15.5		12.7
	ENH4X43*21**	*9MV*1002116A**	40500	TDR&TXV	15.5		12.7
	ENH4X43*21**	*9MA*1002120A**	40500	TDR&TXV	15.5		12.7
	ENH4X43*21**	OLV112A16A	41000	TDR&TXV	15		12.5
	ENH4X43*21**	OLV154F20A	42000	TDR&TXV	15.5		12.5
	ENH4X43*21**	OMV112K14A	41000	TDR&TXV	15		12.5
	ENH4X43*21**		41500	TXV		14.5	12
	ENH4X43*21**	*8MPV075	41500	TDR&TXV	15		12.5
	ENH4X43*21**	*8MPV100	41500	TDR&TXV	15.5		12.5
	ENH4X43*21**	*8MPV125	41500	TDR&TXV	16		13
	ENH4X43*21**	*9MPV075	41000	TDR&TXV	14.5		12
	ENH4X43*21**	*9MPV100	41500	TDR&TXV	15		12.5
	ENH4X43*21**	*9MPV125	41500	TDR&TXV	15.5		12.5
	ENH4X43*21**	MV12F19**B*	41500	TDR&TXV	16		13
	ENH4X43*21**	MV16J22**B*	41500	TDR&TXV	16		13
ENH4X43*21**	MV20L24**B*	41500	TDR&TXV	16		13	
ENH4X43*21**	*9MPV075	41000	TDR&TXV	14.5		12	
ENH4X43*21**	*9MPV100	41500	TDR&TXV	15		12.5	
ENH4X43*21**	*9MPV125	41500	TDR&TXV	15.5		12.5	
ENH4X48*21**	*8MX*0701716**	41000	TDR&TXV	14.5		12	
ENH4X48*21**	*8MX*0902116**	41000	TDR&TXV	15.5		12.5	
ENH4X48*21**	*8MX*1102120**	41000	TDR&TXV	16		13	
ENH4X48*21**	*8MX*1352420**	41000	TDR&TXV	15.5		12.5	
ENH4X48*21**	*8MV*0701412**	41000	TDR&TXV	15		12.5	
ENH4X48*21**	*8MV*0901716**	41000	TDR&TXV	15.5		12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA642GKA	ENH4X48*21**	*8MV*1102120**	41000	TDR&TXV	15.5			12.5
	ENH4X48*21**	*8MV*1352422**	41000	TDR&TXV	16			13
	ENH4X48*21**	*9MX*0601714A**	40500	TDR&TXV	15.2			12.5
	ENH4X48*21**	*9MX*0801716A**	40500	TDR&TXV	15.2			12.5
	ENH4X48*21**	*9MX*0802120A**	41000	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MX*1002120A**	40500	TDR&TXV	16			13
	ENH4X48*21**	*9MX*1202422A**	41000	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MV*0601714A**	40500	TDR&TXV	15			12.5
	ENH4X48*21**	*9MV*0801716A**	40500	TDR&TXV	15.2			12.5
	ENH4X48*21**	*9MV*0802120A**	40500	TDR&TXV	15.5			13
	ENH4X48*21**	*9MV*1002120A**	40500	TDR&TXV	16			13
	ENH4X48*21**	*9MV*1202422A**	40500	TDR&TXV	16			13
	ENH4X48*21**	*9MA*0601714A**	40000	TDR&TXV	15.2			12.5
	ENH4X48*21**	*9MA*0801714A**	40000	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MA*0802120A**	40000	TDR&TXV	16			13
	ENH4X48*21**	*9MA*1002122A**	40500	TDR&TXV	16			13
	ENH4X48*21**	*9MA*1202422A**	40000	TDR&TXV	16			13
	ENH4X48*21**	*9MA*0602120A**	40000	TDR&TXV	15.2			12.7
	ENH4X48*21**	NOMV156E19*	41000	TDR&TXV	15.5			12.5
	ENH4X48*21**	*9MVX060	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MVX060	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MVX080	41000	TDR&TXV	15			12.5
	ENH4X48*21**	*9MVX080	41000	TDR&TXV	15			12.5
	ENH4X48*21**	*9MVX100	41000	TDR&TXV	15.5			12.5
	ENH4X48*21**	*9MVX100	41000	TDR&TXV	15.5			12.5
	ENH4X48*21**	*9MX*1002116A**	40500	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MV*1002116A**	40500	TDR&TXV	15.5			12.7
	ENH4X48*21**	*9MA*1002120A**	40000	TDR&TXV	15.5			12.7
	ENH4X48*21**	OLV112A16A	40500	TDR&TXV	14.5			12
	ENH4X48*21**	OLV154F20A	41500	TDR&TXV	15			12.5
	ENH4X48*21**	OMV112K14A	40500	TDR&TXV	15			12.5
	ENH4X48*21**		41000	TXV		14.5		12
	ENH4X48*21**	*8MPV075	41000	TDR&TXV	15			12.5
	ENH4X48*21**	*8MPV100	41000	TDR&TXV	15.5			12.5
	ENH4X48*21**	*8MPV125	41000	TDR&TXV	15.5			12.5
	ENH4X48*21**	*9MPV075	40500	TDR&TXV	14.5			12
	ENH4X48*21**	*9MPV100	41000	TDR&TXV	15			12.5
	ENH4X48*21**	*9MPV125	41000	TDR&TXV	15.5			12.5
	ENH4X48*21**	MV12F19**B*	41000	TDR&TXV	16			13
	ENH4X48*21**	MV16J22**B*	41000	TDR&TXV	16			13
	ENH4X48*21**	MV20L24**B*	41000	TDR&TXV	16			13
	ENH4X48*21**	*9MPV075	40500	TDR&TXV	14.5			12
	ENH4X48*21**	*9MPV100	41000	TDR&TXV	15			12.5
	ENH4X48*21**	*9MPV125	41000	TDR&TXV	15.5			12.5
	ENH4X60*24**	*9MX*0601714A**	41000	TDR&TXV	15.2			12.5
ENH4X60*24**	*9MX*0801716A**	41000	TDR&TXV	15.5			12.7	
ENH4X60*24**	*9MX*1202422A**	41500	TDR&TXV	16			13	
ENH4X60*24**	*9MV*0601714A**	41000	TDR&TXV	15.2			12.5	
ENH4X60*24**	*9MV*0801716A**	41000	TDR&TXV	15.5			12.7	
ENH4X60*24**	*9MV*1202422A**	41000	TDR&TXV	16			13	
ENH4X60*24**	*9MA*0601714A**	40500	TDR&TXV	15.5			12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA642GKA	ENH4X60*24**	*9MA*0801714A**	40500	TDR&TXV	15.5			12.7
	ENH4X60*24**	*9MA*1202422A**	40500	TDR&TXV	16			13
	ENH4X60*24**	*9MX*1002116A**	41000	TDR&TXV	15.5			12.7
	ENH4X60*24**	*9MV*1002116A**	41000	TDR&TXV	15.5			12.7
	ENH4X60*24**	*9MA*1002120A**	40500	TDR&TXV	16			13

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			EER	
					Standard	W/ Field TDR	W/ Field TXV		
NXA648GKA	*ED*4X60L**		46000	TXV		14.5		12	
	FEM4P48**A*		45000	TDR	14		14	12	
	FEM4P60**A*		46000	TDR	14.5		14.5	12.5	
	FEM4X48****		46000	TDR&TXV	15			12.5	
	FEM4X60****		46500	TDR&TXV	16			13	
	FEM4X60**B*		46000	TDR&TXV	15			12.5	
	FS(M,U)4P48**A*		45500	TDR	14.5		14.5	12.5	
	FS(M,U)4X48****		45500	TDR&TXV	14.5			12	
	FS(M,U)4X60**A*		46000	TDR&TXV	14.5			12	
	FVM4X48****		46000	TDR&TXV	16			13	
	FVM4X60****		46500	TDR&TXV	16			13	
	FXM4X48**A*		46000	TDR&TXV	16			13	
	FXM4X60**A*		46500	TDR&TXV	16			13	
	EA*4X48*17A*	*8MV*0901716**		44500	TDR&TXV	15.2			12.7
	EA*4X48*17A*			44500	TXV		14.5		12.5
	EA*4X48*21A*	*8MX*0902116**		44500	TDR&TXV	15.5			12.7
	EA*4X48*21A*	*8MX*1102120**		44500	TDR&TXV	15.5			13
	EA*4X48*21A*	*8MV*0901716**		42000	TDR&TXV	15.2			12.7
	EA*4X48*21A*	*8MV*1102120**		42000	TDR&TXV	15.2			12.7
	EA*4X48*21A*	*9MX*0802120A**		44500	TDR&TXV	15.2			12.7
	EA*4X48*21A*	*9MX*1002120A**		42000	TDR&TXV	15.2			12.7
	EA*4X48*21A*	*9MV*0801716A**		42000	TDR&TXV	15			12.5
	EA*4X48*21A*	*9MV*0802120A**		44000	TDR&TXV	15.5			12.7
	EA*4X48*21A*	*9MV*1002120A**		44000	TDR&TXV	15.2			12.7
	EA*4X48*21A*	*9MA*0802120A**		44000	TDR&TXV	15.2			12.7
	EA*4X48*21A*	*9MA*1002122A**		44000	TDR&TXV	15.2			13
	EA*4X48*21A*	*9MA*0602120A**		43000	TDR&TXV	14.5			12.5
	EA*4X48*21A*	*9MX*1002116A**		42000	TDR&TXV	15.2			12.5
	EA*4X48*21A*	*9MV*1002116A**		42000	TDR&TXV	15			12.5
	EA*4X48*21A*	*9MA*1002120A**		42000	TDR&TXV	15.2			12.5
	EA*4X48*21A*			44500	TXV		14		12.2
	EA*4X48*24A*	*8MX*0902116**		44500	TDR&TXV	15.5			12.7
	EA*4X48*24A*	*8MX*1102120**		44500	TDR&TXV	16			13
	EA*4X48*24A*	*8MX*1352420**		44500	TDR&TXV	15.5			13
	EA*4X48*24A*	*8MV*1102120**		42000	TDR&TXV	15.5			13
	EA*4X48*24A*	*8MV*1352422**		44500	TDR&TXV	16			13
	EA*4X48*24A*	*9MX*0802120A**		44500	TDR&TXV	15.2			12.7
	EA*4X48*24A*	*9MX*1002120A**		44500	TDR&TXV	15.2			12.7
	EA*4X48*24A*	*9MX*1202422A**		44500	TDR&TXV	15.5			12.7
	EA*4X48*24A*	*9MV*0802120A**		44000	TDR&TXV	15.2			12.7
	EA*4X48*24A*	*9MV*1002120A**		44500	TDR&TXV	15.5			13
	EA*4X48*24A*	*9MV*1202422A**		44500	TDR&TXV	15.5			12.7
	EA*4X48*24A*	*9MA*0802120A**		44000	TDR&TXV	15.2			13
	EA*4X48*24A*	*9MA*1002122A**		44500	TDR&TXV	15.5			13
	EA*4X48*24A*	*9MA*1202422A**		42000	TDR&TXV	15.5			12.7
	EA*4X48*24A*	*9MA*0602120A**		43500	TDR&TXV	15			12.5
	EA*4X48*24A*	*9MX*1002116A**		42000	TDR&TXV	15.2			12.5
	EA*4X48*24A*	*9MV*1002116A**		42000	TDR&TXV	15			12.5
	EA*4X48*24A*	*9MA*1002120A**		42000	TDR&TXV	15.2			12.5

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	EA*4X48*24A*		44500	TXV				12.2
	EA*4X60*21A*	*8MX*0902116**	45000	TDR&TXV	16	14		13
	EA*4X60*21A*	*8MX*1102120**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*8MV*0901716**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*8MV*1102120**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*9MX*0802120A**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*9MX*1002120A**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*9MV*0801716A**	44500	TDR&TXV	15.5			12.7
	EA*4X60*21A*	*9MV*0802120A**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*9MV*1002120A**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*9MA*0802120A**	44500	TDR&TXV	16			13
	EA*4X60*21A*	*9MA*1002122A**	45000	TDR&TXV	16			13
	EA*4X60*21A*	*9MA*0602120A**	44500	TDR&TXV	15.5			13
	EA*4X60*21A*	*9MX*1002116A**	45000	TDR&TXV	15.5			12.7
	EA*4X60*21A*	*9MV*1002116A**	45000	TDR&TXV	15.5			12.7
	EA*4X60*21A*	*9MA*1002120A**	44500	TDR&TXV	15.5			12.7
	EA*4X60*21A*		45500	TXV		14.5		12.5
	EA*4X60*24A*	*8MX*0902116**	45500	TDR&TXV	16			13
	EA*4X60*24A*	*8MX*1102120**	45500	TDR&TXV	16			13
	EA*4X60*24A*	*8MX*1352420**	45500	TDR&TXV	16			13
	EA*4X60*24A*	*8MV*1102120**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*8MV*1352422**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MX*0802120A**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MX*1002120A**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MX*1202422A**	45500	TDR&TXV	16			13
	EA*4X60*24A*	*9MV*0802120A**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MV*1002120A**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MV*1202422A**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MA*0802120A**	44500	TDR&TXV	16			13
	EA*4X60*24A*	*9MA*1002122A**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MA*1202422A**	45000	TDR&TXV	16			13
	EA*4X60*24A*	*9MA*0602120A**	44500	TDR&TXV	15.5			12.7
	EA*4X60*24A*	*9MX*1002116A**	45000	TDR&TXV	15.5			12.7
	EA*4X60*24A*	*9MV*1002116A**	45000	TDR&TXV	15.5			12.7
	EA*4X60*24A*	*9MA*1002120A**	44500	TDR&TXV	15.5			12.7
	EA*4X60*24A*		45500	TXV		14.5		12.5
	ED*4X48F**	*9MX*0802120A**	44500	TDR&TXV	15.2			12.7
	ED*4X48F**	*9MX*1002120A**	44500	TDR&TXV	15.5			13
	ED*4X48F**	*9MV*0802120A**	44500	TDR&TXV	15.5			12.7
	ED*4X48F**	*9MV*1002120A**	44500	TDR&TXV	15.5			13
	ED*4X48F**	*9MA*0802120A**	44000	TDR&TXV	15.5			13
	ED*4X48F**	*9MA*1002122A**	44500	TDR&TXV	15.5			13
	ED*4X48F**	*9MA*0602120A**	44000	TDR&TXV	15			12.5
	ED*4X48F**	*9MX*1002116A**	44500	TDR&TXV	15.2			12.5
	ED*4X48F**	*9MV*1002116A**	44500	TDR&TXV	15.2			12.5
	ED*4X48F**	*9MA*1002120A**	42000	TDR&TXV	15.2			12.5
	ED*4X48F**	OLV112A16A	44500	TDR&TXV	14			12
	ED*4X48F**		45000	TXV		14.5		12
ED*4X48J**	*9MX*0802120A**	44500	TDR&TXV	15.2			12.7	
ED*4X48J**	*9MX*1002120A**	44000	TDR&TXV	15.2			12.7	
ED*4X48J**	*9MX*1202422A**	44500	TDR&TXV	15.5			12.7	
ED*4X48J**	*9MV*0802120A**	44000	TDR&TXV	15.2			12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	ED*4X48J**	*9MV*1002120A**	44000	TDR&TXV	15.2			12.7
	ED*4X48J**	*9MV*1202422A**	42000	TDR&TXV	15.5			12.7
	ED*4X48J**	*9MA*0802120A**	44000	TDR&TXV	15.2			12.7
	ED*4X48J**	*9MA*1002122A**	44000	TDR&TXV	15.5			13
	ED*4X48J**	*9MA*1202422A**	42000	TDR&TXV	15.5			12.7
	ED*4X48J**	*9MA*0602120A**	43500	TDR&TXV	14.5			12.5
	ED*4X48J**	*9MVX080	45000	TDR&TXV	14.5			12
	ED*4X48J**	*9MX*1002116A**	42000	TDR&TXV	15.2			12.5
	ED*4X48J**	*9MV*1002116A**	42000	TDR&TXV	15			12.5
	ED*4X48J**	*9MA*1002120A**	42000	TDR&TXV	15.2			12.5
	ED*4X48J**	OLV112A16A	44000	TDR&TXV	14			12
	ED*4X48J**		45000	TXV		14.5		12
	ED*4X48J**	*8MPV100	45000	TDR&TXV	15			12.5
	ED*4X48J**	*8MPV125	45000	TDR&TXV	15			12.5
	ED*4X48J**	*9MPV100	45000	TDR&TXV	14.5			12
	ED*4X48J**	MV16J22**B*	45000	TDR&TXV	15.95			13
	ED*4X48L**	*8MX*1352420**	45000	TDR&TXV	15			12.5
	ED*4X48L**	*8MV*1352422**	45000	TDR&TXV	15			12.5
	ED*4X48L**	*9MX*0802120A**	44500	TDR&TXV	15.2			12.7
	ED*4X48L**	*9MX*1002120A**	44500	TDR&TXV	15.5			12.7
	ED*4X48L**	*9MX*1202422A**	44500	TDR&TXV	15.5			12.7
	ED*4X48L**	*9MV*0802120A**	44000	TDR&TXV	15.2			12.7
	ED*4X48L**	*9MV*1002120A**	44500	TDR&TXV	15.5			13
	ED*4X48L**	*9MV*1202422A**	44500	TDR&TXV	15.5			12.7
	ED*4X48L**	*9MA*0802120A**	44000	TDR&TXV	15.5			13
	ED*4X48L**	*9MA*1002122A**	44500	TDR&TXV	15.5			13
	ED*4X48L**	*9MA*1202422A**	42000	TDR&TXV	15.5			12.7
	ED*4X48L**	*9MA*0602120A**	43500	TDR&TXV	15			12.5
	ED*4X48L**	*9MVX100	45000	TDR&TXV	15			12.5
	ED*4X48L**	*9MX*1002116A**	42000	TDR&TXV	15.2			12.5
	ED*4X48L**	*9MV*1002116A**	42000	TDR&TXV	15			12.5
	ED*4X48L**	*9MA*1002120A**	42000	TDR&TXV	15.2			12.5
	ED*4X48L**	OLV112A16A	44000	TDR&TXV	14			12
	ED*4X48L**	OLV154F20A	45000	TDR&TXV	14.5			12
	ED*4X48L**		45000	TXV		14.5		12
	ED*4X48L**	*9MPV125	45000	TDR&TXV	15			12.5
	ED*4X48L**	MV20L24**B*	45000	TDR&TXV	16			13
	ED*4X60J**	*9MX*0802120A**	45000	TDR&TXV	16			13
	ED*4X60J**	*9MX*1002120A**	45000	TDR&TXV	16			13
	ED*4X60J**	*9MX*1202422A**	45000	TDR&TXV	16			13
	ED*4X60J**	*9MV*0802120A**	45000	TDR&TXV	16			13
	ED*4X60J**	*9MV*1002120A**	45000	TDR&TXV	16			13
	ED*4X60J**	*9MV*1202422A**	45000	TDR&TXV	16			13
	ED*4X60J**	*9MA*0802120A**	44500	TDR&TXV	16			13
	ED*4X60J**	*9MA*1002122A**	45000	TDR&TXV	16			13
	ED*4X60J**	*9MA*1202422A**	44500	TDR&TXV	16			13
	ED*4X60J**	*9MA*0602120A**	44500	TDR&TXV	15.2			12.7
	ED*4X60J**	*9MVX080	46000	TDR&TXV	15			12.5
ED*4X60J**	*9MX*1002116A**	45000	TDR&TXV	15.5			12.7	
ED*4X60J**	*9MV*1002116A**	45000	TDR&TXV	15.5			12.7	
ED*4X60J**	*9MA*1002120A**	44500	TDR&TXV	15.5			12.7	
ED*4X60J**	OLV112A16A	45000	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	ED*4X60J**		46000	TXV		14.5		12
	ED*4X60J**	*8MPV100	46000	TDR&TXV	15			12.5
	ED*4X60J**	*8MPV125	46000	TDR&TXV	15			12.5
	ED*4X60J**	*9MPV100	46000	TDR&TXV	15			12.5
	ED*4X60J**	MV16J22**B*	46000	TDR&TXV	16			13
	ED*4X60L**	*8MX*1352420**	46000	TDR&TXV	15.5			12.5
	ED*4X60L**	*8MV*1352422**	45500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MX*0802120A**	45000	TDR&TXV	16			13
	ED*4X60L**	*9MX*1002120A**	45000	TDR&TXV	16			13
	ED*4X60L**	*9MX*1202422A**	45500	TDR&TXV	16			13
	ED*4X60L**	*9MV*0802120A**	45000	TDR&TXV	16			13
	ED*4X60L**	*9MV*1002120A**	45000	TDR&TXV	16			13
	ED*4X60L**	*9MV*1202422A**	45000	TDR&TXV	16			13
	ED*4X60L**	*9MA*0802120A**	44500	TDR&TXV	16			13
	ED*4X60L**	*9MA*1002122A**	45000	TDR&TXV	16			13
	ED*4X60L**	*9MA*1202422A**	45000	TDR&TXV	16			13
	ED*4X60L**	*9MA*0602120A**	44500	TDR&TXV	15.2			12.7
	ED*4X60L**	*9MVX100	45500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MX*1002116A**	45000	TDR&TXV	15.5			12.7
	ED*4X60L**	*9MV*1002116A**	45000	TDR&TXV	15.5			12.7
	ED*4X60L**	*9MA*1002120A**	44500	TDR&TXV	15.5			12.7
	ED*4X60L**	OLV112A16A	45000	TDR&TXV	14.5			12
	ED*4X60L**	OLV154F20A	46000	TDR&TXV	15			12.5
	ED*4X60L**	*9MPV125	46000	TDR&TXV	15.5			12.5
	ED*4X60L**	MV20L24**B*	46000	TDR&TXV	16			13
	EHD4X48A**	*8MX*0701716**	45000	TDR&TXV	14			11.5
	EHD4X48A**	*8MX*0902116**	45000	TDR&TXV	15			12.5
	EHD4X48A**	*8MX*1102120**	45000	TDR&TXV	15			12.5
	EHD4X48A**	*8MX*1352420**	45000	TDR&TXV	15			12.5
	EHD4X48A**	*8MV*0901716**	45000	TDR&TXV	15			12.5
	EHD4X48A**	*8MV*1102120**	45000	TDR&TXV	15			12.5
	EHD4X48A**	*8MV*1352422**	45000	TDR&TXV	15			12.5
	EHD4X48A**	*9MX*0802120A**	45000	TDR&TXV	15.5			13
	EHD4X48A**	*9MX*1002120A**	44500	TDR&TXV	15.5			13
	EHD4X48A**	*9MX*1202422A**	45000	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MV*0801716A**	42000	TDR&TXV	15.2			12.5
	EHD4X48A**	*9MV*0802120A**	44500	TDR&TXV	15.5			13
	EHD4X48A**	*9MV*1002120A**	44500	TDR&TXV	16			13
	EHD4X48A**	*9MV*1202422A**	44500	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MA*0802120A**	44500	TDR&TXV	15.5			13
	EHD4X48A**	*9MA*1002122A**	45000	TDR&TXV	16			13
	EHD4X48A**	*9MA*1202422A**	44500	TDR&TXV	15.5			12.7
	EHD4X48A**	*9MA*0602120A**	44000	TDR&TXV	15			12.7
	EHD4X48A**	NOMV156E19*	45000	TDR&TXV	15			12.5
	EHD4X48A**	*9MVX080	45000	TDR&TXV	15			12.5
EHD4X48A**	*9MVX100	45000	TDR&TXV	15			12.5	
EHD4X48A**	*9MX*1002116A**	44500	TDR&TXV	15.2			12.5	
EHD4X48A**	*9MV*1002116A**	44500	TDR&TXV	15.2			12.5	
EHD4X48A**	*9MA*1002120A**	44500	TDR&TXV	15.5			12.7	
EHD4X48A**	OLV112A16A	44500	TDR&TXV	14			12	
EHD4X48A**	OLV154F20A	45500	TDR&TXV	14.5			12	
EHD4X48A**		45000	TXV			14.5	12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	EHD4X48A**	*8MPV100	45000	TDR&TXV	15			12.5
	EHD4X48A**	*8MPV125	45000	TDR&TXV	15			12.5
	EHD4X48A**	*9MPV100	45000	TDR&TXV	15			12.5
	EHD4X48A**	*9MPV125	45000	TDR&TXV	15			12.5
	EHD4X48A**	MV16J22**B*	45000	TDR&TXV	16			13
	EHD4X48A**	MV20L24**B*	45000	TDR&TXV	16			13
	EHD4X60A**	*8MX*0701716**	45000	TDR&TXV	14.5			12
	EHD4X60A**	*8MX*0902116**	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	*8MX*1102120**	45000	TDR&TXV	16			13
	EHD4X60A**	*8MX*1352420**	45000	TDR&TXV	16			13
	EHD4X60A**	*8MV*0901716**	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	*8MV*1102120**	45000	TDR&TXV	15.95			13
	EHD4X60A**	*8MV*1352422**	45000	TDR&TXV	16			13
	EHD4X60A**	*9MX*0801716A**	45000	TDR&TXV	15.5			12.7
	EHD4X60A**	*9MX*0802120A**	45500	TDR&TXV	16			13
	EHD4X60A**	*9MX*1002120A**	45500	TDR&TXV	16			13.2
	EHD4X60A**	*9MX*1202422A**	45500	TDR&TXV	16			13
	EHD4X60A**	*9MV*0801716A**	45000	TDR&TXV	15.5			12.7
	EHD4X60A**	*9MV*0802120A**	45500	TDR&TXV	16			13
	EHD4X60A**	*9MV*1002120A**	45500	TDR&TXV	16			13.2
	EHD4X60A**	*9MV*1202422A**	45500	TDR&TXV	16			13
	EHD4X60A**	*9MA*0802120A**	45000	TDR&TXV	16			13
	EHD4X60A**	*9MA*1002122A**	45500	TDR&TXV	16.5			13.5
	EHD4X60A**	*9MA*1202422A**	45000	TDR&TXV	16			13
	EHD4X60A**	*9MA*0602120A**	44500	TDR&TXV	15.5			13
	EHD4X60A**	NOMV156E19*	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	*9MVX080	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	*9MVX100	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	*9MX*1002116A**	45500	TDR&TXV	15.5			12.7
	EHD4X60A**	*9MV*1002116A**	45500	TDR&TXV	15.5			12.7
	EHD4X60A**	*9MA*1002120A**	45000	TDR&TXV	16			13
	EHD4X60A**	OLV112A16A	45500	TDR&TXV	14.5			12
	EHD4X60A**	OLV154F20A	46000	TDR&TXV	15.5			12.5
	EHD4X60A**		45000	TXV			15	12.5
	EHD4X60A**	*8MPV100	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	*8MPV125	45000	TDR&TXV	16			13
	EHD4X60A**	*9MPV100	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	*9MPV125	45000	TDR&TXV	15.5			12.5
	EHD4X60A**	MV16J22**B*	45000	TDR&TXV	16			13
	EHD4X60A**	MV20L24**B*	45000	TDR&TXV	16			13
	EMA4X48D**			44500	TXV		14.5	12
	EN(A,D)4X48*24**	*8MX*0902116**		44500	TDR&TXV	15		12.5
	EN(A,D)4X48*24**	*8MX*1102120**		44500	TDR&TXV	15		12.5
	EN(A,D)4X48*24**	*8MX*1352420**		44500	TDR&TXV	15		12.5
	EN(A,D)4X48*24**	*8MV*1102120**		44500	TDR&TXV	15		12.5
	EN(A,D)4X48*24**	*8MV*1352422**		44500	TDR&TXV	15		12.5
	EN(A,D)4X48*24**	*9MX*0802120A**		44500	TDR&TXV	15.2		12.7
	EN(A,D)4X48*24**	*9MX*1002120A**		44500	TDR&TXV	15.5		13
EN(A,D)4X48*24**	*9MX*1202422A**		44500	TDR&TXV	15.5		12.7	
EN(A,D)4X48*24**	*9MV*0802120A**		44500	TDR&TXV	15.5		13	
EN(A,D)4X48*24**	*9MV*1002120A**		44500	TDR&TXV	15.5		13	
EN(A,D)4X48*24**	*9MV*1202422A**		44500	TDR&TXV	15.5		12.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	EN(A,D)4X48*24**	*9MA*0802120A**	43500	TDR&TXV	15.5		13	
	EN(A,D)4X48*24**	*9MA*1002122A**	44500	TDR&TXV	15.5		13	
	EN(A,D)4X48*24**	*9MA*1202422A**	42000	TDR&TXV	15.5		12.7	
	EN(A,D)4X48*24**	*9MA*0602120A**	43500	TDR&TXV	15		12.7	
	EN(A,D)4X48*24**	NOMV156E19*	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MVX080	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MVX080	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MVX100	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MVX100	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MX*1002116A**	44500	TDR&TXV	15.2		12.5	
	EN(A,D)4X48*24**	*9MV*1002116A**	44500	TDR&TXV	15.2		12.5	
	EN(A,D)4X48*24**	*9MA*1002120A**	42000	TDR&TXV	15.5		12.7	
	EN(A,D)4X48*24**	OLV112A16A	44500	TDR&TXV	14		12	
	EN(A,D)4X48*24**	OLV154F20A	45000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**		44500	TXV		14.5	12	
	EN(A,D)4X48*24**	*8MPV100	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*8MPV125	45500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MPV100	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MPV125	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	MV16J22**B*	44500	TDR&TXV	13		13	
	EN(A,D)4X48*24**	MV20L24**B*	44500	TDR&TXV	16		13	
	EN(A,D)4X48*24**	*9MPV100	44500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MPV125	44500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*8MX*0902116**	46000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*8MX*1102120**	46000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*8MX*1352420**	46000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*8MV*1102120**	46000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*8MV*1352422**	46000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*9MX*0802120A**	46000	TDR&TXV	16		13.2	
	EN(A,D)4X61*24**	*9MX*1002120A**	46000	TDR&TXV	16.5		13.5	
	EN(A,D)4X61*24**	*9MX*1202422A**	46000	TDR&TXV	16.5		13.2	
	EN(A,D)4X61*24**	*9MV*0802120A**	45500	TDR&TXV	16.5		13.5	
	EN(A,D)4X61*24**	*9MV*1002120A**	46000	TDR&TXV	16.5		13.5	
	EN(A,D)4X61*24**	*9MV*1202422A**	45500	TDR&TXV	16.5		13.2	
	EN(A,D)4X61*24**	*9MA*0802120A**	45500	TDR&TXV	16.5		13.5	
	EN(A,D)4X61*24**	*9MA*1002122A**	45500	TDR&TXV	16.5		13.5	
	EN(A,D)4X61*24**	*9MA*1202422A**	45500	TDR&TXV	16.5		13.2	
	EN(A,D)4X61*24**	*9MA*0602120A**	45000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	NOMV156E19*	46000	TDR&TXV	15.5		12.5	
	EN(A,D)4X61*24**	*9MVX080	46000	TDR&TXV	15.5		12.5	
	EN(A,D)4X61*24**	*9MVX080	46000	TDR&TXV	15.5		12.5	
	EN(A,D)4X61*24**	*9MVX100	46000	TDR&TXV	15.5		12.5	
EN(A,D)4X61*24**	*9MVX100	46000	TDR&TXV	15.5		12.5		
EN(A,D)4X61*24**	*9MX*1002116A**	45500	TDR&TXV	16		13		
EN(A,D)4X61*24**	*9MV*1002116A**	45500	TDR&TXV	16		13		
EN(A,D)4X61*24**	*9MA*1002120A**	45500	TDR&TXV	16		13		
EN(A,D)4X61*24**	OLV112A16A	45500	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	OLV154F20A	46500	TDR&TXV	15.5		12.5		
EN(A,D)4X61*24**		46000	TXV		14.5	12		
EN(A,D)4X61*24**	*8MPV100	46000	TDR&TXV	16		13		
EN(A,D)4X61*24**	*8MPV125	46000	TDR&TXV	16		13		
EN(A,D)4X61*24**	*9MPV100	46000	TDR&TXV	15.5		12.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	EN(A,D)4X61*24**	*9MPV125	46000	TDR&TXV	15.5			12.5
	EN(A,D)4X61*24**	MV16J22**B*	46000	TDR&TXV	16			13
	EN(A,D)4X61*24**	MV20L24**B*	46000	TDR&TXV	16			13
	EN(A,D)4X61*24**	*9MPV100	46000	TDR&TXV	15.5			12.5
	EN(A,D)4X61*24**	*9MPV125	46000	TDR&TXV	15.5			12.5
	EN(A,D,W)4X48*21**	*8MX*0701716**	44500	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*8MX*0902116**	44500	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*8MX*1102120**	44500	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*8MV*0901716**	45000	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*8MV*1102120**	45000	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*9MX*0801716A**	42000	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*9MX*0802120A**	44500	TDR&TXV	15.2			12.7
	EN(A,D,W)4X48*21**	*9MX*1002120A**	44500	TDR&TXV	15.5			13
	EN(A,D,W)4X48*21**	*9MV*0801716A**	42000	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*9MV*0802120A**	44500	TDR&TXV	15.5			13
	EN(A,D,W)4X48*21**	*9MV*1002120A**	44500	TDR&TXV	15.5			13
	EN(A,D,W)4X48*21**	*9MA*0802120A**	44000	TDR&TXV	15.5			13
	EN(A,D,W)4X48*21**	*9MA*1002122A**	44500	TDR&TXV	15.5			13
	EN(A,D,W)4X48*21**	*9MA*0602120A**	44000	TDR&TXV	15			12.7
	EN(A,D,W)4X48*21**	NOMV156E19*	44500	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*9MVX080	44500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MX*1002116A**	44500	TDR&TXV	15.2			12.5
	EN(A,D,W)4X48*21**	*9MV*1002116A**	44500	TDR&TXV	15.2			12.5
	EN(A,D,W)4X48*21**	*9MA*1002120A**	42000	TDR&TXV	15.5			12.7
	EN(A,D,W)4X48*21**	OLV112A16A	44500	TDR&TXV	14			12
	EN(A,D,W)4X48*21**		45000	TXV		14.5		12
	EN(A,D,W)4X48*21**	*9MPV100	44500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*8MX*0902116**	45500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*8MX*1102120**	45500	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*8MX*1352420**	45500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*8MV*1102120**	45500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*8MV*1352422**	45500	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MX*0802120A**	45000	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MX*1002120A**	45000	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MX*1202422A**	45500	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MV*0802120A**	45000	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MV*1002120A**	45000	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MV*1202422A**	45000	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MA*0802120A**	44500	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MA*1002122A**	45000	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MA*1202422A**	44500	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MA*0602120A**	44500	TDR&TXV	15.5			12.7
	EN(A,D,W)4X60*24**	NOMV156E19*	45500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*9MVX080	45500	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MVX080	45500	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MVX100	45500	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MVX100	45500	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MX*1002116A**	45000	TDR&TXV	15.5			12.7
EN(A,D,W)4X60*24**	*9MV*1002116A**	45000	TDR&TXV	15.5			12.7	
EN(A,D,W)4X60*24**	*9MA*1002120A**	44500	TDR&TXV	15.5			12.7	
EN(A,D,W)4X60*24**	OLV112A16A	45000	TDR&TXV	14.5			12	
EN(A,D,W)4X60*24**	OLV154F20A	46000	TDR&TXV	15			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	EN(A,D,W)4X60*24**		45500	TXV			12	
	EN(A,D,W)4X60*24**	*8MPV100	45500	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X60*24**	*8MPV125	45500	TDR&TXV	15.5		12.5	
	EN(A,D,W)4X60*24**	*9MPV100	45500	TDR&TXV	15		12.5	
	EN(A,D,W)4X60*24**	*9MPV125	45500	TDR&TXV	15		12.5	
	EN(A,D,W)4X60*24**	MV16J22**B*	45500	TDR&TXV	16		13	
	EN(A,D,W)4X60*24**	MV20L24**B*	45500	TDR&TXV	16		13	
	EN(A,D,W)4X60*24**	*9MPV100	45500	TDR&TXV	15		12.5	
	EN(A,D,W)4X60*24**	*9MPV125	45500	TDR&TXV	15		12.5	
	ENH4X48*21**	*8MX*0701716**	44500	TDR&TXV	14		11.5	
	ENH4X48*21**	*8MX*0902116**	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*8MX*1102120**	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*8MX*1352420**	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*8MV*0901716**	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*8MV*1102120**	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*8MV*1352422**	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MX*0801716A**	42000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MX*0802120A**	44500	TDR&TXV	15.2		12.7	
	ENH4X48*21**	*9MX*1002120A**	44500	TDR&TXV	15.5		13	
	ENH4X48*21**	*9MX*1202422A**	44500	TDR&TXV	15.5		12.7	
	ENH4X48*21**	*9MV*0801716A**	42000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MV*0802120A**	44500	TDR&TXV	15.5		13	
	ENH4X48*21**	*9MV*1002120A**	44500	TDR&TXV	15.5		13	
	ENH4X48*21**	*9MV*1202422A**	44500	TDR&TXV	15.5		12.7	
	ENH4X48*21**	*9MA*0802120A**	44000	TDR&TXV	15.5		13	
	ENH4X48*21**	*9MA*1002122A**	44500	TDR&TXV	15.5		13	
	ENH4X48*21**	*9MA*1202422A**	42000	TDR&TXV	15.5		12.7	
	ENH4X48*21**	*9MA*0602120A**	44000	TDR&TXV	15		12.7	
	ENH4X48*21**	NOMV156E19*	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MVX080	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MVX080	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MVX100	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MVX100	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MX*1002116A**	44500	TDR&TXV	15.2		12.5	
	ENH4X48*21**	*9MV*1002116A**	44500	TDR&TXV	15.2		12.5	
	ENH4X48*21**	*9MA*1002120A**	42000	TDR&TXV	15.5		12.7	
	ENH4X48*21**	OLV112A16A	44500	TDR&TXV	14		12	
	ENH4X48*21**	OLV154F20A	45000	TDR&TXV	14.5		12	
	ENH4X48*21**		45000	TXV		14.5	12	
	ENH4X48*21**	*8MPV100	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*8MPV125	45000	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MPV100	44500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MPV125	44500	TDR&TXV	15		12.5	
	ENH4X48*21**	MV16J22**B*	45000	TDR&TXV	16		13	
	ENH4X48*21**	MV20L24**B*	45000	TDR&TXV	16		13	
	ENH4X48*21**	*9MPV100	44500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MPV125	44500	TDR&TXV	15		12.5	
	ENH4X60*24**	*8MX*0701716**	45500	TDR&TXV	14.5		12	
	ENH4X60*24**	*8MX*0902116**	45500	TDR&TXV	15		12.5	
	ENH4X60*24**	*8MX*1102120**	45500	TDR&TXV	16		13	
	ENH4X60*24**	*8MX*1352420**	45500	TDR&TXV	15.5		12.5	
	ENH4X60*24**	*8MV*0901716**	45500	TDR&TXV	15.5		12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	ENH4X60*24**	*8MV*1102120**	45500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*8MV*1352422**	45500	TDR&TXV	16			13
	ENH4X60*24**	*9MX*0801716A**	45000	TDR&TXV	15.2			12.5
	ENH4X60*24**	*9MX*0802120A**	45000	TDR&TXV	16			13
	ENH4X60*24**	*9MX*1002120A**	45000	TDR&TXV	16			13
	ENH4X60*24**	*9MX*1202422A**	45500	TDR&TXV	16			13
	ENH4X60*24**	*9MV*0801716A**	45000	TDR&TXV	15.2			12.5
	ENH4X60*24**	*9MV*0802120A**	45000	TDR&TXV	16			13
	ENH4X60*24**	*9MV*1002120A**	45000	TDR&TXV	16			13
	ENH4X60*24**	*9MV*1202422A**	45000	TDR&TXV	16			13
	ENH4X60*24**	*9MA*0802120A**	44500	TDR&TXV	16			13
	ENH4X60*24**	*9MA*1002122A**	45000	TDR&TXV	16			13
	ENH4X60*24**	*9MA*1202422A**	44500	TDR&TXV	16			13
	ENH4X60*24**	*9MA*0602120A**	44500	TDR&TXV	15.5			12.7
	ENH4X60*24**	NOMV156E19*	45500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*9MVX080	45500	TDR&TXV	15			12.5
	ENH4X60*24**	*9MVX080	45500	TDR&TXV	15			12.5
	ENH4X60*24**	*9MVX100	45500	TDR&TXV	15			12.5
	ENH4X60*24**	*9MVX100	45500	TDR&TXV	15			12.5
	ENH4X60*24**	*9MX*1002116A**	45000	TDR&TXV	15.5			12.7
	ENH4X60*24**	*9MV*1002116A**	45000	TDR&TXV	15.5			12.7
	ENH4X60*24**	*9MA*1002120A**	44500	TDR&TXV	15.5			12.7
	ENH4X60*24**	OLV112A16A	45000	TDR&TXV	14.5			12
	ENH4X60*24**	OLV154F20A	46000	TDR&TXV	15			12.5
	ENH4X60*24**		45500	TXV		14.5		12
	ENH4X60*24**	*8MPV100	45500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*8MPV125	45500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*9MPV100	45500	TDR&TXV	15			12.5
	ENH4X60*24**	*9MPV125	45500	TDR&TXV	15			12.5
	ENH4X60*24**	MV16J22**B*	45500	TDR&TXV	16			13
	ENH4X60*24**	MV20L24**B*	45500	TDR&TXV	16			13
	ENH4X60*24**	*9MPV100	45500	TDR&TXV	15			12.5
	ENH4X60*24**	*9MPV125	45500	TDR&TXV	15			12.5
	ENH4X61*24**	*8MX*0701716**	45500	TDR&TXV	14.5			12
	ENH4X61*24**	*8MX*0902116**	45500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*8MX*1102120**	45500	TDR&TXV	16			13
	ENH4X61*24**	*8MX*1352420**	45500	TDR&TXV	15.95			13
	ENH4X61*24**	*8MV*0901716**	45500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*8MV*1102120**	45500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*8MV*1352422**	45500	TDR&TXV	16			13
	ENH4X61*24**	*9MX*0802120A**	45500	TDR&TXV	16			13
	ENH4X61*24**	*9MX*1002120A**	45500	TDR&TXV	16			13
	ENH4X61*24**	*9MX*1202422A**	45500	TDR&TXV	16			13
	ENH4X61*24**	*9MV*0801716A**	44500	TDR&TXV	15.5			12.7
	ENH4X61*24**	*9MV*0802120A**	45000	TDR&TXV	16			13
	ENH4X61*24**	*9MV*1002120A**	45500	TDR&TXV	16			13
	ENH4X61*24**	*9MV*1202422A**	45500	TDR&TXV	16			13
	ENH4X61*24**	*9MA*0802120A**	45000	TDR&TXV	16			13
ENH4X61*24**	*9MA*1002122A**	45500	TDR&TXV	16			13.2	
ENH4X61*24**	*9MA*1202422A**	45000	TDR&TXV	16			13	
ENH4X61*24**	*9MA*0602120A**	44500	TDR&TXV	15.5			12.7	
ENH4X61*24**	NOMV156E19*	45500	TDR&TXV	15.5			12.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA648GKA	ENH4X61*24**	*9MVX080	45500	TDR&TXV	15			12.5
	ENH4X61*24**	*9MVX080	45500	TDR&TXV	15			12.5
	ENH4X61*24**	*9MVX100	45500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*9MVX100	45500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*9MX*1002116A**	45000	TDR&TXV	15.5			12.7
	ENH4X61*24**	*9MV*1002116A**	45000	TDR&TXV	15.5			12.7
	ENH4X61*24**	*9MA*1002120A**	45000	TDR&TXV	15.5			12.7
	ENH4X61*24**	OLV112A16A	45000	TDR&TXV	14.5			12
	ENH4X61*24**	OLV154F20A	46000	TDR&TXV	15			12.5
	ENH4X61*24**		45500	TXV		14.5		12
	ENH4X61*24**	*8MPV100	45000	TDR&TXV	15.5			12.5
	ENH4X61*24**	*8MPV125	45500	TDR&TXV	15.95			13
	ENH4X61*24**	*9MPV100	45500	TDR&TXV	15			12.5
	ENH4X61*24**	*9MPV125	45500	TDR&TXV	15			12.5
	ENH4X61*24**	MV16J22**B*	45500	TDR&TXV	16			13
	ENH4X61*24**	MV20L24**B*	45500	TDR&TXV	16			13
	ENH4X61*24**	*9MPV100	45500	TDR&TXV	15			12.5
	ENH4X61*24**	*9MPV125	45500	TDR&TXV	15			12.5

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
 New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					EER
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	*ED*4X60L**		48000	TXV		14		11.5
	FEM4P48**A*		47500	TDR	14		14	12
	FEM4P60**A*		48000	TDR	14		14	12
	FEM4X48****		48500	TDR&TXV	14.5			12
	FEM4X60****		49000	TDR&TXV	15			12.5
	FEM4X60**B*		48000	TDR&TXV	14.5			12
	FS(M,U)4P48**A*		48500	TDR	14		14	11.5
	FS(M,U)4X48****		48000	TDR&TXV	14			11.5
	FS(M,U)4X60**A*		48500	TDR&TXV	14			11.5
	FVM4X48****		48000	TDR&TXV	15			12.5
	FVM4X60****		48500	TDR&TXV	15			12.5
	FXM4X48**A*		48500	TDR&TXV	15			12.5
	FXM4X60**A*		49000	TDR&TXV	15			12.5
	EA*4X48*17A*	*8MV*0901716**	47000	TDR&TXV	14.5			12
	EA*4X48*17A*		47000	TXV			14	11.5
	EA*4X48*21A*	*8MX*0902116**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*8MX*1102120**	47000	TDR&TXV	14.5			12.2
	EA*4X48*21A*	*8MV*0901716**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*8MV*1102120**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MX*0802120A**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MX*1002120A**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MV*0801716A**	46000	TDR&TXV	14.2			11.8
	EA*4X48*21A*	*9MV*0802120A**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MV*1002120A**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MA*0802120A**	46500	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MA*1002122A**	47000	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MA*0602120A**	46500	TDR&TXV	14			11.7
	EA*4X48*21A*	*9MX*1002116A**	46500	TDR&TXV	14.2			11.8
	EA*4X48*21A*	*9MV*1002116A**	47000	TDR&TXV	14.2			11.8
	EA*4X48*21A*	*9MA*1002120A**	46500	TDR&TXV	14.2			11.8
	EA*4X48*21A*		47500	TXV			13.7	11.5
	EA*4X48*24A*	*8MX*0902116**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*8MX*1102120**	47000	TDR&TXV	15			12.2
	EA*4X48*24A*	*8MX*1352420**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*8MV*1102120**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*8MV*1352422**	47000	TDR&TXV	14.5			12.2
	EA*4X48*24A*	*9MX*0802120A**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MX*1002120A**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MX*1202422A**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MV*0802120A**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MV*1002120A**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MV*1202422A**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MA*0802120A**	46500	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MA*1002122A**	47000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MA*1202422A**	46500	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MA*0602120A**	46500	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MX*1002116A**	47000	TDR&TXV	14.2			11.8
	EA*4X48*24A*	*9MV*1002116A**	47000	TDR&TXV	14.2			11.8
	EA*4X48*24A*	*9MA*1002120A**	46500	TDR&TXV	14.5			12

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	EA*4X48*24A*		47500	TXV		13.7		11.5
	EA*4X60*21A*	*8MX*0902116**	48000	TDR&TXV	15			12.2
	EA*4X60*21A*	*8MX*1102120**	48000	TDR&TXV	15			12.5
	EA*4X60*21A*	*8MV*0901716**	47500	TDR&TXV	14.5			12.2
	EA*4X60*21A*	*8MV*1102120**	48000	TDR&TXV	15			12.2
	EA*4X60*21A*	*9MX*0802120A**	48000	TDR&TXV	14.5			12.2
	EA*4X60*21A*	*9MX*1002120A**	48000	TDR&TXV	14.5			12.2
	EA*4X60*21A*	*9MV*0801716A**	47000	TDR&TXV	14.5			12
	EA*4X60*21A*	*9MV*0802120A**	48000	TDR&TXV	14.5			12.2
	EA*4X60*21A*	*9MV*1002120A**	48000	TDR&TXV	15			12.2
	EA*4X60*21A*	*9MA*0802120A**	47500	TDR&TXV	14.5			12.2
	EA*4X60*21A*	*9MA*1002122A**	48000	TDR&TXV	15			12.2
	EA*4X60*21A*	*9MA*0602120A**	47000	TDR&TXV	14.5			12
	EA*4X60*21A*	*9MX*1002116A**	47500	TDR&TXV	14.5			12
	EA*4X60*21A*	*9MV*1002116A**	48000	TDR&TXV	14.5			12
	EA*4X60*21A*	*9MA*1002120A**	47500	TDR&TXV	14.5			12
	EA*4X60*21A*		48000	TXV		14		11.7
	EA*4X60*24A*	*8MX*0902116**	48000	TDR&TXV	15			12.2
	EA*4X60*24A*	*8MX*1102120**	48000	TDR&TXV	15			12.5
	EA*4X60*24A*	*8MX*1352420**	48000	TDR&TXV	15			12.2
	EA*4X60*24A*	*8MV*1102120**	48000	TDR&TXV	15			12.2
	EA*4X60*24A*	*8MV*1352422**	48000	TDR&TXV	15			12.2
	EA*4X60*24A*	*9MX*0802120A**	48000	TDR&TXV	14.5			12.2
	EA*4X60*24A*	*9MX*1002120A**	48000	TDR&TXV	15			12.2
	EA*4X60*24A*	*9MX*1202422A**	48000	TDR&TXV	15			12.5
	EA*4X60*24A*	*9MV*0802120A**	48000	TDR&TXV	14.5			12.2
	EA*4X60*24A*	*9MV*1002120A**	48000	TDR&TXV	15			12.2
	EA*4X60*24A*	*9MV*1202422A**	48000	TDR&TXV	15			12.5
	EA*4X60*24A*	*9MA*0802120A**	47500	TDR&TXV	15			12.2
	EA*4X60*24A*	*9MA*1002122A**	48000	TDR&TXV	15			12.2
	EA*4X60*24A*	*9MA*1202422A**	47500	TDR&TXV	15.2			12.5
	EA*4X60*24A*	*9MA*0602120A**	47000	TDR&TXV	14.5			12
	EA*4X60*24A*	*9MX*1002116A**	47500	TDR&TXV	14.5			12
	EA*4X60*24A*	*9MV*1002116A**	48000	TDR&TXV	14.5			12
	EA*4X60*24A*	*9MA*1002120A**	47500	TDR&TXV	14.5			12
	EA*4X60*24A*		48000	TXV		14		11.7
	ED*4X48F**	*9MX*0802120A**	47500	TDR&TXV	14.5			12
	ED*4X48F**	*9MX*1002120A**	47000	TDR&TXV	14.5			12
	ED*4X48F**	*9MV*0802120A**	47000	TDR&TXV	14.5			12
	ED*4X48F**	*9MV*1002120A**	47000	TDR&TXV	14.5			12
	ED*4X48F**	*9MA*0802120A**	47000	TDR&TXV	14.5			12
	ED*4X48F**	*9MA*1002122A**	47500	TDR&TXV	14.5			12
	ED*4X48F**	*9MA*0602120A**	46500	TDR&TXV	14.5			12
	ED*4X48F**	*9MX*1002116A**	47000	TDR&TXV	14.2			11.8
	ED*4X48F**	*9MV*1002116A**	47000	TDR&TXV	14.2			11.8
	ED*4X48F**	*9MA*1002120A**	47000	TDR&TXV	14.5			12
	ED*4X48F**	OLV112A16A	47000	TDR&TXV	13.5			11.5
	ED*4X48F**		47500	TXV		14		11.5
ED*4X48J**	*9MX*0802120A**	47000	TDR&TXV	14.5			12	
ED*4X48J**	*9MX*1002120A**	47000	TDR&TXV	14.5			12	
ED*4X48J**	*9MX*1202422A**	47000	TDR&TXV	14.5			12	
ED*4X48J**	*9MV*0802120A**	47000	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	ED*4X48J**	*9MV*1002120A**	47000	TDR&TXV	14.5			12
	ED*4X48J**	*9MV*1202422A**	47000	TDR&TXV	14.5			12
	ED*4X48J**	*9MA*0802120A**	46500	TDR&TXV	14.5			12
	ED*4X48J**	*9MA*1002122A**	47000	TDR&TXV	14.5			12
	ED*4X48J**	*9MA*1202422A**	46500	TDR&TXV	14.5			12
	ED*4X48J**	*9MA*0602120A**	46500	TDR&TXV	14			11.7
	ED*4X48J**	*9MVX080	47500	TDR&TXV	14			11.5
	ED*4X48J**	*9MX*1002116A**	46500	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MV*1002116A**	47000	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MA*1002120A**	46500	TDR&TXV	14.2			11.8
	ED*4X48J**	OLV112A16A	47000	TDR&TXV	13.5			11.5
	ED*4X48J**		47500	TXV		14		11.5
	ED*4X48J**	*8MPV100	47500	TDR&TXV	14.5			12
	ED*4X48J**	*8MPV125	47500	TDR&TXV	14.5			12
	ED*4X48J**	*9MPV100	47500	TDR&TXV	14			11.5
	ED*4X48J**	MV16J22**B*	47500	TDR&TXV	15			12.5
	ED*4X48L**	*8MX*1352420**	47500	TDR&TXV	14.5			12
	ED*4X48L**	*8MV*1352422**	47500	TDR&TXV	14.5			12
	ED*4X48L**	*9MX*0802120A**	47000	TDR&TXV	14.5			12
	ED*4X48L**	*9MX*1002120A**	47000	TDR&TXV	14.5			12
	ED*4X48L**	*9MX*1202422A**	47000	TDR&TXV	14.5			12
	ED*4X48L**	*9MV*0802120A**	47000	TDR&TXV	14.5			12
	ED*4X48L**	*9MV*1002120A**	47000	TDR&TXV	14.5			12
	ED*4X48L**	*9MV*1202422A**	47000	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*0802120A**	46500	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*1002122A**	47000	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*1202422A**	46500	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*0602120A**	46500	TDR&TXV	14.5			12
	ED*4X48L**	*9MVX100	47500	TDR&TXV	14.5			12
	ED*4X48L**	*9MX*1002116A**	47000	TDR&TXV	14.2			11.8
	ED*4X48L**	*9MV*1002116A**	47000	TDR&TXV	14.2			11.8
	ED*4X48L**	*9MA*1002120A**	46500	TDR&TXV	14.5			12
	ED*4X48L**	OLV112A16A	47000	TDR&TXV	13.5			11.5
	ED*4X48L**	OLV154F20A	48000	TDR&TXV	14			11.5
	ED*4X48L**		47500	TXV		14		11.5
	ED*4X48L**	*9MPV125	47500	TDR&TXV	14.5			12
	ED*4X48L**	MV20L24**B*	47500	TDR&TXV	15			12.5
	ED*4X60J**	*9MX*0802120A**	48000	TDR&TXV	14.5			12.2
	ED*4X60J**	*9MX*1002120A**	48000	TDR&TXV	14.5			12.2
	ED*4X60J**	*9MX*1202422A**	48000	TDR&TXV	15			12.5
	ED*4X60J**	*9MV*0802120A**	48000	TDR&TXV	14.5			12.2
	ED*4X60J**	*9MV*1002120A**	48000	TDR&TXV	15			12.2
	ED*4X60J**	*9MV*1202422A**	48000	TDR&TXV	15			12.5
	ED*4X60J**	*9MA*0802120A**	47500	TDR&TXV	14.5			12.2
	ED*4X60J**	*9MA*1002122A**	48000	TDR&TXV	15			12.2
	ED*4X60J**	*9MA*1202422A**	47500	TDR&TXV	15			12.5
	ED*4X60J**	*9MA*0602120A**	47000	TDR&TXV	14.5			12
	ED*4X60J**	*9MVX080	48000	TDR&TXV	14.5			12
ED*4X60J**	*9MX*1002116A**	47500	TDR&TXV	14.5			12	
ED*4X60J**	*9MV*1002116A**	48000	TDR&TXV	14.5			12	
ED*4X60J**	*9MA*1002120A**	47500	TDR&TXV	14.5			12	
ED*4X60J**	OLV112A16A	48000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA649GKA	ED*4X60J**		48000	TXV		14		11.5
	ED*4X60J**	*8MPV100	48000	TDR&TXV	14.5			12
	ED*4X60J**	*8MPV125	48000	TDR&TXV	14.5			12
	ED*4X60J**	*9MPV100	48000	TDR&TXV	14.5			12
	ED*4X60J**	MV16J22**B*	48000	TDR&TXV	15			12.5
	ED*4X60L**	*8MX*1352420**	48000	TDR&TXV	15			12.5
	ED*4X60L**	*8MV*1352422**	48000	TDR&TXV	15			12.5
	ED*4X60L**	*9MX*0802120A**	48000	TDR&TXV	14.5			12.2
	ED*4X60L**	*9MX*1002120A**	48000	TDR&TXV	15			12.2
	ED*4X60L**	*9MX*1202422A**	48000	TDR&TXV	15			12.5
	ED*4X60L**	*9MV*0802120A**	48000	TDR&TXV	14.5			12.2
	ED*4X60L**	*9MV*1002120A**	48000	TDR&TXV	15			12.2
	ED*4X60L**	*9MV*1202422A**	48000	TDR&TXV	15			12.5
	ED*4X60L**	*9MA*0802120A**	47500	TDR&TXV	15			12.2
	ED*4X60L**	*9MA*1002122A**	48000	TDR&TXV	15			12.2
	ED*4X60L**	*9MA*1202422A**	47500	TDR&TXV	15.2			12.5
	ED*4X60L**	*9MA*0602120A**	47000	TDR&TXV	14.5			12
	ED*4X60L**	*9MVX100	48000	TDR&TXV	14.5			12
	ED*4X60L**	*9MX*1002116A**	47500	TDR&TXV	14.5			12
	ED*4X60L**	*9MV*1002116A**	48000	TDR&TXV	14.5			12
	ED*4X60L**	*9MA*1002120A**	47500	TDR&TXV	14.5			12
	ED*4X60L**	OLV112A16A	48000	TDR&TXV	14			11.5
	ED*4X60L**	OLV154F20A	48500	TDR&TXV	14.5			12
	ED*4X60L**	*9MPV125	48000	TDR&TXV	14.5			12
	ED*4X60L**	MV20L24**B*	48000	TDR&TXV	15			12.5
	EHD4X48A**	*8MX*0701716**	47500	TDR&TXV	13.5			11.5
	EHD4X48A**	*8MX*0902116**	48000	TDR&TXV	14.5			12
	EHD4X48A**	*8MX*1102120**	48000	TDR&TXV	14.5			12
	EHD4X48A**	*8MX*1352420**	48000	TDR&TXV	14.5			12
	EHD4X48A**	*8MV*0901716**	48000	TDR&TXV	14			11.5
	EHD4X48A**	*8MV*1102120**	48000	TDR&TXV	14.5			12
	EHD4X48A**	*8MV*1352422**	48000	TDR&TXV	14.5			12
	EHD4X48A**	*9MX*0802120A**	47500	TDR&TXV	14.5			12
	EHD4X48A**	*9MX*1002120A**	47500	TDR&TXV	14.5			12
	EHD4X48A**	*9MX*1202422A**	47500	TDR&TXV	14.5			12
	EHD4X48A**	*9MV*0801716A**	47000	TDR&TXV	14.5			12
	EHD4X48A**	*9MV*0802120A**	47500	TDR&TXV	14.5			12
	EHD4X48A**	*9MV*1002120A**	47500	TDR&TXV	14.5			12.2
	EHD4X48A**	*9MV*1202422A**	47500	TDR&TXV	14.5			12
	EHD4X48A**	*9MA*0802120A**	47000	TDR&TXV	14.5			12
	EHD4X48A**	*9MA*1002122A**	47500	TDR&TXV	14.5			12.2
	EHD4X48A**	*9MA*1202422A**	47000	TDR&TXV	14.5			12
	EHD4X48A**	*9MA*0602120A**	47000	TDR&TXV	14.5			12
	EHD4X48A**	NOMV156E19*	48000	TDR&TXV	14.5			12
	EHD4X48A**	*9MVX080	48000	TDR&TXV	14.5			12
EHD4X48A**	*9MVX100	48000	TDR&TXV	14.5			12	
EHD4X48A**	*9MX*1002116A**	47500	TDR&TXV	14.5			12	
EHD4X48A**	*9MV*1002116A**	47500	TDR&TXV	14.5			12	
EHD4X48A**	*9MA*1002120A**	47000	TDR&TXV	14.5			12	
EHD4X48A**	OLV112A16A	47500	TDR&TXV	13.5			11.5	
EHD4X48A**	OLV154F20A	48500	TDR&TXV	14			11.5	
EHD4X48A**		48000	TXV			14	11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA649GKA	EHD4X48A**	*8MPV100	48000	TDR&TXV	14.5			12
	EHD4X48A**	*8MPV125	48000	TDR&TXV	14.5			12
	EHD4X48A**	*9MPV100	48000	TDR&TXV	14.5			12
	EHD4X48A**	*9MPV125	48000	TDR&TXV	14.5			12
	EHD4X48A**	MV16J22**B*	48000	TDR&TXV	15			12.5
	EHD4X48A**	MV20L24**B*	48000	TDR&TXV	15			12.5
	EHD4X60A**	*8MX*0701716**	48500	TDR&TXV	14			11.5
	EHD4X60A**	*8MX*0902116**	48500	TDR&TXV	15			12.5
	EHD4X60A**	*8MX*1102120**	48500	TDR&TXV	15			12.5
	EHD4X60A**	*8MX*1352420**	48500	TDR&TXV	15			12.5
	EHD4X60A**	*8MV*0901716**	48500	TDR&TXV	14.5			12
	EHD4X60A**	*8MV*1102120**	48500	TDR&TXV	15			12.5
	EHD4X60A**	*8MV*1352422**	48500	TDR&TXV	15			12.5
	EHD4X60A**	*9MX*0801716A**	48000	TDR&TXV	14.5			12
	EHD4X60A**	*9MX*0802120A**	48500	TDR&TXV	15			12.2
	EHD4X60A**	*9MX*1002120A**	48500	TDR&TXV	15			12.2
	EHD4X60A**	*9MX*1202422A**	48000	TDR&TXV	15.2			12.5
	EHD4X60A**	*9MV*0801716A**	48000	TDR&TXV	14.5			12
	EHD4X60A**	*9MV*0802120A**	48000	TDR&TXV	15			12.2
	EHD4X60A**	*9MV*1002120A**	48500	TDR&TXV	15			12.2
	EHD4X60A**	*9MV*1202422A**	48000	TDR&TXV	15.2			12.5
	EHD4X60A**	*9MA*0802120A**	47500	TDR&TXV	15			12.2
	EHD4X60A**	*9MA*1002122A**	48000	TDR&TXV	15			12.5
	EHD4X60A**	*9MA*1202422A**	48000	TDR&TXV	15.2			12.5
	EHD4X60A**	*9MA*0602120A**	47500	TDR&TXV	14.5			12
	EHD4X60A**	NOMV156E19*	48500	TDR&TXV	15			12.5
	EHD4X60A**	*9MVX080	48500	TDR&TXV	14.5			12
	EHD4X60A**	*9MVX100	48500	TDR&TXV	14.5			12
	EHD4X60A**	*9MX*1002116A**	48000	TDR&TXV	14.5			12
	EHD4X60A**	*9MV*1002116A**	48000	TDR&TXV	14.5			12
	EHD4X60A**	*9MA*1002120A**	48000	TDR&TXV	15			12.4
	EHD4X60A**	OLV112A16A	48000	TDR&TXV	14			12
	EHD4X60A**	OLV154F20A	48500	TDR&TXV	14.5			12
	EHD4X60A**		48500	TXV			14	11.5
	EHD4X60A**	*8MPV100	48500	TDR&TXV	15			12.5
	EHD4X60A**	*8MPV125	48500	TDR&TXV	15			12.5
	EHD4X60A**	*9MPV100	48500	TDR&TXV	14.5			12
	EHD4X60A**	*9MPV125	48500	TDR&TXV	14.5			12
	EHD4X60A**	MV16J22**B*	48500	TDR&TXV	15.5			12.5
	EHD4X60A**	MV20L24**B*	48500	TDR&TXV	15.5			12.5
EMA4X48D**		46500	TXV			14	11.5	
EN(A,D)4X48*24**	*8MX*0902116**	47500	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*8MX*1102120**	47500	TDR&TXV	15			12.5	
EN(A,D)4X48*24**	*8MX*1352420**	47500	TDR&TXV	15			12.4	
EN(A,D)4X48*24**	*8MV*1102120**	47500	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*8MV*1352422**	47500	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*9MX*0802120A**	47500	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*9MX*1002120A**	47000	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*9MX*1202422A**	47500	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*9MV*0802120A**	47000	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*9MV*1002120A**	47000	TDR&TXV	14.5			12	
EN(A,D)4X48*24**	*9MV*1202422A**	47000	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	EN(A,D)4X48*24**	*9MA*0802120A**	46500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MA*1002122A**	47000	TDR&TXV	14.5		12.2	
	EN(A,D)4X48*24**	*9MA*1202422A**	47000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MA*0602120A**	46500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	NOMV156E19*	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MVX080	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MVX080	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MVX100	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MVX100	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MX*1002116A**	47000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MV*1002116A**	47000	TDR&TXV	14.2		11.8	
	EN(A,D)4X48*24**	*9MA*1002120A**	47000	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	OLV112A16A	47000	TDR&TXV	13.5		11.5	
	EN(A,D)4X48*24**	OLV154F20A	48000	TDR&TXV	14		11.5	
	EN(A,D)4X48*24**		47500	TXV		14	11.5	
	EN(A,D)4X48*24**	*8MPV100	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*8MPV125	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MPV100	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MPV125	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	MV16J22**B*	47500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	MV20L24**B*	47500	TDR&TXV	15		12.5	
	EN(A,D)4X48*24**	*9MPV100	47500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	*9MPV125	47500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*8MX*0902116**	48500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*8MX*1102120**	48500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*8MX*1352420**	48500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*8MV*1102120**	48500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*8MV*1352422**	48500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*9MX*0802120A**	48500	TDR&TXV	15		12.2	
	EN(A,D)4X61*24**	*9MX*1002120A**	48500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*9MX*1202422A**	48000	TDR&TXV	15.2		12.5	
	EN(A,D)4X61*24**	*9MV*0802120A**	48500	TDR&TXV	15		12.2	
	EN(A,D)4X61*24**	*9MV*1002120A**	48500	TDR&TXV	15.2		12.5	
	EN(A,D)4X61*24**	*9MV*1202422A**	48000	TDR&TXV	15.5		12.7	
	EN(A,D)4X61*24**	*9MA*0802120A**	48000	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*9MA*1002122A**	48500	TDR&TXV	15.2		12.5	
	EN(A,D)4X61*24**	*9MA*1202422A**	48000	TDR&TXV	15.2		12.5	
	EN(A,D)4X61*24**	*9MA*0602120A**	48000	TDR&TXV	14.5		12.2	
	EN(A,D)4X61*24**	NOMV156E19*	48500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*9MVX080	48500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*9MVX080	48500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*9MVX100	48500	TDR&TXV	15		12.5	
EN(A,D)4X61*24**	*9MVX100	48500	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*9MX*1002116A**	48000	TDR&TXV	14.5		12		
EN(A,D)4X61*24**	*9MV*1002116A**	48000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*9MA*1002120A**	48000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	OLV112A16A	48500	TDR&TXV	14		12		
EN(A,D)4X61*24**	OLV154F20A	48500	TDR&TXV	14.5		12		
EN(A,D)4X61*24**		48500	TXV		14.5	12		
EN(A,D)4X61*24**	*8MPV100	48500	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*8MPV125	48500	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*9MPV100	48500	TDR&TXV	14.5		12		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	EN(A,D)4X61*24**	*9MPV125	48500	TDR&TXV	15			12.5
	EN(A,D)4X61*24**	MV16J22**B*	48500	TDR&TXV	16			13
	EN(A,D)4X61*24**	MV20L24**B*	48500	TDR&TXV	16			13
	EN(A,D)4X61*24**	*9MPV100	48500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MPV125	48500	TDR&TXV	15			12.5
	EN(A,D,W)4X48*21**	*8MX*0701716**	47500	TDR&TXV	13.5			11.5
	EN(A,D,W)4X48*21**	*8MX*0902116**	47500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*8MX*1102120**	47500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*8MV*0901716**	47500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*8MV*1102120**	47500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MX*0801716A**	47000	TDR&TXV	14.2			11.8
	EN(A,D,W)4X48*21**	*9MX*0802120A**	47500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MX*1002120A**	47000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MV*0801716A**	47000	TDR&TXV	14.2			11.8
	EN(A,D,W)4X48*21**	*9MV*0802120A**	47000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MV*1002120A**	47000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MA*0802120A**	46500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MA*1002122A**	47000	TDR&TXV	14.5			12.2
	EN(A,D,W)4X48*21**	*9MA*0602120A**	46500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	NOMV156E19*	47500	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MVX080	47500	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MX*1002116A**	47000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*9MV*1002116A**	47000	TDR&TXV	14.2			11.8
	EN(A,D,W)4X48*21**	*9MA*1002120A**	47000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	OLV112A16A	47000	TDR&TXV	13.5			11.5
	EN(A,D,W)4X48*21**		47500	TXV		14		11.5
	EN(A,D,W)4X48*21**	*9MPV100	47500	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*8MX*0902116**	48000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*8MX*1102120**	48000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*8MX*1352420**	48000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*8MV*1102120**	48000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*8MV*1352422**	48000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MX*0802120A**	48000	TDR&TXV	14.5			12.2
	EN(A,D,W)4X60*24**	*9MX*1002120A**	48000	TDR&TXV	15			12.2
	EN(A,D,W)4X60*24**	*9MX*1202422A**	48000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MV*0802120A**	48000	TDR&TXV	14.5			12.2
	EN(A,D,W)4X60*24**	*9MV*1002120A**	48000	TDR&TXV	15			12.2
	EN(A,D,W)4X60*24**	*9MV*1202422A**	48000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MA*0802120A**	47500	TDR&TXV	15			12.2
	EN(A,D,W)4X60*24**	*9MA*1002122A**	48000	TDR&TXV	15			12.2
	EN(A,D,W)4X60*24**	*9MA*1202422A**	47500	TDR&TXV	15.2			12.5
	EN(A,D,W)4X60*24**	*9MA*0602120A**	47000	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	NOMV156E19*	48000	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX080	48500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX080	48500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX100	48000	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX100	48000	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MX*1002116A**	48000	TDR&TXV	14.5			12
EN(A,D,W)4X60*24**	*9MV*1002116A**	48000	TDR&TXV	14.5			12	
EN(A,D,W)4X60*24**	*9MA*1002120A**	47500	TDR&TXV	14.5			12	
EN(A,D,W)4X60*24**	OLV112A16A	48000	TDR&TXV	14			11.5	
EN(A,D,W)4X60*24**	OLV154F20A	48500	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	EN(A,D,W)4X60*24**		48000	TXV		14	11.5	
	EN(A,D,W)4X60*24**	*8MPV100	48000	TDR&TXV	14.5		12	
	EN(A,D,W)4X60*24**	*8MPV125	48000	TDR&TXV	15		12.5	
	EN(A,D,W)4X60*24**	*9MPV100	48000	TDR&TXV	14.5		12	
	EN(A,D,W)4X60*24**	*9MPV125	48000	TDR&TXV	14.5		12	
	EN(A,D,W)4X60*24**	MV16J22**B*	48000	TDR&TXV	15		12.5	
	EN(A,D,W)4X60*24**	MV20L24**B*	48000	TDR&TXV	15		12.5	
	EN(A,D,W)4X60*24**	*9MPV100	48000	TDR&TXV	14.5		12	
	EN(A,D,W)4X60*24**	*9MPV125	48000	TDR&TXV	14.5		12	
	ENH4X48*21**	*8MX*0701716**	47500	TDR&TXV	13.5		11.5	
	ENH4X48*21**	*8MX*0902116**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*8MX*1102120**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*8MX*1352420**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*8MV*0901716**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*8MV*1102120**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*8MV*1352422**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MX*0801716A**	47000	TDR&TXV	14.2		11.8	
	ENH4X48*21**	*9MX*0802120A**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MX*1002120A**	47000	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MX*1202422A**	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MV*0801716A**	47000	TDR&TXV	14.2		11.8	
	ENH4X48*21**	*9MV*0802120A**	47000	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MV*1002120A**	47000	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MV*1202422A**	47000	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MA*0802120A**	46500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MA*1002122A**	47000	TDR&TXV	14.5		12.2	
	ENH4X48*21**	*9MA*1202422A**	47000	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MA*0602120A**	46500	TDR&TXV	14.5		12	
	ENH4X48*21**	NOMV156E19*	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MVX080	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MVX080	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MVX100	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MVX100	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MX*1002116A**	47000	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MV*1002116A**	47000	TDR&TXV	14.2		11.8	
	ENH4X48*21**	*9MA*1002120A**	47000	TDR&TXV	14.5		12	
	ENH4X48*21**	OLV112A16A	47000	TDR&TXV	13.5		11.5	
	ENH4X48*21**	OLV154F20A	48000	TDR&TXV	14		11.5	
	ENH4X48*21**		47500	TXV		14	11.5	
	ENH4X48*21**	*8MPV100	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*8MPV125	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	*9MPV100	47500	TDR&TXV	14		11.5	
	ENH4X48*21**	*9MPV125	47500	TDR&TXV	14.5		12	
	ENH4X48*21**	MV16J22**B*	47500	TDR&TXV	15		12.5	
	ENH4X48*21**	MV20L24**B*	47500	TDR&TXV	15		12.5	
	ENH4X48*21**	*9MPV100	47500	TDR&TXV	14		11.5	
	ENH4X48*21**	*9MPV125	47500	TDR&TXV	14.5		12	
	ENH4X60*24**	*8MX*0701716**	48000	TDR&TXV	14		11.5	
	ENH4X60*24**	*8MX*0902116**	48000	TDR&TXV	15		12.5	
	ENH4X60*24**	*8MX*1102120**	48000	TDR&TXV	15		12.5	
ENH4X60*24**	*8MX*1352420**	48000	TDR&TXV	15		12.5		
ENH4X60*24**	*8MV*0901716**	48000	TDR&TXV	14.5		12		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	ENH4X60*24**	*8MV*1102120**	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*8MV*1352422**	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MX*0801716A**	47500	TDR&TXV	14.5			12
	ENH4X60*24**	*9MX*0802120A**	48000	TDR&TXV	14.5			12.2
	ENH4X60*24**	*9MX*1002120A**	48000	TDR&TXV	15			12.2
	ENH4X60*24**	*9MX*1202422A**	48000	TDR&TXV	15			12.5
	ENH4X60*24**	*9MV*0801716A**	47500	TDR&TXV	14.5			12
	ENH4X60*24**	*9MV*0802120A**	48000	TDR&TXV	14.5			12.2
	ENH4X60*24**	*9MV*1002120A**	48000	TDR&TXV	15			12.2
	ENH4X60*24**	*9MV*1202422A**	48000	TDR&TXV	15			12.5
	ENH4X60*24**	*9MA*0802120A**	47500	TDR&TXV	15			12.2
	ENH4X60*24**	*9MA*1002122A**	48000	TDR&TXV	15			12.2
	ENH4X60*24**	*9MA*1202422A**	47500	TDR&TXV	15.2			12.5
	ENH4X60*24**	*9MA*0602120A**	47000	TDR&TXV	14.5			12
	ENH4X60*24**	NOMV156E19*	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MVX080	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MVX080	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MVX100	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MVX100	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MX*1002116A**	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MV*1002116A**	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MA*1002120A**	47500	TDR&TXV	14.5			12
	ENH4X60*24**	OLV112A16A	48000	TDR&TXV	14			11.5
	ENH4X60*24**	OLV154F20A	48500	TDR&TXV	14.5			12
	ENH4X60*24**		48000	TXV		14		11.5
	ENH4X60*24**	*8MPV100	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*8MPV125	48000	TDR&TXV	15			12.5
	ENH4X60*24**	*9MPV100	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MPV125	48000	TDR&TXV	14.5			12
	ENH4X60*24**	MV16J22**B*	48000	TDR&TXV	15			12.5
	ENH4X60*24**	MV20L24**B*	48000	TDR&TXV	15			12.5
	ENH4X60*24**	*9MPV100	48000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MPV125	48000	TDR&TXV	14.5			12
	ENH4X61*24**	*8MX*0701716**	48500	TDR&TXV	14			11.5
	ENH4X61*24**	*8MX*0902116**	48500	TDR&TXV	15			12.5
	ENH4X61*24**	*8MX*1102120**	48500	TDR&TXV	15			12.5
	ENH4X61*24**	*8MX*1352420**	48500	TDR&TXV	15			12.5
	ENH4X61*24**	*8MV*0901716**	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*8MV*1102120**	48500	TDR&TXV	15			12
	ENH4X61*24**	*8MV*1352422**	48500	TDR&TXV	15			12
	ENH4X61*24**	*9MX*0802120A**	48000	TDR&TXV	14.5			12.2
	ENH4X61*24**	*9MX*1002120A**	48000	TDR&TXV	15			12.2
	ENH4X61*24**	*9MX*1202422A**	48000	TDR&TXV	15			12.5
	ENH4X61*24**	*9MV*0801716A**	47500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MV*0802120A**	48000	TDR&TXV	14.5			12.2
	ENH4X61*24**	*9MV*1002120A**	48000	TDR&TXV	15			12.2
	ENH4X61*24**	*9MV*1202422A**	48000	TDR&TXV	15			12.5
	ENH4X61*24**	*9MA*0802120A**	47500	TDR&TXV	15			12.2
ENH4X61*24**	*9MA*1002122A**	48000	TDR&TXV	15			12.2	
ENH4X61*24**	*9MA*1202422A**	47500	TDR&TXV	15.2			12.5	
ENH4X61*24**	*9MA*0602120A**	47500	TDR&TXV	14.5			12	
ENH4X61*24**	NOMV156E19*	48500	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA649GKA	ENH4X61*24**	*9MVX080	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MVX080	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MVX100	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MVX100	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MX*1002116A**	48000	TDR&TXV	14.5			12
	ENH4X61*24**	*9MV*1002116A**	47500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MA*1002120A**	47500	TDR&TXV	14.5			12
	ENH4X61*24**	OLV112A16A	48000	TDR&TXV	14			11.5
	ENH4X61*24**	OLV154F20A	48500	TDR&TXV	14.5			12
	ENH4X61*24**		48500	TXV		14		11.5
	ENH4X61*24**	*8MPV100	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*8MPV125	48500	TDR&TXV	15			12
	ENH4X61*24**	*9MPV100	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MPV125	48500	TDR&TXV	14.5			12
	ENH4X61*24**	MV16J22**B*	48500	TDR&TXV	15			12.5
	ENH4X61*24**	MV20L24**B*	48500	TDR&TXV	15			12.5
	ENH4X61*24**	*9MPV100	48500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MPV125	48500	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
 New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA660GKA	*EN(A,D)4X61*24**		56000	TXV		14.5		12
	FEM4P60**A*		54500	TDR&TXV	14.5			12
	FEM4X60****		55500	TDR&TXV	16			13
	FEM4X60**B*		54500	TDR&TXV	14.5			12
	FS(M,U)4X60**A*		55000	TDR&TXV	14.5			12
	FVM4X60****		55000	TDR&TXV	16			13
	FXM4X60**A*		55500	TDR&TXV	16			13
	EA*4X60*21A*	*8MX*1102120**	54000	TDR&TXV	15.5			13
	EA*4X60*21A*	*8MV*1102120**	54000	TDR&TXV	15.2			13
	EA*4X60*21A*	*9MX*0802120A**	53500	TDR&TXV	15.2			13.2
	EA*4X60*21A*	*9MV*1002120A**	54000	TDR&TXV	15.2			13
	EA*4X60*21A*	*9MA*1002122A**	54000	TDR&TXV	15.5			13.2
	EA*4X60*21A*		54000	TXV		15		13
	EA*4X60*24A*	*8MX*1102120**	54000	TDR&TXV	15.5			13
	EA*4X60*24A*	*8MX*1352420**	54000	TDR&TXV	15.5			13
	EA*4X60*24A*	*8MV*1102120**	54000	TDR&TXV	15.2			13
	EA*4X60*24A*	*8MV*1352422**	54000	TDR&TXV	15.5			13
	EA*4X60*24A*	*9MX*0802120A**	54000	TDR&TXV	15.5			13.2
	EA*4X60*24A*	*9MX*1002120A**	54000	TDR&TXV	15.2			13
	EA*4X60*24A*	*9MX*1202422A**	54000	TDR&TXV	15.5			12.7
	EA*4X60*24A*	*9MV*1002120A**	54000	TDR&TXV	15.2			13
	EA*4X60*24A*	*9MV*1202422A**	54000	TDR&TXV	15.5			12.7
	EA*4X60*24A*	*9MA*0802120A**	53500	TDR&TXV	15.2			13
	EA*4X60*24A*	*9MA*1002122A**	54000	TDR&TXV	15.5			13.2
	EA*4X60*24A*	*9MA*1202422A**	54000	TDR&TXV	15.5			12.7
	EA*4X60*24A*		55000	TXV		14.5		12.7
	ED*4X60J**	*9MX*0802120A**	53500	TDR&TXV	15.2			13.2
	ED*4X60J**	*9MX*1202422A**	54000	TDR&TXV	15.5			12.7
	ED*4X60J**	*9MV*1002120A**	54000	TDR&TXV	15.2			13
	ED*4X60J**	*9MV*1202422A**	53500	TDR&TXV	15.5			12.7
	ED*4X60J**	*9MA*1002122A**	54000	TDR&TXV	15.2			13.2
	ED*4X60J**	*9MA*1202422A**	54000	TDR&TXV	15.5			12.7
	ED*4X60J**	*9MVX080	54500	TDR&TXV	14.5			12
	ED*4X60J**		54500	TXV		14.5		12
	ED*4X60J**	*8MPV100	54500	TDR&TXV	14.5			12
	ED*4X60J**	*8MPV125	54500	TDR&TXV	14.5			12
	ED*4X60J**	*9MPV100	54500	TDR&TXV	14.5			12
	ED*4X60J**	MV16J22**B*	54500	TDR&TXV	16			13
	ED*4X60L**	*8MX*1352420**	54500	TDR&TXV	15.5			12.5
	ED*4X60L**	*8MV*1352422**	54500	TDR&TXV	15.5			12.5
	ED*4X60L**	*9MX*0802120A**	54000	TDR&TXV	15.2			13.2
	ED*4X60L**	*9MX*1002120A**	54000	TDR&TXV	15			13
	ED*4X60L**	*9MX*1202422A**	54000	TDR&TXV	15.5			12.7
	ED*4X60L**	*9MV*1002120A**	54000	TDR&TXV	15.2			13
	ED*4X60L**	*9MV*1202422A**	54000	TDR&TXV	15.5			12.7
ED*4X60L**	*9MA*0802120A**	53500	TDR&TXV	15.2			13	
ED*4X60L**	*9MA*1002122A**	54000	TDR&TXV	15.5			13.2	
ED*4X60L**	*9MA*1202422A**	54000	TDR&TXV	15.5			12.7	
ED*4X60L**	*9MVX100	54500	TDR&TXV	15			12.5	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA660GKA	ED*4X60L**	OLV154F20A	54500	TDR&TXV	14		12	
	ED*4X60L**		54500	TXV		14.5	12	
	ED*4X60L**	*9MPV125	54500	TDR&TXV	14.5		12	
	ED*4X60L**	MV20L24**B*	55000	TDR&TXV	16		13	
	EHD4X60A**	*8MX*1102120**	54500	TDR&TXV	16		13	
	EHD4X60A**	*8MX*1352420**	54500	TDR&TXV	15.5		12.5	
	EHD4X60A**	*8MV*1102120**	54500	TDR&TXV	15.5		12.5	
	EHD4X60A**	*8MV*1352422**	54500	TDR&TXV	16		13	
	EHD4X60A**	*9MX*0802120A**	54000	TDR&TXV	15.5		13.2	
	EHD4X60A**	*9MX*1002120A**	54500	TDR&TXV	15.5		13.2	
	EHD4X60A**	*9MX*1202422A**	54500	TDR&TXV	15.5		12.7	
	EHD4X60A**	*9MV*1002120A**	54500	TDR&TXV	15.2		13.2	
	EHD4X60A**	*9MV*1202422A**	54000	TDR&TXV	15.5		12.7	
	EHD4X60A**	*9MA*0802120A**	54000	TDR&TXV	15.5		13.2	
	EHD4X60A**	*9MA*1002122A**	54500	TDR&TXV	15.5		13	
	EHD4X60A**	*9MA*1202422A**	54000	TDR&TXV	15.5		12.7	
	EHD4X60A**	NOMV156E19*	54500	TDR&TXV	15		12.5	
	EHD4X60A**	*9MVX080	54500	TDR&TXV	14.5		12	
	EHD4X60A**	*9MVX100	54500	TDR&TXV	15		12.5	
	EHD4X60A**	OLV154F20A	55000	TDR&TXV	14		12	
	EHD4X60A**		54500	TXV		14.5	12	
	EHD4X60A**	*8MPV100	54500	TDR&TXV	15		12.5	
	EHD4X60A**	*8MPV125	54500	TDR&TXV	15		12.5	
	EHD4X60A**	*9MPV100	54500	TDR&TXV	14.5		12	
	EHD4X60A**	*9MPV125	54500	TDR&TXV	14.5		12	
	EHD4X60A**	MV16J22**B*	54500	TDR&TXV	16		13	
	EHD4X60A**	MV20L24**B*	54500	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*8MX*1102120**	55000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*8MX*1352420**	55000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*8MV*1102120**	55000	TDR&TXV	15.5		12.5	
	EN(A,D)4X61*24**	*8MV*1352422**	55000	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*9MX*0802120A**	54500	TDR&TXV	15.5		13	
	EN(A,D)4X61*24**	*9MX*1002120A**	55000	TDR&TXV	15.5		13.2	
	EN(A,D)4X61*24**	*9MX*1202422A**	54500	TDR&TXV	15.5		12.7	
	EN(A,D)4X61*24**	*9MV*0802120A**	54500	TDR&TXV	15.5		13.5	
	EN(A,D)4X61*24**	*9MV*1002120A**	54500	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*9MV*1202422A**	54500	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*9MA*0802120A**	54500	TDR&TXV	15.5		13	
	EN(A,D)4X61*24**	*9MA*1002122A**	54500	TDR&TXV	16		13	
	EN(A,D)4X61*24**	*9MA*1202422A**	54500	TDR&TXV	15.5		12.7	
EN(A,D)4X61*24**	NOMV156E19*	55000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*9MVX080	55500	TDR&TXV	14.5		12		
EN(A,D)4X61*24**	*9MVX080	55500	TDR&TXV	14.5		12		
EN(A,D)4X61*24**	*9MVX100	55000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*9MVX100	55000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	OLV154F20A	55000	TDR&TXV	14		12		
EN(A,D)4X61*24**	*8MPV100	55000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*8MPV125	55000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*9MPV100	55000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	*9MPV125	55000	TDR&TXV	15		12.5		
EN(A,D)4X61*24**	MV16J22**B*	55000	TDR&TXV	16		13		
EN(A,D)4X61*24**	MV20L24**B*	55000	TDR&TXV	16		13		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA660GKA	EN(A,D)4X61*24**	*9MPV100	55000	TDR&TXV	15			12.5
	EN(A,D)4X61*24**	*9MPV125	55000	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*8MX*1102120**	54500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*8MX*1352420**	54500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*8MV*1102120**	54500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*8MV*1352422**	54500	TDR&TXV	15.5			12.5
	EN(A,D,W)4X60*24**	*9MX*0802120A**	54000	TDR&TXV	15.5			13.2
	EN(A,D,W)4X60*24**	*9MX*1002120A**	54000	TDR&TXV	15.2			13
	EN(A,D,W)4X60*24**	*9MX*1202422A**	54000	TDR&TXV	15.5			12.7
	EN(A,D,W)4X60*24**	*9MV*1002120A**	54000	TDR&TXV	15.2			13.2
	EN(A,D,W)4X60*24**	*9MV*1202422A**	54000	TDR&TXV	15.5			12.7
	EN(A,D,W)4X60*24**	*9MA*0802120A**	53500	TDR&TXV	15.5			13.2
	EN(A,D,W)4X60*24**	*9MA*1002122A**	54000	TDR&TXV	15.5			13.2
	EN(A,D,W)4X60*24**	*9MA*1202422A**	54000	TDR&TXV	15.5			12.7
	EN(A,D,W)4X60*24**	NOMV156E19*	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX080	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX080	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX100	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MVX100	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	OLV154F20A	54500	TDR&TXV	14			12
	EN(A,D,W)4X60*24**		54500	TXV		14.5		12
	EN(A,D,W)4X60*24**	*8MPV100	54500	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*8MPV125	54500	TDR&TXV	15			12.5
	EN(A,D,W)4X60*24**	*9MPV100	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MPV125	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	MV16J22**B*	54500	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	MV20L24**B*	54500	TDR&TXV	16			13
	EN(A,D,W)4X60*24**	*9MPV100	54500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MPV125	54500	TDR&TXV	14.5			12
	ENH4X60*24**	*8MX*1102120**	54500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*8MX*1352420**	54500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*8MV*1102120**	54500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*8MV*1352422**	54500	TDR&TXV	15.5			12.5
	ENH4X60*24**	*9MX*0802120A**	54000	TDR&TXV	15.5			13.2
	ENH4X60*24**	*9MX*1002120A**	54000	TDR&TXV	15.2			13
	ENH4X60*24**	*9MX*1202422A**	54000	TDR&TXV	15.5			12.7
	ENH4X60*24**	*9MV*1002120A**	54000	TDR&TXV	15.2			13.2
	ENH4X60*24**	*9MV*1202422A**	54000	TDR&TXV	15.5			12.7
	ENH4X60*24**	*9MA*0802120A**	53500	TDR&TXV	15.5			13.2
	ENH4X60*24**	*9MA*1002122A**	54000	TDR&TXV	15.5			13.2
ENH4X60*24**	*9MA*1202422A**	54000	TDR&TXV	15.5			12.7	
ENH4X60*24**	NOMV156E19*	54500	TDR&TXV	14.5			12	
ENH4X60*24**	*9MVX080	54500	TDR&TXV	14.5			12	
ENH4X60*24**	*9MVX080	54500	TDR&TXV	14.5			12	
ENH4X60*24**	*9MVX100	54500	TDR&TXV	15			12.5	
ENH4X60*24**	*9MVX100	54500	TDR&TXV	15			12.5	
ENH4X60*24**	OLV154F20A	54500	TDR&TXV	14			12	
ENH4X60*24**		54500	TXV		14.5		12	
ENH4X60*24**	*8MPV100	54500	TDR&TXV	15			12.5	
ENH4X60*24**	*8MPV125	54500	TDR&TXV	15			12.5	
ENH4X60*24**	*9MPV100	54000	TDR&TXV	14.5			12	
ENH4X60*24**	*9MPV125	54000	TDR&TXV	14.5			12	
ENH4X60*24**	MV16J22**B*	54500	TDR&TXV	16			13	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA660GKA	ENH4X60*24**	MV20L24**B*	54500	TDR&TXV	16			13
	ENH4X60*24**	*9MPV100	54000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MPV125	54000	TDR&TXV	14.5			12
	ENH4X61*24**	*8MX*1102120**	54500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*8MX*1352420**	54500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*8MV*1102120**	54500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*8MV*1352422**	54500	TDR&TXV	15.5			12.5
	ENH4X61*24**	*9MX*0802120A**	54000	TDR&TXV	15.5			13.2
	ENH4X61*24**	*9MX*1202422A**	54000	TDR&TXV	15.5			12.7
	ENH4X61*24**	*9MV*0802120A**	54000	TDR&TXV	15.5			13.2
	ENH4X61*24**	*9MV*1202422A**	54000	TDR&TXV	15.5			12.7
	ENH4X61*24**	*9MA*1002122A**	54500	TDR&TXV	15.5			13.2
	ENH4X61*24**	*9MA*1202422A**	54000	TDR&TXV	15.5			12.7
	ENH4X61*24**	NOMV156E19*	54500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MVX080	54500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MVX080	54500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MVX100	54500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MVX100	54500	TDR&TXV	14.5			12
	ENH4X61*24**	OLV154F20A	54500	TDR&TXV	14			12
	ENH4X61*24**		55000	TXV		14.5		12
	ENH4X61*24**	*8MPV100	54500	TDR&TXV	15			12.5
	ENH4X61*24**	*8MPV125	54500	TDR&TXV	15			12.5
	ENH4X61*24**	*9MPV100	54000	TDR&TXV	14.5			12
	ENH4X61*24**	*9MPV125	54000	TDR&TXV	14.5			12
	ENH4X61*24**	MV16J22**B*	54500	TDR&TXV	16			13
	ENH4X61*24**	MV20L24**B*	54500	TDR&TXV	16			13
	ENH4X61*24**	*9MPV100	54000	TDR&TXV	14.5			12
	ENH4X61*24**	*9MPV125	54000	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA661GKA	*EN(A,D)4X61*24**		59500	TXV		14.5		12
	FEM4P60**A*		58000	TDR&TXV	14.5			12
	FEM4X60****		60000	TDR&TXV	14.5			12
	FEM4X60**B*		58000	TDR&TXV	14.5			12
	FS(M,U)4X60**A*		59000	TDR&TXV	13.5			11.5
	FVM4X60****		59000	TDR&TXV	15			12.5
	FXM4X60**A*		59500	TDR&TXV	14.5			12
	EA*4X60*21A*	*8MX*1102120**	58000	TDR&TXV	14.5			12.7
	EA*4X60*21A*	*8MV*1102120**	58000	TDR&TXV	14.5			12.5
	EA*4X60*21A*	*9MX*0802120A**	58000	TDR&TXV	14.5			12.5
	EA*4X60*21A*	*9MV*1002120A**	58000	TDR&TXV	14.5			12.5
	EA*4X60*21A*	*9MA*1002122A**	58000	TDR&TXV	14.5			12.5
	EA*4X60*21A*		58500	TXV			14	12.2
	EA*4X60*24A*	*8MX*1102120**	58000	TDR&TXV	14.5			12.7
	EA*4X60*24A*	*8MX*1352420**	58000	TDR&TXV	14.5			12.7
	EA*4X60*24A*	*8MV*1102120**	58000	TDR&TXV	14.5			12.5
	EA*4X60*24A*	*8MV*1352422**	58000	TDR&TXV	14.5			12.7
	EA*4X60*24A*	*9MX*0802120A**	58000	TDR&TXV	14.5			12.5
	EA*4X60*24A*	*9MX*1002120A**	58500	TDR&TXV	14.5			12.5
	EA*4X60*24A*	*9MX*1202422A**	58000	TDR&TXV	14.5			12
	EA*4X60*24A*	*9MV*1002120A**	58000	TDR&TXV	14.5			12.5
	EA*4X60*24A*	*9MV*1202422A**	58000	TDR&TXV	14.5			12
	EA*4X60*24A*	*9MA*0802120A**	57500	TDR&TXV	14.5			12.5
	EA*4X60*24A*	*9MA*1002122A**	58000	TDR&TXV	14.5			12.5
	EA*4X60*24A*	*9MA*1202422A**	58000	TDR&TXV	14.5			12
	EA*4X60*24A*		59000	TXV			14	12.2
	ED*4X60J**	*9MX*0802120A**	58000	TDR&TXV	14.5			12.5
	ED*4X60J**	*9MX*1202422A**	58000	TDR&TXV	14.5			12
	ED*4X60J**	*9MV*1002120A**	58000	TDR&TXV	14.5			12.5
	ED*4X60J**	*9MV*1202422A**	58000	TDR&TXV	14.5			12
	ED*4X60J**	*9MA*1002122A**	58000	TDR&TXV	14.5			12.5
	ED*4X60J**	*9MA*1202422A**	58000	TDR&TXV	14.5			12
	ED*4X60J**	*9MVX080	58500	TDR&TXV	13.5			11.5
	ED*4X60J**		58500	TXV			14.5	11.5
	ED*4X60J**	*8MPV100	58500	TDR&TXV	14			11.5
	ED*4X60J**	*8MPV125	58500	TDR&TXV	14			11.5
	ED*4X60J**	*9MPV100	58500	TDR&TXV	13.95			11.5
	ED*4X60J**	MV16J22**B*	58500	TDR&TXV	14.5			12
	ED*4X60L**	*8MX*1352420**	58500	TDR&TXV	14.5			12
	ED*4X60L**	*8MV*1352422**	58500	TDR&TXV	14.5			12
	ED*4X60L**	*9MX*0802120A**	58000	TDR&TXV	14.5			12.5
	ED*4X60L**	*9MX*1002120A**	58500	TDR&TXV	14.5			12.5
	ED*4X60L**	*9MX*1202422A**	58000	TDR&TXV	14.5			12
	ED*4X60L**	*9MV*1002120A**	58000	TDR&TXV	14.5			12.5
	ED*4X60L**	*9MV*1202422A**	58000	TDR&TXV	14.5			12
ED*4X60L**	*9MA*0802120A**	57500	TDR&TXV	14.5			12.5	
ED*4X60L**	*9MA*1002122A**	58000	TDR&TXV	14.5			12.5	
ED*4X60L**	*9MA*1202422A**	58000	TDR&TXV	14.5			12	
ED*4X60L**	*9MVX100	58500	TDR&TXV	14			11.5	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
NXA661GKA	ED*4X60L**	OLV154F20A	58500	TDR&TXV	13		11.5	
	ED*4X60L**		58500	TXV		14	11.5	
	ED*4X60L**	*9MPV125	58500	TDR&TXV	14		11.5	
	ED*4X60L**	MV20L24**B*	58500	TDR&TXV	14.5		12	
	EHD4X60A**	*8MX*1102120**	58500	TDR&TXV	14.5		12	
	EHD4X60A**	*8MX*1352420**	58500	TDR&TXV	14.5		12	
	EHD4X60A**	*8MV*1102120**	58500	TDR&TXV	14.5		12	
	EHD4X60A**	*8MV*1352422**	58500	TDR&TXV	14.5		12	
	EHD4X60A**	*9MX*0802120A**	58500	TDR&TXV	14.5		12.5	
	EHD4X60A**	*9MX*1002120A**	58500	TDR&TXV	14.5		12.5	
	EHD4X60A**	*9MX*1202422A**	58500	TDR&TXV	14.5		12	
	EHD4X60A**	*9MV*1002120A**	58500	TDR&TXV	14.5		12.5	
	EHD4X60A**	*9MV*1202422A**	58500	TDR&TXV	15		12.5	
	EHD4X60A**	*9MA*0802120A**	58000	TDR&TXV	14.5		12.5	
	EHD4X60A**	*9MA*1002122A**	58500	TDR&TXV	14.5		12.7	
	EHD4X60A**	*9MA*1202422A**	58500	TDR&TXV	14.5		12	
	EHD4X60A**	NOMV156E19*	58500	TDR&TXV	14		11.5	
	EHD4X60A**	*9MVX080	58500	TDR&TXV	14		11.5	
	EHD4X60A**	*9MVX100	58500	TDR&TXV	14		11.5	
	EHD4X60A**	OLV154F20A	58500	TDR&TXV	13		11.5	
	EHD4X60A**		58500	TXV		14	11.5	
	EHD4X60A**	*8MPV100	58500	TDR&TXV	14		11.5	
	EHD4X60A**	*8MPV125	58500	TDR&TXV	14		11.5	
	EHD4X60A**	*9MPV100	58500	TDR&TXV	14		11.5	
	EHD4X60A**	*9MPV125	58500	TDR&TXV	14		11.5	
	EHD4X60A**	MV16J22**B*	58500	TDR&TXV	14.5		12	
	EHD4X60A**	MV20L24**B*	58500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*8MX*1102120**	58500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*8MX*1352420**	58500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*8MV*1102120**	58500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*8MV*1352422**	58500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*9MX*0802120A**	58500	TDR&TXV	14.5		12.7	
	EN(A,D)4X61*24**	*9MX*1002120A**	59000	TDR&TXV	14.5		12.5	
	EN(A,D)4X61*24**	*9MX*1202422A**	59000	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*9MV*0802120A**	58500	TDR&TXV	15		12.7	
	EN(A,D)4X61*24**	*9MV*1002120A**	59000	TDR&TXV	14.5		12.7	
	EN(A,D)4X61*24**	*9MV*1202422A**	59000	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	*9MA*0802120A**	58500	TDR&TXV	14.5		12.7	
	EN(A,D)4X61*24**	*9MA*1002122A**	59000	TDR&TXV	15		12.7	
	EN(A,D)4X61*24**	*9MA*1202422A**	59000	TDR&TXV	15		12.5	
	EN(A,D)4X61*24**	NOMV156E19*	58500	TDR&TXV	14		11.5	
	EN(A,D)4X61*24**	*9MVX080	58500	TDR&TXV	14		11.5	
	EN(A,D)4X61*24**	*9MVX080	58500	TDR&TXV	14		11.5	
	EN(A,D)4X61*24**	*9MVX100	58500	TDR&TXV	14		11.5	
	EN(A,D)4X61*24**	*9MVX100	58500	TDR&TXV	14		11.5	
	EN(A,D)4X61*24**	OLV154F20A	58500	TDR&TXV	13.5		11.5	
	EN(A,D)4X61*24**	*8MPV100	58500	TDR&TXV	14.5		12	
	EN(A,D)4X61*24**	*8MPV125	58500	TDR&TXV	14.5		12	
EN(A,D)4X61*24**	*9MPV100	58500	TDR&TXV	14		11.5		
EN(A,D)4X61*24**	*9MPV125	58500	TDR&TXV	14		11.5		
EN(A,D)4X61*24**	MV16J22**B*	58500	TDR&TXV	14.5		12		
EN(A,D)4X61*24**	MV20L24**B*	58500	TDR&TXV	14.5		12		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35° C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
NXA661GKA	EN(A,D)4X61*24**	*9MPV100	58500	TDR&TXV	14		11.5
	EN(A,D)4X61*24**	*9MPV125	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*8MX*1102120**	58500	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	*8MX*1352420**	58500	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	*8MV*1102120**	58500	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	*8MV*1352422**	58500	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	*9MX*0802120A**	58000	TDR&TXV	14.5		12.5
	EN(A,D,W)4X60*24**	*9MX*1002120A**	58500	TDR&TXV	14.5		12.5
	EN(A,D,W)4X60*24**	*9MX*1202422A**	58000	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	*9MV*1002120A**	58000	TDR&TXV	14.5		12.5
	EN(A,D,W)4X60*24**	*9MV*1202422A**	58000	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	*9MA*0802120A**	57500	TDR&TXV	14.5		12.5
	EN(A,D,W)4X60*24**	*9MA*1002122A**	58000	TDR&TXV	14.5		12.7
	EN(A,D,W)4X60*24**	*9MA*1202422A**	58000	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	NOMV156E19*	58000	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*9MVX080	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*9MVX080	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*9MVX100	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*9MVX100	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	OLV154F20A	58500	TDR&TXV	13		11.5
	EN(A,D,W)4X60*24**		59000	TXV		14	11.5
	EN(A,D,W)4X60*24**	*8MPV100	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*8MPV125	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*9MPV100	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*9MPV125	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	MV16J22**B*	58500	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	MV20L24**B*	58500	TDR&TXV	14.5		12
	EN(A,D,W)4X60*24**	*9MPV100	58500	TDR&TXV	14		11.5
	EN(A,D,W)4X60*24**	*9MPV125	58500	TDR&TXV	14		11.5
	ENH4X60*24**	*8MX*1102120**	58500	TDR&TXV	14.5		12
	ENH4X60*24**	*8MX*1352420**	58500	TDR&TXV	14.5		12
	ENH4X60*24**	*8MV*1102120**	58500	TDR&TXV	14.5		12
	ENH4X60*24**	*8MV*1352422**	58500	TDR&TXV	14.5		12
	ENH4X60*24**	*9MX*0802120A**	58000	TDR&TXV	14.5		12.5
	ENH4X60*24**	*9MX*1002120A**	58500	TDR&TXV	14.5		12.5
	ENH4X60*24**	*9MX*1202422A**	58000	TDR&TXV	14.5		12
	ENH4X60*24**	*9MV*1002120A**	58000	TDR&TXV	14.5		12.5
	ENH4X60*24**	*9MV*1202422A**	58000	TDR&TXV	14.5		12
	ENH4X60*24**	*9MA*0802120A**	57500	TDR&TXV	14.5		12.5
	ENH4X60*24**	*9MA*1002122A**	58000	TDR&TXV	14.5		12.7
	ENH4X60*24**	*9MA*1202422A**	58000	TDR&TXV	14.5		12
	ENH4X60*24**	NOMV156E19*	58000	TDR&TXV	14		11.5
	ENH4X60*24**	*9MVX080	58500	TDR&TXV	14		11.5
	ENH4X60*24**	*9MVX080	58500	TDR&TXV	14		11.5
	ENH4X60*24**	*9MVX100	58500	TDR&TXV	14		11.5
ENH4X60*24**	*9MVX100	58500	TDR&TXV	14		11.5	
ENH4X60*24**	OLV154F20A	58500	TDR&TXV	13		11.5	
ENH4X60*24**		58500	TXV		14	11.5	
ENH4X60*24**	*8MPV100	58500	TDR&TXV	14		11.5	
ENH4X60*24**	*8MPV125	58500	TDR&TXV	14		11.5	
ENH4X60*24**	*9MPV100	58000	TDR&TXV	13.5		12	
ENH4X60*24**	*9MPV125	58000	TDR&TXV	14		12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
NXA661GKA	ENH4X60*24**	MV16J22**B*	58500	TDR&TXV	14.5			12
	ENH4X60*24**	MV20L24**B*	58500	TDR&TXV	14.5			13.4
	ENH4X60*24**	*9MPV100	58000	TDR&TXV	13.5			12
	ENH4X60*24**	*9MPV125	58000	TDR&TXV	14			12
	ENH4X61*24**	*8MX*1102120**	58500	TDR&TXV	14.5			12
	ENH4X61*24**	*8MX*1352420**	58500	TDR&TXV	14.5			12
	ENH4X61*24**	*8MV*1102120**	58500	TDR&TXV	14.5			12
	ENH4X61*24**	*8MV*1352422**	58500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MX*0802120A**	58000	TDR&TXV	14.5			12.5
	ENH4X61*24**	*9MX*1202422A**	58000	TDR&TXV	14.5			12
	ENH4X61*24**	*9MV*0802120A**	58000	TDR&TXV	14.5			12.7
	ENH4X61*24**	*9MV*1002120A**	58500	TDR&TXV	14.5			12.5
	ENH4X61*24**	*9MV*1202422A**	58000	TDR&TXV	14.5			12
	ENH4X61*24**	*9MA*1002122A**	58500	TDR&TXV	14.5			12.7
	ENH4X61*24**	*9MA*1202422A**	58500	TDR&TXV	14.5			12
	ENH4X61*24**	NOMV156E19*	58500	TDR&TXV	14			11.5
	ENH4X61*24**	*9MVX080	58500	TDR&TXV	14			11.5
	ENH4X61*24**	*9MVX080	58500	TDR&TXV	14			11.5
	ENH4X61*24**	*9MVX100	58500	TDR&TXV	14			11.5
	ENH4X61*24**	*9MVX100	58500	TDR&TXV	14			11.5
	ENH4X61*24**	OLV154F20A	58500	TDR&TXV	13			11.5
	ENH4X61*24**		58500	TXV		14.5		12
	ENH4X61*24**	*8MPV100	58500	TDR&TXV	14			11.5
	ENH4X61*24**	*8MPV125	58500	TDR&TXV	14			11.5
	ENH4X61*24**	*9MPV100	58000	TDR&TXV	13.5			12
	ENH4X61*24**	*9MPV125	58000	TDR&TXV	14			12
	ENH4X61*24**	MV16J22**B*	58500	TDR&TXV	14.5			12
	ENH4X61*24**	MV20L24**B*	58500	TDR&TXV	14.5			12
	ENH4X61*24**	*9MPV100	58000	TDR&TXV	13.5			12
	ENH4X61*24**	*9MPV125	58000	TDR&TXV	14			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

ACCESSORY USAGE GUIDELINES		
Accessory	REQUIRED FOR LOW-AMBIENT AP- PLICATIONS {Below 55°F (13°C)}	REQUIRED FOR LONG LINE APPLICATIONS* {Over 80 Ft. (24.4m)}
Crankcase Heater	Yes	Yes
Evaporator Freeze Thermostat	Yes	No
Winter Start Control	Yes **	No
Hard Start Kit (Capacitor & Relay)	Yes	Yes
Low Ambient Kit (Pressure Switch)	Yes	No
Support Feet, 4" (102mm) tall	Recommended	No
Liquid Line Solenoid Valve	No	See Long-Line Application Guideline

* For Line Set lengths between 80 and 200 ft (24.4 and 61m) horizontal, or more than 20 ft (6.1m) indoor-outdoor vertical separation, refer to the Long Line Application Guideline document.

** Can only be installed in conjunction with Low Pressure Switch.

ACCESSORIES		
Part Number	Description	Used On Model Size
NASA003CH	Crankcase Heater for Scroll Compressor (208/230 V)	18, 24, 30, 36
NASA001CH	Crankcase Heater for Scroll Compressor (208/230 V)	42, 48, 49, 60, 61 *
NASA001SC	Start Component – PTC Device	ALL
NASA001FS	Evaporator Freeze Thermostat	ALL
NASA403PS	Low Pressure Switch, AC, R-410A	ALL
NASA404PS	High Pressure Switch, AC or HP, R-410A	ALL
NASA401LS	Liquid Line Solenoid Valve, R-410A	ALL
NASA001TD	Time Delay Relay, Indoor Blower	ALL
NASA001WS	Winter Start Control	ALL
NASA001AC	Anti-Cycle Timer (5 minute delay)	ALL
NASA005SC	Hard Start Kit (Capacitor & Relay)	ALL
NASA401LA	Low Ambient Kit (Pressure Switch), R-410A	ALL
NASA001SF	Support Feet, 4" (102mm) tall	ALL
NASA001SJ	Sound Jacket, Compressor	18, 24, 30, 36, 42, 48, 49
NASA003SJ	Sound Jacket, Compressor	60, 61
NAEA40501TX	TXV Kit, R-410A – 2010 and later Piston Coils	18, 24, 30
NAEA40601TX	TXV Kit, R-410A – 2010 and later Piston Coils	36, 42
NAEA40701TX	TXV Kit, R-410A – 2010 and later Piston Coils	48, 49, 60, 61
EBAC05TXVX	TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers)	18, 24, 30
EBAC06TXVX	TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers)	36, 42
EBAC07TXVX	TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers)	48, 49, 60, 61

* Some models may be factory installed.